











PaperCut NG 7.5 User Manual

PaperCut NG 7.5 User Manual

Table of Contents

Preface	xvii
1. About This Guide	xvii
2. Expectations & Prerequisites	xvii
3. Terminology used in this document	xvii
4. Notice	xviii
1. Introduction	1
1.1. What is PaperCut NG?	1
1.1.1. Benefits	1
1.1.2. Key Features	1
1.1.3. System Requirements	2
1.2. How does PaperCut NG work?	3
1.2.1. Key Concepts	3
1.2.2. Understanding the print process flow	4
1.2.3. Architecture Overview	7
1.3. The Top-Ten Hidden Features!	7
1.3.1. One: Remote Administration	8
1.3.2. Two: Secondary Servers and Local Printers	8
1.3.3. Three: Shared Accounts	8
1.3.4. Four: Customizable Web Interface	8
1.3.5. Five: XML Web Services and Command-line Control	9
1.3.6. Six: Release Station Support	9
1.3.7. Seven: Text Print Logs	9
1.3.8. Eight: 3rd Party Database Support	9
1.3.9. Nine: Zero-install Client Deployment	10
1.3.10. Ten: The Development Team	10
1.4. Quick Start Guide - Phase I - Installation	10
1.4.1. Installation on Windows	11
1.4.2. Installation on Apple Mac	14
1.4.3. Installation on Linux	17
1.5. Quick Start Guide - Phase II - Configuration and Testing	19
1.5.1. The Configuration Wizard	19
1.5.2. Sharing Client Software	22
1.5.3. Testing	23
1.5.4. What next?	23
2. Implementation by Example	24
2.1. Scenario: The Small School	24
2.1.1. Requirements	24
2.1.2. Implementation	24
2.2. Scenario: The Large School	25
2.2.1. Requirements	26
2.2.2. Implementation	26
2.3. Scenario: The University	27
2.3.1. Requirements	27
2.3.2. Implementation	27
2.4. Scenario: The Small Business	29
2.4.1. Requirements	29
2.4.2. Implementation	29
2.5. Scenario: The Medium to Large Business	30
2.5.1. Requirements	30
2.5.2. Implementation	30
2.6. Scenario: The Public Library or Internet Cafe/Kiosk	31

2.6.1. Requirements	31
2.6.2. Implementation	32
3. Quick Tour	33
3.1. Navigation	33
3.1.1. Tabs	33
3.1.2. Actions	33
3.1.3. Buttons	33
3.1.4. Crumb Trail	34
3.1.5. Status Messages	34
3.1.6. Fields	35
3.2. Sections	35
3.2.1.  Users	35
3.2.2.  Groups	35
3.2.3.  Accounts	36
3.2.4.  Printers	36
3.2.5.  Internet	36
3.2.6.  Reports	36
3.2.7.  Cards	37
3.2.8.  Options	37
3.2.9.  Application Log	37
3.2.10.  About	37
3.3. Basic User Operations	38
3.4. Basic Printer Operations	39
3.5. Client Software	42
3.5.1. Demonstrating the client software and account selection process	42
3.6. Interface Levels	43
3.6.1. Admin Access	43
3.6.2. User Access	43
3.7. Assigning Administrator Level Access	44
3.8. Charting, Statistics, Reports and Logs	46
3.8.1. Charts	46
3.8.2. Reports	47
3.8.3. Logging	49
4. Services for Users	51
4.1. Introduction	51
4.2. User Client	53
4.2.1. User Client Deployment	55
4.3. User Web Pages	62
4.3.1. Summary	62
4.3.2. Environmental Impact	63
4.3.3. Rates	63
4.3.4. Use Card	64
4.3.5. Add Credit	65
4.3.6. Transfers	65
4.3.7. Transaction History	65
4.3.8. Recent Print Jobs	66
4.3.9. Recent Internet Use	66
4.3.10. Jobs Pending Release	67
5. Advanced User Management	68
5.1. Groups in PaperCut NG	68

5.2. Setting up quota allocations	69
5.2.1. Custom Quota Scheduling Periods	71
5.2.2. Advanced User Quota Management	71
5.2.3. Automated Quota Allocation Example	71
5.3. New User Creation Rules	72
5.4. Bulk User Operations	73
5.5. Using Overdrafts	74
5.6. Batch User Import and Update	75
5.6.1. Batch User Import File Format	76
5.7. Disabling user printing with time latches	78
5.8. User Management Quick Reference	78
6. Advanced Printer Management	80
6.1. Adding and Removing/Deleting/Ignoring Printers	80
6.1.1. On Windows	80
6.1.2. On Mac	81
6.1.3. On Linux	82
6.2. The Template Printer	82
6.3. Copying Printer Settings	84
6.4. Disabling printers with time latches	84
6.5. Managing printing using differential charging	85
6.5.1. Charging modes available	86
6.5.2. How duplex discounts are calculated	87
6.6. Using filters and restrictions	87
6.6.1. Reduce printer jams	88
6.6.2. Controlling documents on slow Inkjets	88
6.6.3. Automatically deleting duplicate jobs	88
6.6.4. Force sensible use	89
6.6.5. Automatically deny documents based on file extension or name	89
6.6.6. Control who can print in color (Advanced)	89
6.6.7. Advanced Setups	90
6.7. Charge Rates	90
6.8. Popup Authentication	91
6.8.1. Where Popup authentication is used	92
6.8.2. How does popup authentication work?	92
6.8.3. Configuration	92
6.9. Color Detection	94
6.9.1. Limitations of Page-Level Color Detection	96
6.10. Printer Quick Reference	96
7. Shared Accounts	98
7.1. Creating a Shared Account	99
7.1.1. The Template Account	100
7.2. Account Naming Guidelines	101
7.2.1. Client / Matter Naming Model	102
7.2.2. Project / Phase Naming Model	106
7.2.3. Customer / Job Naming Model	109
7.3. Client Security	110
7.4. The Account Selection Popup	112
7.4.1. Standard Account Selection Popup	113
7.4.2. Advanced Account Selection Popup	114
7.5. Account Selection Non-Domain Environments (Workgroups)	116
7.6. Batch Shared Account Import and Update	117
7.6.1. Batch Account Import File Format	118
7.7. Shared Account Synchronization	122
7.7.1. Synchronization Options	122
7.8. Bulk Shared Account Operations	123
7.9. Advanced Shared Account Options	124

8. Reports	125
8.1. Report types	125
8.1.1. User Reports	125
8.1.2. Printer Reports	126
8.1.3. Print Log Reports	126
8.1.4. Internet Use Reports	126
8.1.5. Group Reports	126
8.1.6. Shared Accounts Reports	126
8.2. Report Formats	126
8.3. Combining Filters and Reports	127
8.4. Scheduling and Emailing Reports	128
8.4.1. Usage	128
8.4.2. Details	130
8.5. Advanced Reporting Options	131
9. Print Release Stations	132
9.1. Release Station Interfaces	132
9.1.1. Standard Release Station	132
9.1.2. Web-based release station (Manager mode)	133
9.1.3. Web-based release station within the admin pages	134
9.1.4. End-user web-based release station	134
9.2. Release Station Usage Scenarios	135
9.2.1. Saving paper and toner	135
9.2.2. Secure Printing	135
9.2.3. Pay per print (e.g. Library or Internet Cafe)	135
9.2.4. Expensive Printers (Approved Printing)	136
9.2.5. Unauthenticated printing	137
9.3. Release Station Configuration	138
9.3.1. Enabling release station support for a printer	138
9.3.2. Release Station Managers	138
9.3.3. Standard Release Station Configuration	139
9.3.4. End-User Web Based Release Station Configuration	143
10. System Management	144
10.1. Overview	144
10.2. User and Group Synchronization	144
10.2.1. Synchronization Options	144
10.2.2. On Demand User Creation	147
10.2.3. Using Active Directory for user synchronization	147
10.2.4. Using LDAP for user synchronization	148
10.3. System Backups	149
10.3.1. Performing an Online Backup	150
10.3.2. Restoring a Backup	150
10.3.3. Performing Offline Backups	150
10.4. System Notifications	151
10.4.1. Configuring Notifications	152
10.4.2. Error Notifications (for Administrators)	155
10.4.3. Testing Notification Methods	157
10.5. System Security Options	157
10.5.1. Application Server Connections	157
10.5.2. Provider Connection Security	158
10.6. Environmental Impact	159
11. TopUp/Pre-Paid Cards	162
11.1. Cards by Example	162
11.1.1. The User's Perspective	162
11.1.2. The Administrator's Perspective	162
11.2. The Card System	162
11.3. Creating New Cards	163

11.3.1. Overview and Definitions	163
11.3.2. Using the Card Wizard	164
11.3.3. TopUp/Pre-Paid Card Tips	168
11.4. Using a Card	171
12. Configuring Secondary Print Servers and Locally Attached Printers	172
12.1. Configuring a Windows Secondary Print Server	172
12.1.1. Step 1 - Ensure primary server is set up correctly	172
12.1.2. Step 2 - Ensure firewall software is set to allow access to port 9191	172
12.1.3. Step 3 - Install the print provider	172
12.1.4. Step 4 - Configuration	173
12.1.5. Step 5 - Test	173
12.1.6. Automated Install	173
12.2. Configuring a Macintosh Secondary Print Server	173
12.2.1. Step 1 - Ensure primary server is set up correctly	173
12.2.2. Step 2 - Ensure firewall software is set to allow access to port 9191	173
12.2.3. Step 3 - Create the host user account	174
12.2.4. Step 4 - Install the print provider	174
12.2.5. Step 5 - Configuration	174
12.2.6. Step 6 - Test	174
12.3. Configuring a Linux Secondary Print Server	174
12.3.1. Step 1 - Ensure primary server is set up correctly	174
12.3.2. Step 2 - Ensure firewall software is set to allow access to port 9191	175
12.3.3. Step 3 - Account setup	175
12.3.4. Step 4 - Install the Print Provider	175
12.3.5. Step 5 - Configuration	175
12.3.6. Step 6 - Test	176
12.4. Print Monitoring Architecture	176
12.5. Multiple Print Servers	176
12.6. Automating Secondary Server Deployment on Windows	178
13. Net Control in Detail	180
13.1. How Internet Control works	180
13.1.1. Data-based control	180
13.1.2. Time-based control	180
13.2. Proxy server configuration	181
13.2.1. Proxy authentication	181
13.2.2. Denying access to users without credit	182
13.3. Internet Control Setup	182
13.3.1. Configuring the Internet Control Service on Windows	185
13.3.2. Configuring the Internet Control Service on Windows as a Secondary Server	187
13.3.3. Configuring the Internet Control Service on Linux	188
13.3.4. Configuring the Internet Control Service on Linux as a Secondary Server	189
13.3.5. Verifying the Net Control service setup	189
13.4. Internet Control Settings	189
13.4.1. Internet usage costs	189
13.4.2. Ignored Domains and users	190
14. Advanced Customization	192
14.1. Customizing the User Client Tool window	192
14.2. Customizing the User web pages	193
14.3. Customizing Report Headers	195
14.4. Data Access and Custom Reports	196
14.4.1. Plain Text Print Log	196

14.5. Automation and Scripting	197
14.6. Custom User Directory Information Providers	198
15. Licensing and Support	199
15.1. Installing a License	199
15.2. Technical Support & Further Information	199
16. Deployment on an External RDBMS	201
16.1. Overview	201
16.1.1. Why use an external RDBMS?	201
16.1.2. Supported Databases	201
16.2. Upsizing to an External RDBMS	201
16.2.1. Step 1 - Stop the PaperCut NG application	202
16.2.2. Step 2 - Perform a backup of the existing data	202
16.2.3. Step 3 - Create a new database in the external RDBMS	202
16.2.4. Step 4 - Change the PaperCut NG connection details	203
16.2.5. Step 5 - Initialize the new database	205
16.2.6. Step 6 - Load the data into the new database	205
16.2.7. Step 7 - Restart the PaperCut NG application server	206
16.3. Database specific configuration	206
16.3.1. Configuring Microsoft SQL Express 2005	206
16.3.2. Configuring Oracle (and Oracle Express Edition)	208
17. Microsoft Cluster Environments	209
17.1. About Clustering	209
17.2. Cluster Configuration Modes	209
17.2.1. Mode 1 - Clustering at the Print Provider layer	209
17.2.2. Mode 2 - Clustering at all application layers	212
17.2.3. Clustering Tips	214
17.3. Client/Workstation Configuration	214
18. PaperCut NG on Linux	216
18.1. The Installation Process	216
18.1.1. Manual extraction	216
18.1.2. The install process	216
18.1.3. Linux Print Queue Integration	218
18.2. Advanced Configuration & Logs	221
18.3. Backups & System Management	221
18.4. User Directory and Authentication	221
18.4.1. Standard Unix	222
18.4.2. Samba/Windows Domain	222
18.4.3. Custom	222
18.5. Unix Command-Line Release Station Client	222
18.5.1. Installing the Command-Line Release Station Client	224
18.6. Removing PaperCut NG from a Linux server	225
18.7. Linux FAQ	225
19. Print Authentication & Cross-Platform Networks	227
19.1. About Authentication and Printing	227
19.1.1. What is authentication?	227
19.1.2. Why does authentication pose a problem?	227
19.1.3. How does PaperCut NG address authentication?	228
19.2. The Authentication Cookbook - Recipes by example	228
19.2.1. Windows systems with generic logins	229
19.2.2. Windows laptops that do not authenticate against a domain ...	229
19.2.3. Windows print server using LDAP or eDirectory authentication	230
19.2.4. Mac OS X systems with generic user accounts	231
19.2.5. Mac OS X systems using domain authentication via Open Directory	231
19.2.6. Mac OS X systems using domain authentication via Windows Active Directory	231

19.2.7. Mac OS X laptops (or single user systems) printing to Windows print queues	232
19.2.8. Linux Workstations in a lab environment with printers hosted on a Windows server	233
19.2.9. Linux Workstations in a lab environment with printers hosted on Linux CUPS server	233
19.2.10. Linux laptops (or single user systems)	234
19.2.11. Multiuser Unix terminal servers	234
19.2.12. Further Recommendations	235
20. Mac Printing in Detail	236
20.1. Scenario One: My Own Mac (Single User)	236
20.1.1. Requirements	236
20.1.2. Installation	237
20.2. Scenario Two: The Multi-User Mac with Popup Authentication	240
20.2.1. Requirements	241
20.2.2. Installation	241
20.3. Scenario Three: Multi-user Macs using LDAP or Active Directory authentication	246
20.3.1. Requirements	246
20.3.2. Installation	246
20.4. Scenario Four: Mac OS X Server	249
20.5. Additional information and tips	250
21. Running in a Workgroup Environment	251
21.1. Option 1: Common username and passwords on all systems	251
21.2. Option 2: Authenticating via popup	252
A. Tools (Advanced)	255
A.1. Server Commands (server-command)	255
A.1.1. Available Commands	256
A.2. Database Tool (db-tools)	261
A.2.1. export-db Command	262
A.2.2. import-db Command	262
A.2.3. init-db Command	263
A.2.4. delete-old-logs Command	263
A.3. The XML Web Services API	263
A.3.1. Web Services Example Code	268
A.3.2. Security	268
A.4. SSL/HTTPS Key Generation	269
A.4.1. Using a custom SSL Key	270
A.5. User Client Options	270
A.6. Stopping and Starting the Application Server	275
A.6.1. Stopping/Starting the server on Windows	275
A.7. Automating / Streamlining Installation on Windows	275
B. Troubleshooting & Technical FAQ's	278
C. Advanced LDAP Configuration	283
C.1. LDAP Server Default Configuration	284
C.1.1. Unix / NIS Defaults	284
C.1.2. Novell eDirectory Defaults	284
C.1.3. Microsoft Active Directory Defaults	285
D. Proxy server configuration	286
D.1. Configuring Microsoft ISA Server 2004/2006	286
D.2. Configuring Squid Proxy	290
D.2.1. Squid authentication with LDAP / Active Directory	290
D.2.2. Restricting Internet Access for users without credit	291
E. Capacity Planning	295
E.1. Database Sizing and Growth	295
E.1.1. Internal database growth	295

E.1.2. SQL Server database growth	296
E.1.3. Sample database growth calculation	297
E.2. Network Bandwidth Planning	298
E.2.1. Bandwidth Estimates	298
F. Upgrading From a Previous Version	299
F.1. The recommended upgrade procedure	299
G. Upgrading from PaperCut Quota	300
G.1. Upgrade process	300
G.1.1. Step 1 - Stop and disable PaperCut Quota	300
G.1.2. Step 2 - Install PaperCut NG	300
G.1.3. Step 3 - Configure and test printers	300
G.1.4. Step 4 - Import the existing User Balances	301
G.1.5. Step 5 - Upgrade client software	302
G.1.6. Step 6 - Optionally uninstall PaperCut Quota	302
H. Software License Agreement	304

List of Figures

1.1. The user client tool	5
1.2. The User Client account selection popup	6
1.3. The Windows print queue	6
1.4. PaperCut NG Architecture - an advanced configuration	7
1.5. Network printer configuration	12
1.6. Configuring Windows print queue permissions	13
1.7. Setup wizard	14
1.8. Adding an IPP printer on an Apple Mac Workstation	15
1.9. The Mac installer	16
1.10. The Linux install process	18
1.11. PaperCut NG Configuration wizard	19
1.12. PaperCut NG Configuration wizard	20
1.13. User sync configuration wizard page	21
3.1. Application navigation tabs	33
3.2. The Actions area. Click to perform the action.	33
3.3. Buttons to validate and save settings	34
3.4. The crumb trail highlighting the location	34
3.5. A red status message indicating a validation error	34
3.6. A field highlighted indicating a validation error	35
3.7. Application navigation tabs	35
3.8. Adjusting a user's credit up \$10.00	39
3.9. A 40% discount applied to double-sided printing	40
3.10. Printer Filters and Restrictions	41
3.11. A printer disabled for 1 hour	41
3.12. The user client displaying the "Advanced Account Selection Popup"	42
3.13. The user client tool	44
3.14. The list of users granted admin access	45
3.15. User 30-day account balance history	46
3.16. Printer utilization chart	47
3.17. Print page history for a single printer	47
3.18. Printer report in PDF	48
3.19. Printer usage log	49
3.20. User account transaction log	49
4.1. PaperCut user client on Mac OS X	51
4.2. PaperCut user web pages	52
4.3. Example of customized user web pages	52
4.4. The User Client Balance Window	53
4.5. User Client account selection popup (Standard Popup)	54
4.6. User Client (Advanced Popup)	54
4.7. PaperCut Client on Mac OS X	55
4.8. PaperCut NG requires Mac OS X v 10.3.9 or later	56
4.9. Connecting to a Windows server	57
4.10. The PCClient share's connection string	58
4.11. Add PCClient as a Login Item	58
4.12. Control-click and open the package contents	59
4.13. Double-click to install the login hook	60
4.14. A user's summary information	63
4.15. Draw a user's attention to their environmental impact	63
4.16. Printing costs as seen by the user	64
4.17. Internet usage costs as seen by the user	64
4.18. Using a topup / pre-paid card	64
4.19. Transferring funds to another user	65

4.20. A user's recent balance transactions	65
4.21. A user's recent printing	66
4.22. A user's recent internet usage	66
4.23. The user web based release station	67
5.1. Adding/removing groups	69
5.2. The Group Details screen	70
5.3. Initial settings applied to new users	72
5.4. Setting a user's overdraft to \$20.00	75
5.5. User printing disabled using a time-latch	78
6.1. The Template Printer	83
6.2. Copy settings from one printer to others	84
6.3. Printer disabled using a time-latch	85
6.4. Advanced differential charging example	86
6.5. Some of the available printer filters and restrictions	88
6.6. Three charge rates defined at the printer level	91
6.7. Charge rates displayed in the Advanced Client Popup	91
6.8. Turning on popup authentication at the user level	93
6.9. PaperCut NG client requesting for authentication	93
6.10. The color detection setting for a printer	95
7.1. Selecting a shared account with the User Client popup	99
7.2. Creating a shared account	100
7.3. The template account	101
7.4. Template account settings	101
7.5. Client / Matter Naming Model example	102
7.6. Searching accounts by client name in the client/matter code naming model ..	103
7.7. Searching accounts by client code in the client/matter code naming model ..	104
7.8. Searching accounts by matter name in the client/matter code naming model ..	105
7.9. Searching accounts by matter code in the client/matter code naming model ..	106
7.10. Project / Phase Naming Model example	107
7.11. Searching accounts by project name or number in the project/phase code nam- ing model	108
7.12. Searching accounts by phase in the project/phase code naming model	109
7.13. Selecting a shared account from the popup	110
7.14. The user's popup settings under User -> User Details	111
7.15. Setting up shared account security	112
7.16. The standard account selection popup	113
7.17. Client popup options defined on a per-user basis	114
7.18. The print job confirmation dialog (no account selection options)	114
7.19. The advanced account selection popup	116
7.20. Configuration allowing only selection of other user accounts	117
7.21. Popup requesting the user to enter their username and password	117
8.1. Selecting ad-hoc date ranges for reports	125
8.2. Printer log PDF report	126
8.3. Report icons of available report formats (PDF, HTML, CSV (Excel)).	126
8.4. Filters applied to the shared account print log	128
8.5. The Scheduled Reports page	129
9.1. The Standard Release Station	133
9.2. Web-based release station (Manager mode)	133
9.3. Web-based release station within the admin pages	134
9.4. End-user web-based release station	134
9.5. All documents easily identifiable by document and machine name	137
9.6. End-user web based release station options	143
10.1. User/group synchronization options	145
10.2. Progress of a user/group synchronization process	146
10.3. On demand user creation options	147
10.4. Options for a single system notification	153

10.5. Printer error notification settings	156
10.6. Error level event notification settings	157
10.7. Draw a user's attention to their environmental impact	159
11.1. Entering a batch ID	165
11.2. Defining a valid till date	166
11.3. Options to edit the card design	166
11.4. Cards ready for printing	167
11.5. Imported card numbers	168
11.6. Inserting a new logo into a card	170
11.7. Propagate labels button	170
11.8. Using a card	171
12.1. Secondary server reporting back to primary server (application server)	177
12.2. PaperCut NG Architecture - an advanced configuration	178
13.1. Example of how Internet Control calculates time used on the Internet	181
13.2. Application Server, Internet Control module and proxy server all on one system	183
13.3. Application Server installed with Internet Control module, accessing proxy logs remotely	184
13.4. Internet Control module installed on proxy server, Application Server on separate system	185
13.5. Selecting the proxy server type and log file location	186
13.6. Example output from a test parse of proxy server log files	186
13.7. Selecting a security group to allow internet access	187
13.8. Selecting a service account	187
13.9. Example of Internet Control service status when service is running.	189
13.10. Internet usage cost settings	190
13.11. Internet usage cost settings	191
14.1. Customized user client link	192
14.2. A customized end-user web designed for Flora Hill Secondary College	194
14.3. A customized end-user web designed for Ross University	194
14.4. Example custom report header usage	196
17.1. Stopping the service and setting to Manual startup	210
17.2. Creating a new cluster resource	211
17.3. Cluster service parameters configuration	211
19.1. PaperCut NG client requesting authentication	228
20.1. PaperCut Client on Mac OS X	236
20.2. Add a printer	237
20.3. Option-click for advanced printer addition types	238
20.4. Windows printer via SAMBA	238
20.5. Connecting to a Windows server	239
20.6. The PCClient share's connection string	239
20.7. Add PCClient as a Login Item	240
20.8. Mac popup authentication dialog requesting username and password	240
20.9. Add a printer	242
20.10. Option-click for advanced printer addition types	242
20.11. Windows printer via SAMBA	243
20.12. Connecting to a Windows server	243
20.13. The PCClient share's connection string	244
20.14. Command-click and open the package	244
20.15. Double-click to install the login hook	245
20.16. Turning on popup authentication at the user level	245
20.17. PaperCut NG client requesting for authentication (Sorry: Windows screenshot!)	246
20.18. Windows Component: Other Network File and Print Service	247
20.19. Add a printer	247
20.20. Adding an LPR/LPD printer	248

20.21. Connecting to a Windows server	248
20.22. The PCClient share's connection string	249
20.23. Double-click to install the login hook	249
21.1. Turn off simple file sharing	251
21.2. Turn off simple file sharing	253
21.3. Enable perform printing as other user	254
D.1. ISA Server 2004/2006 - Logging tab	286
D.2. ISA Server 2004/2006 - Configure Proxy Logging option	286
D.3. ISA Server 2004/2006 - Using the W3C log file format	287
D.4. ISA Server 2004/2006 - Applying changed log settings	287
D.5. ISA Server 2004/2006 - Properties for the internal network	287
D.6. ISA Server 2004/2006 - Enabling the HTTP proxy	288
D.7. ISA Server 2004/2006 - Creating a new user set	288
D.8. ISA Server 2004/2006 - Adding Windows users to a user set	288
D.9. ISA Server 2004/2006 - Creating a new access rule	289
D.10. ISA Server 2004/2006 - Allowing the HTTP protocol	289
D.11. ISA Server 2004/2006 - Setting the internal network as the rule source	289
D.12. ISA Server 2004/2006 - Applying changed access rule settings	290
E.1. Database growth using the internal database	296
E.2. Database growth using a Microsoft SQL Server database	297

List of Tables

5.1. Quota schedule times	70
5.2. User Import File Format	77
6.1. User Client Popup Config Keys	94
7.1. Shared Account Import File Format	121
8.1. Report Formats	127
8.2. Scheduled reports delivery times	131
8.3. Advanced Reporting Config Keys	131
9.1. Standard Release Station config settings	140
9.2. Standard Release Station modes	141
10.1. Fields available in printing notifications	153
10.2. Fields available in low balance notifications	153
10.3. Fields available in printer error notifications	156
10.4. Fields available in error level event notifications	157
10.5. Environmental Impact Reporting	160
11.1. Card Terminology	164
12.1. PaperCut NG services/components	176
13.1. Internet Control Cost Options	190
14.1. User Client Customization Config Keys	193
14.2. Files used to customize the user web pages	195
14.3. Text print log file format	197
18.1. Secured Application Areas	217
18.2. Standard print commands	220
18.3. Advanced Configuration	221
A.1. XML Web Services Methods	268
A.2. User Client command-line options	274
A.3. Windows installer command-line options	277
C.1. LDAP Config entries	284
C.2. Unix / NIS LDAP default settings	284
C.3. Novell eDirectory LDAP default settings	285
C.4. Active Directory LDAP default settings	285

Preface

1. About This Guide



The PaperCut NG User Guide covers the setup, management and configuration of PaperCut NG.

For information of how to configure and install PaperCut NG, see the Quick Start Guide in Chapter 3, *Quick Tour*, and the accompanying sections like Chapter 12, *Configuring Secondary Print Servers and Locally Attached Printers*. Prior to installing the application please take a few moments to read key sections of this manual. In addition, people new to print/internet control may also find the accompanying implementation guide available from the PaperCut Software website useful in managing the deployment process.

The latest version of this manual in HTML and a printable PDF format are available from the PaperCut Software International Pty Ltd website at <http://www.papercut.com/>.

2. Expectations & Prerequisites

PaperCut NG is a network based server application. Experience with basic network concepts such as server administration and network connectivity is expected. Prior to installing or evaluating PaperCut NG you should be familiar with:

- The concept of sharing printers and print servers
- Understanding of client-server relationships
- Understanding of basic security concepts such as permissions, groups and users.

3. Terminology used in this document

To make reading this manual easier, the names of all the screens, tabs and actions from PaperCut NG are marked up in a different font. The **User Details screen** for instance.

A sub-screen or tab is indicated with an arrow. **User Details** → **Adjustments** means: select *Adjustments & Charges* tab from the *User Details* screen.

User Interface Buttons are indicated like this: Press **OK** to continue.

System output and keyboard input is indicated with a different font as well.

Field labels are indicated like this **Username**.



Important

Important notes are marked like this.



Tip

Tips provide useful advice to make your life easier.



Caution

Indicate situations where you have to be careful what you are doing.



Warning

Where extreme care has to be taken.

4. Notice

While every effort has been taken to ensure the accuracy and usefulness of this guide, we cannot be held responsible for the occasional inaccuracy or typographical error. If you do find an error, please let the PaperCut Software Development Team know.

Information in this document is subject to change without notice. The names of companies, products, people, characters, and data mentioned herein are fictitious and are in no way intended to represent any real individual, company, product, or event, unless otherwise noted. No part of this document may be reproduced or transmitted in any form without the express written permission of PaperCut Software International Pty Ltd.

PaperCut is a trademark of PaperCut Software International Pty Ltd.

(c) Copyright 1999-2006 PaperCut Software International Pty Ltd. All rights reserved.

Chapter 1. Introduction

1.1. What is PaperCut NG?



PaperCut NG is a comprehensive solution designed to manage and control an organization's print and Internet usage. The expectations of management and control vary from organization to organization, so PaperCut NG is designed for flexibility to ensure organizations of all types, ranging from schools, universities, small businesses and large business, can utilize the system for their own requirements and purposes. Possible implementations can include:

- Silent activity monitoring
- Visible activity monitoring and expense tracking by work area, projects, departments
- Quota/allowance enforcement
- Up-front user pays systems or pay-per-print systems

In addition PaperCut NG provides system administrators with a kit of tools to manage printer including:

- Advanced print document/job filtering
- Detailed logging and reporting
- Access control

1.1.1. Benefits

✓ Some of the key benefits of PaperCut NG are:

- Transfer accountability to users or departments by individually tracking activity.
- Creates responsibility and environmental awareness by drawing users' attention to their own activities.
- Reduces overall printing cost by virtue of either making users aware of their own activity, enforcing reasonable quotas, or recovering full costs from end-users.
- Discourages overuse of IT resources.
- Improve efficiency by allowing administrators to "encourage" use of underutilized printers and/or servers.
- Improve network reliability by implementing rules to prevent printer queue jams, queue hogging, and inappropriate printing types.
- Encourage responsible Internet usage, resulting in reduced Internet usage costs and reduce congestion on Internet connections.

1.1.2. Key Features

✔ Some of the key features of PaperCut NG are:

- Track all printing activity by user, client, printer and document metadata.
- Enforce per user quotas, allowances or budgets
- Full differential print cost/charging system allowing different costs to be assigned on a per printer basis with advanced options to charge different amounts based on document type.
- Hardware neutral solution support all major printer types and operating systems. No hardware vendor lock-in!
- Both cross-platform and multi-platform support. Run a mix of Windows and/or Linux print servers and support clients ranging from Windows, Mac, Linux and Unix.
- Internet control module allows costs to be defined for both data downloaded and time used.
- Support for all major Internet proxy servers on all platforms, allowing the Internet Control module to work with existing infrastructure.
- Provides end-users with management options such as funds transfers, usage tracking and reporting.
- Provides end-users with advanced options to allocate print jobs to shared accounts, cost centers, faculties or departments.
- Single sign-on user authentication with native integration with Active Directory or the system's underlying user management. (no separate passwords to manage!)
- Flexible hold/release queue support with Release Station software allowing administrators to implement approved and secure printing environments.
- Service Oriented Architecture utilizing the latest software design methods including, test driven development, XML Web Services and layered architecture. This ensures scalability and stability by design.
- Advanced reporting and charts available in standard formats including PDF, Excel, and HTML. All reports accessible from anywhere on the network via a standard web browser.
- Ability to run on top of leading 3rd party Relational Database Management Systems (RDBMS) including Microsoft SQL Server and PostgreSQL Database.
- Enterprise level security and encryption based on SSL.
- Open architecture with source code access and API documentation.

1.1.3. System Requirements

PaperCut NG supports the following server platforms:

- Microsoft Windows Server 2003
- Microsoft Windows 2000 (Pro and Server)
- Microsoft Windows XP (Pro)
- Macintosh OS X 10.4+ with Java 5 support (both PowerPC and Intel supported)
- Most modern Linux Operating Systems including:
 - Red Hat Enterprise Linux (AS 3.0, ES 3.0, AS 4.0, ES 4.0)
 - Novell SuSE Linux (8.2, 9.0+)

- Fedora Core
 - Debian (3.1+)
- With print queues hosted via:
- Samba based print queues
 - CUPS based print queues

The requirements for the optional Internet control module are described in Chapter 13, *Net Control in Detail*.

Servers and clients must use user ID/username based authentication (e.g. Active Directory, Windows NT, LDAP, or local system accounts).

Sites with more than 500 users should consider a server class system with more than 512MB of RAM and 500 MB of free disk space.

PaperCut NG supports approximately 90% of printers on the market. Where possible we recommend printers that support one of the two major printer language standard - Postscript or PCL. Up-to-date information on printer compatibility is covered on the PaperCut Software website knowledge base at: *PaperCut Knowledgebase Printer Information* [<http://www.papercut.com/kb//Main/SupportedPrinters>]

On workstation clients:

- All supported Microsoft Windows platforms (Windows 98 and later)
- Macintosh OS X 10.3.9 or higher recommended
- Most modern Linux Operating Systems (Java 5.0 required for optional client tool)

1.2. How does PaperCut NG work?

Before explaining how PaperCut NG works at a technical and end-user level, the reader should be familiar with the following key concepts.

1.2.1. Key Concepts

1.2.1.1. Print Server

A print server is a system responsible for hosting print queues and sharing printer resources to desktop clients/workstations. Users on the workstations submit print jobs to a print server rather than directly to the printer itself. A print server may be a dedicated server but on most networks this server may also perform other tasks such as file serving.

1.2.1.2. Print Queue

A print queue is first-in-first-out queue listing all jobs pending on a given printer.

1.2.1.3. Proxy Server

A proxy server is software used to connect to the Internet on behalf of client on a network. The proxy server can also provide security by limiting access web sites and also cache Internet content to reduce Internet costs and speed up connections.

A proxy server is only required to run the optional Internet Control module.

PaperCut NG Internet Control reads the proxy log files to determine a user's Internet usage.

1.2.1.4. User ID/Username

In a multi-user environment, users log on to a network or computer using a username and password. These are often managed by services such as Active Directory or LDAP. The username is known as the user's identity. PaperCut NG uses this identity to track printing.

1.2.1.5. Shared Account

A shared account is a PaperCut NG term used to represent an account (pool of funds or allocation group) accessible to multiple users. Accounts usually represent "work areas" and the term can be used interchangeably with terms such as Departments, Faculties, Projects, Clients, Client/Matter, or Cost Centers.

1.2.1.6. Client/Server Model

Client software is a small program that runs on each workstation and communicates with a server. The printing process on most networks works on a client/server model with clients (workstations) submitting jobs to a server. PaperCut NG also uses optional client software to help provide information to end-users. This also runs in a client/server model.

1.2.1.7. Application Server

An application server is a server program responsible for centrally processing "business logic" and providing services to end-users. PaperCut NG uses the application server model to provide a "business logic" unit for calculating user costs and providing a web browser interface to end-users.

1.2.1.8. Information Provider

A provider is a software component or program responsible for providing information to an Application Server. PaperCut NG uses providers to submit print queue/job information to its application server. This information provider is called the *Print Provider*. Another provider is the *Internet Control Provider* that monitors Internet proxy log files and reports usage to the application server. Other important providers included with PaperCut NG include user directory and authentication providers.

1.2.1.9. Web Application Interface

A web application is a software program that interacts with end-users via a web browser. Examples range from Google, Microsoft SharePoint, Hotmail, Internet banking and router management consoles. PaperCut NG provides a web-based interface for system administration and management. Web applications offer administration flexibility by allowing access from any location on the network and avoid the need for installation of separate software.

1.2.2. Understanding the print process flow

To help explain what PaperCut NG is and how it works we'll introduce the system by example. We'll start with a simple high school example:

The student's perspective (transparent quota control):

1. Matt is a student at a local high school. He has logged onto the network using his

username, matt.j.smith, and is surfing the Internet. He would like to print out a web page for his school assignment.

2. The network administrator has allocated Matt a printing credit budget of \$10.00 a month. He can see his current account balance of \$4.50 in the PaperCut Client Tool window.




Figure 1.1. The user client tool

3. Matt prints the web page. 5 pages come out of the printer.
4. The network administrator has set a cost-per-page inside PaperCut on the printer at \$0.10. Matt's 5 page document costs \$0.50.
5. Matt's account balance is now at \$4.00. He may continue to print until his account drops to zero.

The teacher's perspective (allocation to accounts):

1. John is a science and mathematics teacher at the same local high school.
2. John needs to print out a presentation consisting of 122 page science worksheet for his next class.
3. The network administrator has granted John access to charge to either his personal account or to either the Science Department or Math Department's shared accounts.
4. John presses the **Print** button in the application.
5. The PaperCut client tool displays a popup and presents John with information about the print jobs and requests an account selection. In this case accounts represent Departments but could also represent projects or other work areas.
6. John selects the science department's shared account from the list.




Figure 1.2. The User Client account selection popup

7. The print job is charged to the science department's account.

The technical perspective (behind the scenes):

1. When the teacher, John, prints his 150 page print jobs, his workstation transfers the print job to the server and places it in the print queue.




Figure 1.3. The Windows print queue

2. The PaperCut Print Provider intercepts the print job in the queue prior to printing and analyzes the information determining:
 - a. Who printed the document
 - b. The number of pages in the document
 - c. Other information such as duplex, grayscale mode, paper size, etc.
3. The *Print Provider* submits the job's information to the *Application Server* to process the "business logic".
4. The *Application Server* determines that John needs to select the account to charge. It

notifies the *Client Software* on John's desktop.

5. The *Client Software* displays the Popup requesting the account.
6. After John selects the client account, the *Application Server* is notified of John selection.
7. The *Application Server* charges the appropriate account, logs the job and instructs the *Print Provider* to transfer the document onto the printer.

1.2.3. Architecture Overview

PaperCut NG was developed using the latest software development strategies, a strong influence being Service Oriented Architecture (SOA). The *Print Provider*, *Application Server* and *Client Software* all communication uses XML based web services over HTTP.




Figure 1.4. PaperCut NG Architecture - an advanced configuration

A more detailed explanation of the architecture and how it relates to a multi-server installation can be found in subsequent sections.

For information on the Internet Control module architecture see Section 13.1, "How Internet Control works".

1.3. The Top-Ten Hidden Features!



Much of PaperCut NG flexibility and usefulness comes not from the features you can see, but from the advanced hidden features. PaperCut NG is packed full of handy tools, utilities and options and you will read about these throughout this guide. To provide a quick overview now, the most popular hidden features are:

1.3.1. One: Remote Administration

PaperCut NG is a 100% web based application. Full system administration can be performed from anywhere on the network via a standard web browser - no special admin software is required! To access the administration section, point a browser at the server on port 9191:

```
http://[server_name]:9191/admin
```

Encrypted SSL/HTTPS access is also available on port 9192:

```
https://[server_name]:9192/admin
```

Access is granted to the built-in `admin`, or to any user that has been granted administrator level access.

1.3.2. Two: Secondary Servers and Local Printers

PaperCut NG is an enterprise level application designed to be managed and control from a central location. Multi-server environments are common in large organizations and PaperCut NG handles them with ease. All servers are configured to report back to the central *Application Server*. This ensures that all management, logging and control is centralized on the one location. These secondary servers simply run a light weight monitoring component and communicate to the central server via XML Web Services calls.

Would you like to run some of your printers on an alternate operating system such as Linux? Again, no problem! PaperCut NG supports mixed or heterogeneous networks as well!

You can also use PaperCut NG to manage local desktop printers directly attached to a workstation! Just treat the workstation as a *Secondary Server* and install the monitoring component as normal!

See Chapter 12, *Configuring Secondary Print Servers and Locally Attached Printers* for more information.

1.3.3. Three: Shared Accounts

Many organizations would like to track their printing on more than a per-user level. With the Shared Accounts feature, users can allocate jobs to cost areas such as Faculties, Departments, Projects, Clients, Cost Centers, or Pools. Shared accounts are selected via a customizable popup window. Two popup window types are available:

- *Standard* - A simple window design ideal for most users.
- *Advanced* - An advanced window design for the power user including features such as search, preference list, recent selections, comment entry and invoicing options. This is ideal for businesses including Engineering, Law, Accounting and Architecture Firms.

Access to accounts is control via integrated network group membership or optionally PIN's.

See Chapter 7, *Shared Accounts* for more information.

1.3.4. Four: Customizable Web Interface

Did you know that the end-user interface can be quickly customized to make it look like an official part of your organization's infrastructure? With some simple HTML, you can make PaperCut NG end-user interface look just like your existing web site or intranet site.

See Section 14.2, "Customizing the User web pages" for more information.

1.3.5. Five: XML Web Services and Command-line Control

It seems like everything these days is Web Services enabled. Not to be outdone, PaperCut NG exposes dozens of API's via secured XML Web Services. This provides advanced administrators and developers with the ability to programmatically remotely control, integrate and manage the application. The possibilities are endless... some of our users now have their library fines hooked into the PaperCut NG system!

In addition to the Web Services API's, system administrators may hook into the inner workings of PaperCut NG via our advanced `server-command` application. This simple, but powerful command-line tool provides command based access to dozens of system functions. Maybe you have batch files or scripts managing back-ups, account creation or system maintenance. With `server-command` you can quickly integrate PaperCut NG into your existing infrastructure. Some ideas:

1. Schedule "online" backups to coordinate with your existing backup processes. No need to take the system down to take a data snapshot.
2. Create users in PaperCut NG automatically and as part of your exist user creation scripts.
3. Automatically import/sync list of accounts from a file, 3rd party system or existing directory structure. (Great for Engineering and Architecture firms)
4. Automatically schedule user/group synchronization with Active Directory or another environment. Have full control of how and when synchronization takes place.

See Section A.3, "The XML Web Services API" and Section A.1, "Server Commands (server-command)" for more information.

1.3.6. Six: Release Station Support

Do you have problems with users forgetting to collect their print jobs or other users accidentally picking up the wrong document? With PaperCut NG's secure print release station support, administrators can alleviate many of these problems. PaperCut NG's hold/release queues are also ideally suited to an education environments and Internet Cafes where per-print-approval or pay-per-print is required.

See Chapter 9, *Print Release Stations* for more information.

1.3.7. Seven: Text Print Logs

PaperCut NG maintains a real-time tab-delimited text log listing all printing activity in details. The system already includes advanced analysis tools such as reports, statistics and graphs, however many organizations would like to use the data for their own ad-hoc analysis. The real-time text print logs can be tapped and extract into applications such as external databases, scripts and even Microsoft Excel.

See Section 14.4, "Data Access and Custom Reports" for more information.

1.3.8. Eight: 3rd Party Database Support

PaperCut NG ships with its own preconfigured and self-maintaining database. The system however is database independent and can be run on top of a number of leading database systems. Maybe you have an existing Microsoft SQL Cluster and would like to take advantage of this infrastructure. No problem! PaperCut NG can be quickly configured to hook into your preferred database.

See Chapter 16, *Deployment on an External RDBMS* for more information.

1.3.9. Nine: Zero-install Client Deployment

PaperCut NG is implemented using 100% server-side logic and no client software is required. A simple lightweight client tool is however provided so end-users have access to advanced features such as shared accounts and the option of viewing their account balance in a popup window.

Deploying client software can be a time consuming and fiddly process. To streamline the process PaperCut NG allows its client to be run directly off a network share - no need to install locally, or mess around with deployment tools! Just set the executable as a startup program.

See Section 4.2, "User Client" for more information.

1.3.10. Ten: The Development Team

Software is only as good as the development process. PaperCut NG is developed in an open and transparent fashion by a small development team. Suggestions and feedback are encouraged and source code access is provided to our customers. The team works closely with key system users to architect new features. A member of the development team is online for 8 hours a day and is always happy to chat. Come visit us on our Live Web Chat page!

See the PaperCut Software website <http://www.papercut.com/> for more information.

1.4. Quick Start Guide - Phase I - Installation

This quick start guide covers the initial installation and configuration of PaperCut NG in your network environment. Initial installation takes only a few minutes on a currently configured server. This guide will walk you through installation and configuration step-by-step over two phases. The process is summarized below:

1. System requirements check
2. Downloading and installing PaperCut NG
3. Completing the configuration wizard
4. Testing client software
5. Testing printing and remote access

PaperCut NG is a cross-platform solution and the installation procedure will vary depending on the target operating system. Please jump to the appropriate section below:

- Windows: Section 1.4.1, "Installation on Windows"
- Mac: Section 1.4.2, "Installation on Apple Mac"
- Linux: Section 1.4.3, "Installation on Linux"

For additional information on setting up the optional Internet Control module see Chapter 13, *Net Control in Detail*.

1.4.1. Installation on Windows



Important

This guide assumes that you are using Windows Server 2003. The process is similar for other Windows operating systems. Separate documentation exists for Linux (see Section 1.4.3, "Installation on Linux") and Mac (see Section 1.4.2, "Installation on Apple Mac").

If you're upgrading from a previous PaperCut NG version, please refer to the directions outlined in Appendix F, *Upgrading From a Previous Version*.

1.4.1.1. Step 1 - System Requirements

Before installing PaperCut NG for either evaluation or production use, the system administrator should take a few minutes to verify system requirements.

Is the operating system version supported and patches up-to-date? Take a few minutes to verify the system is current and supported (see Section 1.1.3, "System Requirements").

In workgroup environments (i.e. where no domain is present), some additional configuration may be required. For more details see Chapter 21, *Running in a Workgroup Environment*.

Are printer(s) installed and hosted on this system? PaperCut NG needs to be installed on the system directly hosting the printer(s). The printer should be installed as a "Local Printer" with a connection method such as TCP/IP Port, LPR, or JetDirect or directly connected to the system via USB or LPT Port.

In a multi-user environment, printers are often shared with other network users. Other workstations should connect to these printers as "Network Printers". Ensure workstations are configured to print to the shared print queues. For example a Windows workstation may connect to a printer via a path like: `\\[samba_server]\\[printer]`.

Ensure that printers are configured correctly and work *before* installing PaperCut NG.




Figure 1.5. Network printer configuration



Important

If you are running the PaperCut NG server or clients on Windows XP (Professional or Home edition), please see Appendix B, *Troubleshooting & Technical FAQ's*.

1.4.1.2. Step 2 - Print queue configuration

When using release stations or account selection popups it is recommended to secure the print queue so that users do not have permission to pause/resume documents in the queue. This allows PaperCut NG to have full control of documents without interference from users. To do this:

1. Log onto the server hosting the printers as an Administrator.
2. Open the printer configuration screen: **Start** → **Printers**
3. Right-click a printer and select **Properties**.
4. Select the **Security** tab.
5. Select the **CREATOR OWNER** user and uncheck the **Manage Documents** permission. See Figure 1.6, "Configuring Windows print queue permissions"
6. Press the **OK** button.
7. Perform these steps for each of the monitored printers.




Figure 1.6. Configuring Windows print queue permissions

1.4.1.3. Step 3 - Download and install

PaperCut NG is supplied as a standard Windows `setup.exe` install program. The latest version may be downloaded from <http://www.papercut.com/>. After the download is complete, run the setup wizard as an administrator level user. A system restart is usually not required but administrators are advised to perform installation on live production systems during periods of low activity - for example, not during backup operations or other administration activities.




Figure 1.7. Setup wizard

Select the "standard install" option and install PaperCut NG onto a hard drive with adequate free disk space. The default options will suffice for most systems. After the installation is complete, a web browser will open to complete final configuration. Please proceed to Phase II (Section 1.5, "Quick Start Guide - Phase II - Configuration and Testing").

1.4.2. Installation on Apple Mac



Important

This guide assumes that you are installing on a Mac OS X 10.4 (either server or workstation) hosting and sharing printers. If you're upgrading from a previous PaperCut NG version, please refer to the directions outlined in Appendix F, *Upgrading From a Previous Version*.

The following section assumes the reader has knowledge of general Mac OS X server management. Although the installation process is graphical, it would be an advantage to have knowledge of the command-line, creating users, editing configuration files and an understanding file permissions.

1.4.2.1. Step 1 - System Requirements

Before proceeding with the installation the system administrator should take a few moments to verify system requirements. Is the operating system version supported and are patches up-to-date? Take a few minutes to verify the system is current and supported (see Section 1.1.3, "System Requirements"). A system prerequisite is Java version 5.0 or higher. If Java 5 is not already installed, the installer is available from the Apple website at: <http://www.apple.com/support/downloads/java2se50release3.html>.

1.4.2.2. Step 2 - Print Queue Setup

Administrators should ensure that the print queues are set up and working as expected *before* attempting to install PaperCut NG.

In network environment printers shared over the network in a way to allow multi-user access. Mac servers share print queues using the Internet Printing Protocol (IPP) - a service provided by CUPS. It is important that workstations/clients print to the server's shared print queues rather than directly to physical printer itself. The general procedure is to first setup and establish the printer on the nominated system (the print server which will run PaperCut NG), share the printers, then add the printers on each workstation. The standard procedure can be summarize as follows:

1. Install the printers on the server using the manufacturer's suggested procedure. For convenience, give the printer a simple name *without* spaces. Network printers connected via JetDirect (Socket) or LPD are recommended. Some printers have built-in AppleShare support. We recommend disabling this if possible and using JetDirect (Socket). Test local printing directly from the server to confirm the printer is configured correctly - e.g. print a website from Safari.
2. Ensure **printer sharing** (the Print Server) is enabled on the server/host. System administrators running firewalls should also confirm that port 631 (the standard CUPS port) is accessible from the local network. On Mac OS X Server, each print will also need IPP sharing enabled.
3. Add the printer(s) on the workstation(s) using the **Printer Setup Utility**. Select **IP Printer** and the **Internet Printing Protocol - IPP** option. Enter your server name (or the server' IP Address) in the **Address** field and the printer name prefixed with **printers/** in the **Queue** field. The name of the printer will be the same as configured in step 1. For example: `printers/my_office_printer`.




Figure 1.8. Adding an IPP printer on an Apple Mac Workstation

4. Take some time to print from the workstation and confirm that printing succeeds. You should see the job appear in the server's print queue before the job appears at the

printer.

If the printers are currently not installed and configured, this task should be performed and verified *before* proceeding further.

1.4.2.3. Step 3 - Creating the host user account (optional)

PaperCut NG runs under a non-privileged user account called "papercut". This invisible system account is created automatically upon first install. Advanced system administrators may however have a preference to create this account manually. If you fall into this category, create the `papercut` account now prior to installation.

1.4.2.4. Step 4 - Download and install

PaperCut NG is supplied as a standard disk image containing the installer. Log on as an admin level account. Download and double-click Mac installer. Double-click on the installer package named `PaperCut NG Standard Installation.pkg`. Follow the directions on the screen. The installation process will take between two and five minutes depending on the speed of the system. A system restart is usually not required but administrators are advised to perform installation on live production systems during periods of low activity - for example, not during backup operations or other administration activities.

The default install location is `/Applications/PaperCut NG`



Important

Make sure you're installing the correct package. The similarly named `PaperCut NG Secondary Server Installation.pkg` only installs part of the application and is designed for more advanced networks.




Figure 1.9. The Mac installer

After the installation is complete, a web browser will open to complete final configuration. Please proceed to Phase II (Section 1.5, "Quick Start Guide - Phase II - Configuration and Testing").

1.4.3. Installation on Linux



Important

The following section assumes the reader has knowledge of general Unix/Linux system management including using the command-line, creating users, editing configuration files and understanding file permissions.

1.4.3.1. Step 1 - System Requirements

Before proceeding with the installation the system administrator should take a few moments to verify system requirements. Is the operating system version supported and are patches up-to-date? Take a few minutes to verify the system is current and supported (see Section 1.1.3, "System Requirements").

Are printer(s) installed and hosted on this system and are they exposed to the network either via CUPS or Samba? Administrators should ensure that the print queues are set up and working as expected before attempting to install PaperCut NG.

In a multi-user environment, printers are often shared with other network users. Other workstations should connect to these printers as "Network Printers". Ensure workstations are configured to print to the shared print queues. For example a Windows workstation may connect to a samba exposed printer via `\\[samba_server]\\[printer]`. Other Linux or Mac workstations will use IPP via CUPS.

If the printers are currently not installed and configured, this task should be performed and verified before proceeding further.

1.4.3.2. Step 2 - Creating the host user account

PaperCut NG runs and installs under a non-privileged user account called "papercut". The installation location for the application is the `papercut` user's home directory. Create a user account on this system called `papercut`. This is usually done by logging in as `root` and at the command prompt entering:

```
shell> useradd -d /home/papercut papercut
```

The syntax for `useradd` and `groupadd` may differ slightly on different versions of Linux. They may also be called `adduser` and `addgroup`.

The user's home directory (the `-d` option) denotes the install location. `/home/papercut` is the recommended location. Administrators may however also consider alternate install locations depending on personal preference. Alternates including:

- `/usr/local/papercut`
- `/opt/papercut`



Important

This quick start guide assumes the install location is `/home/papercut`. If an

alternate home location is defined, some of the paths listed in subsequent sections will require modification.

1.4.3.3. Step 3 - Download and installing

PaperCut NG is supplied as a self-extracting and self-installing archive. The installation is done under the rights of the newly created `papercut` and temporary `root` access will be required. Please have the root password handy. (Administrators who are after a detailed explanation of the install process should also consult the background information in Chapter 18, *PaperCut NG on Linux*).

Log on as the newly created `papercut` user and download and execute the installer:

```
shell> su - papercut
shell> wget [download url from PaperCut Software website]
shell> sh ./pcng-setup-linux-i686.sh
```

Follow the installation instructions and enter the root password when requested.



Important

Ensure you login as the user `papercut` so that the user's environment is sourced so the home directory (install location) is correctly defined.

```
Installing into /home/papercut...
358920 blocks
4731 blocks
Applying default permissions...
Setting permissions on Application Server files...
Setting permissions on Print Provider files...

The install needs to perform some tasks as root. Tasks include:
  * Setting setuid-root on the authentication provider
  * Installing a CUPS backend
  * Configure the server's boot scripts

Would you like to perform these tasks now? [yes or no]
yes
Enter root password when requested:
Password:
Setting authpan as setuid root...
Installing SysV style boot scripts...
Attempting to locate CUPS installation...
Found CUPS backed directory at /usr/lib/cups/backend
Linking Print Provider into CUPS backend directory
Creating client configuration file...
Config file successfully written.
Starting the application server...
Starting Application Server.....started (pid: 4361).
Configuring.....
```

Figure 1.10. The Linux install process


The installation process will take between two and five minutes depending on the speed of the system. A system restart is usually not required but administrators are advised to perform installation on live production systems during periods of low activity - for example, not during backup operations or other administration activities.

After the installation is complete, you will need open a web browser to complete final configuration. Please proceed to Phase II (Section 1.5, "Quick Start Guide - Phase II - Configuration and Testing").

1.5. Quick Start Guide - Phase II - Configuration and Testing

Application configuration is required after completing the platform specific installation tasks. This is done via a web browser and must be completed before the system can be accessed. The installation wizard should either directly open the browser, or will guide you to the correct location. The browser should open at:

`http://localhost:9191/admin`



The screenshot shows a web-based configuration wizard titled "Assign administrator password". It features a "Welcome!" message and instructions to configure initial options. The wizard prompts the user to enter a password for the master administrator account, with fields for "Username" (pre-filled with "admin"), "Password", and "Verify password". A "Next >" button is located in the bottom right corner.

Figure 1.11. PaperCut NG Configuration wizard

1.5.1. The Configuration Wizard

The configuration stages are explained below:

1.5.1.1. Administrator Password

This is the master password for the main in-built admin account. This password is independent of the operating system or domain passwords. Keep knowledge of this password secure! This screen also sets the system's physical location. Ensure the location and language setting is correct.




Figure 1.12. PaperCut NG Configuration wizard



Tip

Treat this password like your router/modem management passwords. It is independent of your domain accounts and needs to be kept secure.

1.5.1.2. Select Modules

PaperCut NG contains modules for both printing and Internet usage control. Both of these modules are optional and licensed separately. Select the modules to enable on this system.

NOTE: The Internet control module requires an authenticating web proxy server like Microsoft ISA Server or Squid Proxy. For more information, see Chapter 13, *Net Control in Detail*.

1.5.1.3. Default Print Cost

This is the default cost-per-page assigned to the printers. This setting can be changed on a per printer basis after installation. Choosing a sensible cost now will help minimize future setup. For example in the USA, a value of \$0.05 would be appropriate for many standard black & white printers.

1.5.1.4. Initial User Credit

Users can be assigned an initial starting credit. This ensures they have funds in their account as soon as the system is enabled. An option also exists to control what happens when users run out of credit/quota. If you are evaluating PaperCut NG it might be appropriate not to disable printing when a users funds run out. This way you can be assured that user printing is not disrupted during the evaluation. These settings may be changed after setup.

1.5.1.5. User/group synchronization

PaperCut NG extracts user information out of the System or Domain. The options presented here will vary depending on the Operating System and its environment. During evaluation, most sites will opt to import all users from the system/domain into PaperCut NG. An option also exists to import a subset of users from a given group. This option is pertinent when it is known that only a subset of users will only ever use the printers.




Figure 1.13. User sync configuration wizard page

1.5.1.5.1. Windows

Options on Microsoft Windows include **Windows Standard**, **Active Directory**, or **LDAP**. In a domain environment, **Active Directory** is the default option as this offers access to Organization Units, Nested Groups and other AD features.

1.5.1.5.2. Apple Mac

Options on Mac OS X include **Mac Standard** (PAM, Local NetInfo, etc.), **LDAP**, or **Samba**. Select **Mac Standard** if the user accounts are setup and defined on the local system as standard Unix accounts or mapped into the system from a central directory service such as LDAP. Most large established networks will use this option.

The LDAP option is appropriate for large networks with existing LDAP domains. This includes networks running Mac OS X Server with Open Directory, and Windows domains running Active Directory. More information on LDAP is available in Section 10.2.4, "Using LDAP for user synchronization".

The Samba option is appropriate on medium to small networks currently operating in a Windows Domain environment.

1.5.1.5.3. Linux

Options on Linux include **Unix Standard** (PAM, NIS, etc.), **LDAP**, or **Samba**.

Select **Unix Standard** if the user accounts are setup and defined on the local system as standard Unix accounts or mapped into the system from a central directory service such as LDAP or eDirectory via nsswitch.conf and PAM. Most large established networks will use this option.

Select **Samba** if the central user directory is a Windows Domain. The Samba option is only available if Samba is installed on the system. The Samba option is appropriate on medium to small networks currently operating in a Windows Domain environment.

The Samba option requires additional information such as the name of a domain server, and login credentials for an Administrator level account. This information is requested on the subsequent wizard screen. Take care to ensure this information is complete and correct.

More information on user/group synchronization on Linux is available in Chapter 18, *PaperCut NG on Linux*.

1.5.1.6. Wizard Completion

After completing the configuration wizard you will be presented with a user synchronization status screen and an option to **Login**. Take some time to log in and browse the interface. There are many options and now is a good time to have a look at some of the key areas of the application. Take some time to explore!

1.5.1.7. Printer Configuration

On the Windows and Mac platforms PaperCut NG will automatically detect, import and monitor the system's printers. If the printers do not display under the **Printers** section, try printing a document. Some printers will register in PaperCut NG on first print.

Linux on the other hand is a more complex environment due to the number of different print queue implementations. Manual printer configuration is required at this point. Please consult Section 18.1.3, "Linux Print Queue Integration".

1.5.2. Sharing Client Software

The PaperCut NG client software is located in the directory `[app-path]/client`. This software needs to be shared over the network so workstations can access/install the client application. On Microsoft Windows, the directory is automatically shared in read-only form as `PCClient` as part of the install process.

On Mac and Linux, the client directory will need to be shared using your preferred fileshare method. Common sharing methods include:

- AFP - used to share to other Mac Systems. Mac OS X Server tools such as the Workgroup Manager or other 3rd party tools such as SharePoint may help with sharing the client directory via AFP.
- Samba - used to share files to Windows based workstations. Mac OS X Server tools such as the Workgroup Manager or other 3rd party tools such as SharePoint may help with sharing the client directory via Samba. Similar GUI tools exist on Linux.

Advanced system administrators may be comfortable sharing this directory by hand-editing the `/etc/smb.conf` file. The following configuration will share the directory in read-only form:

```
[pcclient]
  path = /Applications/PaperCut NG/client
  comment = PaperCut Client
  public = yes
  only guest = yes
  read only = yes
```

- NFS - a popular sharing method used for Linux/Unix based workstations.

1.5.3. Testing

It is now time to test the system.

1. Print a test document such as a web page or basic document.
2. Navigate to the printer section and select the Print Log tab.
3. Navigate to the **Printers** → **Print Log** tab.
4. Your print job should now be listed in the log.
5. Your user account should also be charged an appropriate amount.

1.5.4. What next?

This concludes the Quick Start Guide. You may like to take some time to explore the features of PaperCut NG before continuing reading at Chapter 2, *Implementation by Example* or Chapter 3, *Quick Tour*. Business users may be particularly interested in trying the popup client software as covered in Section 3.5, “Client Software”. If desired, the client software should also be deployed to other workstations. This procedure is detailed in Section 4.2, “User Client”.

To setup the optional Internet Control module, see the instructions in Chapter 13, *Net Control in Detail*.

Chapter 2. Implementation by Example

PaperCut NG is a feature-packed application designed to meet the print management requirements of all types of organizations. It's unlikely that any single organization would use or need all the features in PaperCut NG. The key to a successful implementation is with identifying the features that are most needed, and utilizing them in the correct manner.

This chapter covers common implementation scenarios in a case study form. It discusses the requirements common to the scenario, and how these requirements are satisfied using key features. The aim of this chapter is to guide implementers towards identifying and utilizing the most appropriate features.

Locate the scenario that's the closest fit to your organization. It may also be beneficial to read other scenarios that might apply to your situation. For example, a large business may benefit from some of the ideas presented in the small business case and so on.

2.1. Scenario: The Small School

Fast River School has a student population of 200 and caters to students in Kindergarten through 6th grade. A teacher is responsible for each class. The school has two computers in each class room and a small computer lab for older students. All computers are networked. A single server acts as a domain controller and a file and print server. The students in each year level log on to the computers using the username and password allocated to their class.

2.1.1. Requirements

1. Each grade level has a monthly printing budget of \$50.
2. If the budget is exceeded, teachers may discuss additional funding with the school principal.
3. Student use of color printers should be approved by teachers.
4. The teacher for each grade level should have access to activity reports in order to track the class's printing volume.
5. The school principle needs a summary report of class printing activity at the end of each semester.

2.1.2. Implementation

2.1.2.1. Initial Installation

PaperCut NG should be installed on the school's file and print server. The initial installation process is covered in Section 1.4, "Quick Start Guide - Phase I - Installation".

2.1.2.2. Requirement 1

The monthly budget can be automated by applying a \$50.00 monthly quota to the [All Users] group. The domain login accounts used for each year level are automatically placed in the [All Users] group. See the following areas for more information:

- Section 5.1, “Groups in PaperCut NG”
- Section 5.2, “Setting up quota allocations”

2.1.2.3. Requirement 2

Teachers can be warned when their class's balance has reached a low balance limit. The notification can be via email. The notification option is located under: **Options** → **Notifications** → **Low Balance Notifications**. Enable the email option for email notifications.

2.1.2.4. Requirement 3

The system administrator can set up the printers so only selected users (i.e. teachers) can approve jobs issued to color printers. By selecting the **Only managers can release** option on a given printer, jobs are held in a queue. Teachers can then approve the student print jobs by accessing the web based release software accessed via the URL:

```
http://server_name:9191/release
```

Where `server_name` is the name of the organization's print server.

2.1.2.5. Requirement 4

Teachers can view print activity and account balance by connecting a web browser to:

```
http://server_name:9191/user
```

Where `server_name` is the name of the organization's print server. Access to the end-user pages is covered in Section 3.6, “Interface Levels”.

2.1.2.6. Requirement 5

Summary reports can quickly be generated by any user with PaperCut NG's system administrator access. Granting administrator access and running reports is discussed in Section 3.7, “Assigning Administrator Level Access”.

2.2. Scenario: The Large School

North Shore High has a student population of 2000 students. Their network consists of:

- Three student Windows PC labs and one Macintosh lab with other computers scattered around the school for student use.
- A mixture of Mac and Windows laptops used by staff.
- A Windows Active Directory environment hosted on a number of servers.
- Printers are hosted on two separate Windows servers.
- Some teaching staff have desktop printers attached locally to their workstations.
- Each lab has a black and white laser printer.
- Two high-end color copier/printers and large format printers are located in a print room situated away from the computer labs.

Students have their own login account and small home directories for storage.

2.2.1. Requirements

1. The system must support the mixed Mac and Windows environment.
2. The system should support multiple print servers and locally attached desktop printers.
3. The school would like to experiment with hosting printers on a Linux system with the aim of using Linux for print serving tasks to help save on future Windows licensing costs.
4. Students are to be granted a small \$5 a month printing budget. Final year students have a \$10 a month allowance.
5. If students need additional printing, they must purchase it. The payment process should be simple and easy to manage.
6. Jobs issued to printers situated in the print room should be held in a queue and only printed on the physical printers after the user has arrived at the room to collect the job.
7. Staff members should have the option of charging printing to department accounts or to a small personal account, depending on the type of print job.

2.2.2. Implementation

2.2.2.1. Initial Installation

The mixture of operating systems and multiple-servers makes this a complex installation. Prior to deployment, it is advisable for the network manager and/or network administrator to plan the deployment and familiarize themselves with the PaperCut NG software.

2.2.2.2. Requirement 1

PaperCut NG is a cross platform solution designed for all major operating systems. Given the existence of an existing domain environment, the installation of Windows systems is typically straightforward. The Macs however can be set up in a number of different ways. Network administrators should consult Chapter 20, *Mac Printing in Detail*.

2.2.2.3. Requirement 2

Multi-server installations are commonplace on larger networks. One system needs to be nominated as the primary PaperCut NG server. This system is responsible for running the "brains" of the system and storing all data. The other servers, *secondary servers*, report back to the central primary server via XML Web Services. The system architecture, deployment considerations, and recommendations are outlined in Section 12.5, "Multiple Print Servers".

2.2.2.4. Requirement 3

Linux is becoming ever popular in the server space. First web hosting, and now common file and print services are being serviced with the Linux operating system. PaperCut NG is available for Windows, Mac and Linux systems. Not only that, its architecture allows all three systems to run side-by-side sharing a common central server. This school may experiment with hosting printers on Linux by running a Linux based secondary server alongside their main Windows servers. See Section 12.3, "Configuring a Linux Secondary Print Server" for additional information.

2.2.2.5. Requirement 4

Quotas or allowances are allocated to users on a per-group basis. By adding network domain groups to PaperCut NG that represent the respective student groups, system administrators can automate the allocation process. See Section 5.2, “Setting up quota allocations” for further information.

2.2.2.6. Requirement 5

The purchase of additional quota/credit is best managed by the TopUp/Pre-Paid Card system. The system reduces the data entry and management requirements associated with manual transactions. More information on TopUp/Pre-Paid Card cards is covered in Chapter 11, *TopUp/Pre-Paid Cards*.

2.2.2.7. Requirement 6

Print release in the print room is best achieved with the release station. By running a special full-screen application on a dedicated terminal in this room, students can release their jobs once they arrive at the room. The release station and secure printing in general is covered in detail at Chapter 9, *Print Release Stations*.

2.2.2.8. Requirement 7

Tracking and allocating staff printing to departments is best achieved by using Shared Accounts. When set up, teaching staff are presented with a popup window asking them to select an account to charge. Account access can be controlled via domain group membership or via PINs. More information on shared accounts is available at Chapter 7, *Shared Accounts*.

2.3. Scenario: The University

West Face University has a student population of 10,000 full-time students and off-campus and part-time students. IT services centrally control the network, however individual faculties and departments also offer and manage some of the specialist IT infrastructure. All major operating systems are in use on both the workstations and servers.

2.3.1. Requirements

1. Centrally managed printers are hosted in a clustered print server environment. The solution needs to support clustering.
2. IT services want to provide the option for department labs to also have their printers controlled via the central system.
3. Client software needs to be optional. It would be preferable for students to have access to their account details via a web browser.
4. The design of the web interface should be customizable.
5. The system must be secure and support SSL-based encryption.
6. The system should run on top of a database system and allow data access to facilitate custom reports using packages such as Crystal Reports.
7. An open source system would be preferable.

2.3.2. Implementation

2.3.2.1. Initial Installation

University-wide deployments can be quite involved. Most large universities that have deployed PaperCut NG have worked closely with the PaperCut NG development team during implementation. A lot can be gained by arranging a teleconference or similar with the development team. We're always happy to help our larger customers deploy the ideal solution.

2.3.2.2. Requirement 1

PaperCut NG supports clustering at all application layers including the print server, the database server, and the application server on both Microsoft Windows and Linux. Setting up PaperCut NG in Microsoft Clustering Services is covered in Chapter 17, *Microsoft Cluster Environments*. The PaperCut NG development team has experience using Linux-*HA* (High-Availability Linux) and other tools to support customers who use Linux.

2.3.2.3. Requirement 2

Printers and labs hosted by individual faculties and departments outside the central IT services area can optionally be joined into the campus-wide system via PaperCut NG's secondary server support. Central IT staff can approve these secondary servers via IP address and grant selected staff administrator level access to the system's admin web interface on a case-by-case basis. See Chapter 12, *Configuring Secondary Print Servers and Locally Attached Printers* for more information on secondary servers.

2.3.2.4. Requirement 3

PaperCut NG's client software is optional in a basic charging/quota environment. Users can access their accounts and view their account balance, transaction and printing history, and use advanced tools such as TopUp/Pre-Paid Cards and transfers. More information on the web-based users tools is available at Section 3.6, "Interface Levels".

2.3.2.5. Requirement 4

The design and layout of the end-user web interface can quickly be changed using HTML and Cascading Style Sheets. Customizing the end-user web design is covered in Section 14.2, "Customizing the User web pages".

2.3.2.6. Requirement 5

PaperCut NG provides secure connections for report access and administration via SSL-based encryption. Larger universities often have their own certificate signing procedure for SSL based servers. PaperCut NG can even accept these signed certificates. SSL-based encryption is set up by default and is accessed via a URL such as:

```
https://[server_name]:9192/admin
```

Information on using a custom SSL certificate is covered in Section A.4, "SSL/HTTPS Key Generation".

2.3.2.7. Requirement 6

Hosting the PaperCut NG system on top of an external database system such as Microsoft's SQL Server offers a number of advantages including easy data access, better performance and scalability, and the ability to take advantage of existing backup processes. More information on external RDMS support is available at Chapter 16, *Deployment on an External RDBMS*.

The data structure is simple and administrators with report writing skills will quickly be able to access the data for custom reporting via tools such as MS Access or Crystal Reports.

2.3.2.8. Requirement 7

PaperCut NG is a commercial system with commercial level support. However unlike many other commercial applications, PaperCut Software International Pty Ltd does offer source code access. A number of universities have used the source code access for:

- *auditing* - verifying that the software is secure.
- *customization* - knowing how the application works and how to implement add-ons.

Large universities should also look at the large school scenario. Features such as shared accounts and secure printing are also applicable to many university environments.

2.4. Scenario: The Small Business

Northwoods Inc. is a small twelve-person Engineering and Architect Drafting office serving the local area. Their network consists of a mix of Windows XP and Windows Vista workstations connected on a Workgroup based network. Wireless network access is also provided to employees with laptops. Most staff work on a project basis and there is a need to track use by project code and sub-project. Some staff work on a freelance basis and management would like to track and charge for color printer use on a monthly basis.

2.4.1. Requirements

1. The system must be easy to set up and maintain as there is no full-time IT staff.
2. The system must work in a Windows workgroup environment.
3. Staff are to have unlimited access (i.e. no budgets).
4. Staff need to allocate their printing to projects and cost centers so printing and drafting costs can be passed back onto the clients (chargeback).
5. Managers need access to view real-time reports.
6. Data should be able to be exported to Excel on a monthly basis for billing.

2.4.2. Implementation

2.4.2.1. Initial Installation

One system on the network needs to be allocated the task of hosting the printer and the PaperCut NG application. Users will print via this system so it needs to be left on most of the time. An existing file server is ideal, however someone's desktop system will also suffice (must be left on at all times).

2.4.2.2. Requirement 1

PaperCut NG is well known for its ease-of-use. It is a self-maintaining system with a simple to use web-based interface. Apart from the initial set up, and the recommendation to incorporate the application's data into a backup procedure, no further technical administration and support is required.

2.4.2.3. Requirement 2

Workgroup environments are common on small networks. They differ from a domain environment in that they are not centrally authenticated via a server. Users may use a system that automatically logs in as "a user" or maybe they just log in locally on their workstations. See Chapter 21, *Running in a Workgroup Environment* for more information on the ways in which PaperCut NG can be installed in a workgroup environment.

2.4.2.4. Requirement 3

All users can be set up as "unrestricted". In this mode, users can start of with a zero balance and count down as they print. Their balance indicates their printing value to date.

2.4.2.5. Requirement 4

Shared accounts can be created to represent the current projects with sub-accounts used to represent areas under these projects (sub-projects). The client popup software can be enabled on user accounts forcing users to allocate printing to the project/client. In addition, the advanced client popup will allow premiums to be charged for special printing such as reproduction of expensive mylar film.

Selected staff can run monthly or quarterly invoice reports at any time to quickly determine printing associated with a given client/project. More information on shared accounts and reporting can be found in Chapter 7, *Shared Accounts*.

2.4.2.6. Requirement 5

PaperCut NG records data in real-time. Full print logs and reports are available at any time and can be accessed using a standard web browser. The manager can log into the administration interface and access the reports at any time.

2.4.2.7. Requirement 6

All reports and activity lists can be exported to Microsoft Excel. To access the Excel data, click on the small Excel icon located next to the report name, or the icon at the bottom of the print log.

2.5. Scenario: The Medium to Large Business

SandComp is a large manufacturing company consisting of 3000 employees spread over 4 sites. All sites are connected via a fast Wide Area Network (WAN). Printers are hosted on local servers with the largest site hosting printers in a Microsoft Cluster environment.

2.5.1. Requirements

1. Must support a Microsoft Cluster environment.
2. Must centrally store print data on a server located at the main office.
3. Must not cause disruption if the WAN link goes down between offices.
4. The consulting division needs to be able to track printing by project (client/matter format) so costs can be passed back to their clients.
5. The finance department needs secure print release on their shared printers stored in the utility room.

2.5.2. Implementation

2.5.2.1. Initial Installation

The implementation of PaperCut NG in this environment would best be managed using staggered or step-by-step approach. First, the software should be installed and tested on the central offices' clustered environment, then rolled out to the other offices, and finally the secure printing and client popups should be implemented. A staggered approach is likely to minimize disruption allowing network administrators to focus on the tasks at hand.

2.5.2.2. Requirement 1

PaperCut NG supports Microsoft Clustering Services. The installation process is documented at Chapter 17, *Microsoft Cluster Environments*.

2.5.2.3. Requirement 2

The print servers at the remote locations can be installed as *secondary servers* reporting back to the primary server. All data will be stored in one location. The services communicate using XML Web Services and only consume a few bytes per print job. Hence the system will work well over the WAN.

2.5.2.4. Requirement 3

PaperCut NG has a *fail-open* design. This means that if a failure occurs, such as the network fails between servers, printing will continue as normal.

2.5.2.5. Requirement 4

The consulting division can make use of the share accounts feature to track their printing by client. More information on shared accounts is available in Chapter 7, *Shared Accounts*. These advanced users would benefit from using the advanced popup. The advanced popup offers advanced searching features allowing end-users to quickly located the appropriate account and enter job comments as required.

2.5.2.6. Requirement 5

Secured print release can be facilitated by setting up a terminal (a low-end PC will do) in the finance department's utility room. When a member of the finance department prints to a shared printer, their document will hold in the queue until that member goes to the utility room and releases the print job with his or her username and password. This process ensures that documents stay secure and can't be "accidentally" collected by other people.

2.6. Scenario: The Public Library or Internet Cafe/Kiosk

The Sandy Beach Cafe is a typical Internet cafe offering Internet access, faxing, printing and other services. This business has 50 computers and two printers. A black & white laser printer called "Black and White Printer" and a high-end color inkjet system named as "Color Printer". They would like to implement a pay-per-print system that meets the following process and requirements:

2.6.1. Requirements

1. The customer prints the job to the appropriate printer.
2. At the front desk, the customer pays a staff member for the print job.
3. The staff member releases the job for printing.
4. The customer collects the print job.

2.6.2. Implementation

PaperCut NG's release station software is ideally suited to the Internet cafe scenario. More information on the release station is available at Chapter 9, *Print Release Stations*. PaperCut NG provides both an application interface for *release station managers* (i.e. desk staff) as well as a convenient web browser-based interface. To summarize a typical implementation:

1. The PaperCut NG server software is installed on the system hosting the printers. An existing server or desktop system will suffice.
2. Workstations are configured to print to the printers shared on the system set up in step 1.
3. Inside the PaperCut NG admin interface, the printers should have the **manager only release** option selected.
4. Desk staff can view and control pending print jobs, their cost, and other details via the web based release interface accessible at the URL:

`http://server_name:9191/release`

Chapter 3. Quick Tour

This section will guide you through the main areas of the application and cover some common management tasks.

3.1. Navigation

Before we jump in and start our tour of PaperCut NG it is important to take some time to understand the application's navigation tools. The subsequent sections detail the major user interface elements.

3.1.1. Tabs




Figure 3.1. Application navigation tabs

Application areas are grouped into tabs that logically separate parts of the system. Selecting a tab displays the controls and information related to that area. Users will be familiar with the concept of tabs from many other applications.

3.1.2. Actions




Figure 3.2. The Actions area. Click to perform the action.

Throughout the application, the *Actions* area lists a number of tasks or actions that can be performed. The Actions list is always located in the top left-hand corner of the application window. Actions are adaptive and the list of actions changes depending on the area of the application being viewed.

3.1.3. Buttons




Figure 3.3. Buttons to validate and save settings

Changes made to options, user settings or configurations are only validated and applied after submitting the change. Screens that you can save in the application will have the following buttons located at the bottom:

- **Apply** - Validate and save the changes and return to this location/object
- **OK** - Validate and save the changes and return to the data list ready to select and edit another object.
- **Cancel** - Don't save and changes.

3.1.4. Crumb Trail




Figure 3.4. The crumb trail highlighting the location

The crumb trail serves two purposes. It maps out the navigation path followed by the user and provides a way to navigate up (back) the navigation path. For example, while editing a user's account, the crumb trail provides a hyperlink up one level back to the **User List**.

3.1.5. Status Messages





Figure 3.5. A red status message indicating a validation error

Important status messages are displayed in the top section of the application window. Messages relating to an error or requiring user intervention are displayed in red. Standard messages are displayed in green and cautions in yellow.

3.1.6. Fields



The screenshot shows a 'Configuration' window with a sidebar on the left containing the text: 'Simple printer configuration options. Advanced options covering this printer are located under the appropriate tabs.' The main area has three sections: 'Hosted on' with the value 'linuxserver', 'Location/Department' with an empty text box, and 'Page cost' with a text box containing 'ten'. The 'Page cost' text box is highlighted with a red border and a red asterisk, indicating a validation error. To the right of the text box is a green button labeled '(simple)'.

Figure 3.6. A field highlighted indicating a validation error

Configuring printers, users or settings are often done via text fields. Changes made to fields are validated after pressing **OK** or **Apply** buttons. If the field fails validation, the offending data is marked with a red asterisk. Typical validation errors include invalid number or currency formats.

3.2. Sections

The PaperCut NG administration interface is grouped into task oriented sections. These are denoted by the tabs at the top of the screen. The sections are:




Figure 3.7. Application navigation tabs

3.2.1. 👤 Users

- View a list of all users
- View and change a user's credit balance
- View a user's statistics and charts
- List a user's printing activity
- Change user privileges and settings
- Related sections:
 - Section 3.3, "Basic User Operations"
 - Chapter 5, *Advanced User Management*

3.2.2. 👥 Groups

- Add/Remove domain or network groups required for user management
- Define rules controlling how new users are created
- Perform bulk user operations

- Control user quota allocations
- Related sections:
 - Section 5.1, “Groups in PaperCut NG”
 - Chapter 5, *Advanced User Management*

3.2.3. Accounts

- View, edit and create shared accounts
- View and change the shared accounts credit balance
- List all charges against shared accounts
- Set account access security
- Related sections:
 - Chapter 7, *Shared Accounts*
 - Section 4.2, “User Client”

3.2.4. Printers

- View and edit printer costs and settings
- Define printer filter rules and restrictions
- View all recent print jobs
- View printer statistics and charts
- Related sections:
 - Section 3.4, “Basic Printer Operations”
 - Chapter 6, *Advanced Printer Management*

3.2.5. Internet

- View and edit Internet costs and settings
- Define uncharged sites and users
- View all recent Internet usage
- View Internet usage statistics and charts
- Related sections:
 - Chapter 13, *Net Control in Detail*
 - Appendix D, *Proxy server configuration*

3.2.6. Reports

- Access to standard reports for viewing, export and printing

- Run “one click” reports for quick overviews
- Run reports over Ad-hoc date ranges
- Related sections:
 - Section 3.8, “Charting, Statistics, Reports and Logs”
 - Chapter 8, *Reports*

3.2.7. Cards

- Managed TopUp/Pre-Paid Cards (also known as vouchers)
- View card use and activity
- Download and install the card creation wizard
- Import new cards
- Related sections:
 - Chapter 11, *TopUp/Pre-Paid Cards*

3.2.8. Options

- Access general system settings
- Control administrator access and security
- Perform network user and group synchronization tasks
- Perform backup snapshots
- Related sections:
 - Chapter 10, *System Management*
 - Appendix A, *Tools (Advanced)*

3.2.9. Application Log

- View system audit, security and application events
- Related sections:
 - Chapter 10, *System Management*

3.2.10. About

- List version and build information
- Access update news
- Install and view license information
- Related sections:
 - Chapter 15, *Licensing and Support*

3.3. Basic User Operations

The user section is dedicated to user management. Common user oriented tasks include assigning additional credit to users, viewing a user's activity, and controlling user privileges.

Users in PaperCut NG can be assigned either:

- Restricted access where access to resources is denied once their credit drops to zero (or to the overdraft limit).
- Unrestricted access meaning the user is never denied access.

To change a user's restriction privileges:

1. Log in as the built-in `admin` user.
2. Click on the **Users** section.
3. Select the user from the list (or enter the user name in the quick find).
4. Scroll down to the **Account Details** section.
5. Click on the **Restricted** checkbox.
6. Click on the **Apply** button to save the change. A save success message will appear.

To increase a user's account balance by \$10.00:

1. Select the user from the list (or enter the user name in the quick find).
2. Select the **Adjustments and Charges** tab.
3. Enter \$10.00 in the adjustment field.
4. Enter a comment to associate with the transaction.
5. Click the **Apply** button.

User Details: chris

Details Adjustments & Charges Transaction History Print History

Enter the adjustment amount to apply to account. A negative value subtracts.

Transaction Details
Enter the adjustment amount to apply to this account. A negative value subtracts from the account (a deduction). Comments will appear in the transaction list and are used to track the reason for the adjustment.

Current balance: \$10.00

Adjustment to apply
\$10.00

Comment
Added \$10.00 after cash payment

Apply

Figure 3.8. Adjusting a user's credit up \$10.00

To view a user's transaction and print history:

1. Select the user from the list (or enter the user name in the quick find).
2. Select the **Transaction History** tab to view the user's transaction.
3. Select the **Print History** tab to view the user's recent print activity.

3.4. Basic Printer Operations

All printers managed by PaperCut NG are configured under the Printers section. Printer configuration may include:

- Setting a cost-per-pages or defining more complex charging rules.
- Defining advanced filter and restriction rules. For example, configuring a printer to deny jobs of a selected size or automatically removing duplicate documents.
- Controlling the enabled/disabled status via time-latches.

To define a basic cost-per-page of \$0.10:

1. Log in as the build-in `admin` user.
2. Select the **Printers** section.
3. Click on the printer who's page cost is to be defined.
4. Enter a page cost of \$0.10 under the configuration section.
5. Press the **Apply** button to save the change.

To define an advanced cost model offering a 40% discount for duplex (double sided) printing:

1. Under the **Printers** section, select the printer whose cost model is to be modified.
2. Click on the **Advanced Charging** tab.
3. Select a charge type of **by category**.
4. Enter 40% in the duplex discount field and select **Percent less** from the dropdown list.
5. Click the **Apply** button to save the change.

Charging type: by category ▼

Charging by Paper Size Category

This charging model provides the ability to control cost based on categories. All jobs are charged at the base cost-per-page. Documents printed on large paper can be charged at a higher rate (a surplus) while grayscale and duplex documents offered a discount.

Base cost
\$0.10

Large paper surplus (larger than Legal or A4)
\$0.00 Extra per page ▼

Very large paper surplus (larger than A2)
\$0.00 Extra per page ▼

Grayscale discount
\$0.00 Less per page ▼

Duplex discount
40.00% Percent less ▼

Apply Cancel

Figure 3.9. A 40% discount applied to double-sided printing

Filters provide administrators with access to a set of rules to control what type of documents are allowed access to the printer. Filter rules can be used for a variety of tasks such as:

- Enforcing good printing practices
- Preventing queue jamming and hogging
- Ensure printers are used for the purpose they are designed for


Filter options include:

- Control by the jobs cost
- Control by a document's page count
- Denying jobs based on their color mode
- Filtering by document name
- Automatically denying and deleting duplicate documents

Example - To apply a filter preventing jobs over 100 pages:

1. Under the **Printers** section, select the printer to which the filter should be applied.

2. Click on the **Filters** tab.
3. Scroll to the **Page Count** section.
4. Click and select the **deny jobs based on number of pages**.
5. Enter in 100 in the maximum filed.




The screenshot shows the 'Filters' tab with the following sections:

- Filter Scope:** ☒ Only apply filters to restricted users
- Maximum Cost:** ☐ Deny print jobs based on document's total cost: \$0.00
- Page Count:** ☒ Deny print jobs based on number of pages: Minimum: 0 Maximum: 100
- Color Mode:** ☒ Deny print jobs based on color mode: Allow grayscale documents only

Figure 3.10. Printer Filters and Restrictions

To disable a printer for the next hour using a time latch:

1. Under the **Printers** section select the printer to lock or disable.
2. On the **Summary** tab, scroll to the **Configuration** section.
3. Select **Disable for next hour** from the drop-down list.
4. Click the **Apply** button to save the change.



The screenshot shows the 'Printer Details' page for 'maestro\HP DeskJet 930C/932C/935C'. The 'Configuration' section is visible with the following settings:

- Hosted on:** maestro
- Location/Department:** On the admin front desk
- Page cost:** \$0.08 (simple)
- Enable/Disable printer:** Disabled until 19/09/2005 18:49:43 (Enable)

Figure 3.11. A printer disabled for 1 hour

3.5. Client Software

The client software is optional and not required for basic logging, however it does provide users with access to advanced features. These features include:

- Real-time feedback to the user including their account balances and event messages such as "print job denied" reasons.
- Access to the account selection popup so users can allocate print jobs to shared accounts - for example, accounts representing departments, projects, clients, etc. This is particularly important in a business environment.




Figure 3.12. The user client displaying the "Advanced Account Selection Popup"

3.5.1. Demonstrating the client software and account selection process

Create a Shared Account:

1. Log into PaperCut NG as an administrator (e.g. admin account).
2. Select the **Accounts** tab.
3. Click the **Create a new account** action.
4. Enter an appropriate name for the account. For example "test account".
5. Click the **Apply** button to save the account.
6. Select the security tab and ensure the [All Users] group has access to the account. If not, add the group by selecting it from the drop-down and pressing **Add**.

7. See Chapter 7, *Shared Accounts* for more details about creating and managing shared accounts.

Grant account selection access to your account:

1. Select the **Users** tab.
2. Locate and click on your personal user account.
3. Under the **Account Selection** section, select the option **Show the advanced account selection popup**.
4. Print the **OK** button to save and apply changes.

Launch the client software (Windows Platform):

1. Log into a workstation using your user account as modified above (note: The server itself can also be used for this testing if desired)
2. Open **Windows Explorer** (File Explorer).
3. In the address bar, enter `\\server_name\pcclient` where "server_name" is the name of the server hosting the PaperCut NG software. This will bring up files located on the `PCClient` share.
4. Launch the `pc-client.exe` program by double-clicking on the file. An icon should appear in the task tray.
5. Print a test page (for example a web page). The advanced client popup should appear allowing you to select the "test account" set up in the preceding section.

More information about shared accounts can be found in Chapter 7, *Shared Accounts* and information about client software deployment is covered in Section 4.2, "User Client".

3.6. Interface Levels

PaperCut NG provides two layers of system access, Admin and User.

3.6.1. Admin Access

Admin access provides access to the system for administration and management. This level is usually only granted to selected individuals in the organization, such as network administrators or management staff.

3.6.2. User Access

End users are granted access to a set of basic web pages providing them with access to:

- View their account balance
- List recent account activity
- Use tools such as TopUp/Pre-Paid Cards and funds transfers to other users

The User Inquiry Tool (PaperCut NG User Client Software) compliments the web pages by providing users with a quick view of their current account balance.



Important

Access to the user area, like the admin area, requires authentication - that is

the user must enter their network username and password. Authentication is required because user information such as print history is confidential. Access to the user's funds transfer feature also needs to be protected. This is particularly important in schools. Students can be rest assured that if they leave their workstation for a few minutes another student can't transfer their account balance to themselves!

To access the user pages via the User Inquiry Tool:

1. Start the client software if it is not already running. On the server this may be started via the **Client** Start menu item. See the client software section for details on how to start this on a remote workstation or desktop.



Figure 3.13. The user client tool

2. Click the **Details...** link. The web browser will open.
3. Enter your username and password and click **Login**.
4. The user page pages will display.

To access the user pages directly via a web browser:

1. Open a standard web browser.
2. Enter the URL `http://[servername]:9191/user` where `[server_name]` is the network name assigned to the system running PaperCut NG. The login screen will appear.
3. Enter your username and password and click **Login**.

3.7. Assigning Administrator Level Access

PaperCut NG sets up one administrator account called "admin". This is the master administrator account, with access to all features, whose password is assigned during the configuration wizard. In large organizations it is likely that administrator level access will need to be granted to more than one person. One solution is to give all persons the master password; however the recommended approach is to assign administrator rights to these individual's network user accounts. The advantages of this approach are:

- They can access the administration pages using their own username and password. (they don't have to remember another password!)
- Different levels of administrator access can be assigned to the user. PaperCut NG in-

cludes an advanced set of Access Control Lists (ACL) allowing different administrators access to different functions and areas of the application.

- Most activity is audited so changes can be supervised by identity.

To assign admin rights to a user with login name `mary`:

1. Log in to the system as the built in `admin` user.
2. Select the **Options** section.
3. Scroll down to the **Security** section. And click the **edit** link next to the **Admin users** field.
4. Enter `mary` into the **Add new user** field and click **Add**.
5. By default `mary` will have access to all features. To change this, click on the **show/hide details** link to the right of `mary`'s entry.
6. Click on the **Apply** button to save the change.
7. Verify that Mary can now log into the administrator section either via:
 - a. The **Admin Logon** link on the server.
 - b. Using a web browser at `http://[server_name]:9191/admin`

The screenshot shows a web-based configuration interface for user permissions. At the top, the user 'chris' is selected, with links for '[show/hide details]' and '[remove]'. Below this, a list of permissions is shown with checkboxes:

- ☒ Access users section
 - Limit access to users only in group:
IT Staff (dropdown menu)
 - ☒ Change user settings
 - ☐ Perform bulk user actions
- ☒ Access groups section
- ☒ Access shared accounts section
- ☒ Access printers section
 - ☒ Change printer settings
- ☒ Access reports section
- ☐ Access cards section
- ☐ Access options section
- ☒ Access application log section

Below the permissions list, the user 'matt' is shown with links for '[show/hide details]' and '[remove]'. At the bottom of the form are 'Apply' and 'Cancel' buttons.

Figure 3.14. The list of users granted admin access



Important

PaperCut NG allows different levels of administrator access to be defined via access control list. The access list is presented as a series of checkboxes enabling or disabling access to selected features or application areas.

For security reasons it is advisable to:

- Grant the user's own accounts administrator level rights rather than have them use the general built-in `admin` account.
- Grant the administrator the minimum level rights need for them to perform their job.
- ACL configuration can be complex. Always test that the ACL rights assigned work as expected by asking the administrator to log in and verify that they can access the required program functions.

3.8. Charting, Statistics, Reports and Logs

One of the key features of PaperCut NG is the advanced charting, statistics, reporting and logging. This information can be used by administrators to:

- Determine which printers are most used
- Spot areas where printers may be inappropriate for the task.
- View user and printer trends over time.

3.8.1. Charts

Charts are ideal for obtaining a quick visual overview. All users and printers have a line chart displaying activity over the last 30-days.




Figure 3.15. User 30-day account balance history

The Charts Tab under the Printers section hosts a set comparison charts allowing administrators to compare printers side by side.




Figure 3.16. Printer utilization chart

Under each individual printer the Statistics section provides information on all jobs printed on a given printer.




Figure 3.17. Print page history for a single printer


3.8.2. Reports

Reports provide a tabular data display, often in a printable format, of system information ranging from activity histories, summaries, transaction details, etc. Reports are typically run to print a summary of user activity, printer activity, or group or account activity. To stream-

line access to common reports, PaperCut NG provides a series of predefined one-click report links under the **Reports** section. Most reports can be generated over a variety of common date ranges or user defined date ranges.

Standard reports include:

- User Reports
 - Print summary statistics grouped by user
 - Quick list of the most active print users
- Printer Reports
 - Summary of print activity grouped by printer
 - Quick lists of the most active/busiest printers
- Group Reports
 - Summary of print activity grouped by network group (Note: The group needs to be defined under the Groups section.)
- Shared Account Reports
 - Summary of print activity grouped by shared account charged
- Print Log Reports
 - Detailed lists of all print jobs over a given period
 - Quick list of the largest print jobs



The screenshot shows a PDF report titled "Printer List Report". It contains a table with five columns: Printer, Total Pages, Total Jobs, Page Cost, and Charge Type. The table lists seven different printers and their respective statistics.

Printer	Total Pages	Total Jobs	Page Cost	Charge Type
printserver\Library Copier	1,494	547	\$0.08	simple
printserver\G3	667	220	\$0.08	simple
printserver\Library Colour	263	154	\$0.50	simple
printserver\G2	225	72	\$0.08	simple
printserver\H Block Pod	166	99	\$0.08	simple
printserver\Library Colour A3	155	122	\$0.50	simple
printserver\Admin Main Copier	131	6	\$0.08	simple

Figure 3.18. Printer report in PDF

Standard reports are provided in a variety of output formats including, HTML, PDF and MS Excel. PDF reports are ideal for printing. HTML versions of the reports are provided for systems without a PDF viewer.



Tip

In addition to the standard reports, administrators can run other reports on ad-hoc data by using the **Export/Print** option available under most of the data lists. This is covered further in the subsequent report section (See Chapter 8, *Reports*).

3.8.3. Logging

The PaperCut NG activity logging can be classed into the following areas:

3.8.3.1. Usage Logging

Usage logging records information about usage events such as printing. Information includes:

- The date of the use
- Who performed the use
- Details of the type of user including, cost and other attributes

Usage Date ▼	User	Charged To	Pages	Cost	Document Name	Client Name	Attrib.	Allowed
13/09/2005 10:33:24	faz0002	(personal)	1	\$0.08	Microsoft Word - Romeo and ... iece 2.doc	10.80.34.182	A4 21 kb PCL6	Yes
13/09/2005 10:29:16	le-0001	(personal)	2	\$0.16	Microsoft Word - Document2	10.80.34.159	A4 140 kb PCL6	Yes
13/09/2005 10:20:04	ace0001	(personal)	7	\$0.56	Microsoft Word - Government print.doc	10.80.34.41	A4 343 kb PCL6	Yes
13/09/2005 10:15:18	ace0001	(personal)	7	\$0.56	Microsoft Word - Government print.doc	10.80.34.41	A4 343 kb PCL6	Yes
13/09/2005 10:15:14	fig0001	(personal)	3	\$0.24	Microsoft Word - fashion gr ... signs.doc	LB08	A4 63 kb PCL6	Yes

Figure 3.19. Printer usage log

3.8.3.2. Transaction Logging

All modifications or deductions to an account (user or shared) are recorded in the transaction log. Information recorded includes:

- The date of the transaction
- Who performed the transaction
- Any comment or note associated with the transaction (if performed by a user)

Transaction Date ▼	Transacted By	Amount	Balance	Usage Log	Comment
19/09/2005 17:31:24	admin	\$10.00	\$3.02		user paid \$10 at the front office
6/09/2005 14:45:11	[system]	-\$0.50	-\$6.98	Printer Usage	
6/09/2005 14:44:47	[system]	-\$0.50	-\$6.48	Printer Usage	
6/09/2005 14:41:39	[system]	-\$1.00	-\$5.98	Printer Usage	
6/09/2005 14:41:31	[system]	-\$1.00	-\$4.98	Printer Usage	
6/09/2005 14:40:36	[system]	-\$0.50	-\$3.98	Printer Usage	

Figure 3.20. User account transaction log

3.8.3.3. Application Activity Logging

The Application Log records system events messages such as:

- User logins
- Security errors such as incorrect password attempts
- Backup times and scheduled tasks
- Any system errors or warning

It is similar to the operating system's event log. It is recommended that system administrators view this log on a daily basis for the first week and weekly thereafter.

Chapter 4. Services for Users

4.1. Introduction

How a user experiences and interacts with PaperCut NG will vary depending on how it is implemented. When configured as a silent monitoring solution, users may not even know PaperCut NG is in use. In other environments, users will make extensive use of the various services that are available.

Services are provided to users through one of two interfaces:

the *User Client*

The User Client is an optional piece of software that provides additional functionality. Its purpose is to display to the user their balance, deliver notification messages (such as low balance notifications), assist in selecting accounts to charge, and it can also provide an extra layer of authentication.




Figure 4.1. PaperCut user client on Mac OS X

The appearance of the user client tool may be customized to fit in with your organization. More information is available in Section 14.1, "Customizing the User Client Tool window".

the *User Web Pages*

The User Web Pages provide additional features that may be of use to users. Functionality includes summaries and logs of usage, using topup / pre-paid cards, transferring funds and displaying usage costs.




Figure 4.2. PaperCut user web pages

The appearance of the user web pages may be customized to fit in with your organization's existing intranet, web pages or color scheme. More information is available in Section 14.2, "Customizing the User web pages".




Figure 4.3. Example of customized user web pages

More information about each of these areas is available in the following sections.

4.2. User Client

The PaperCut NG activity tracking and charging is implemented using 100% server-side technology. User Client software is not required as part of the activity monitoring process.

Note

The use of client software for activity monitoring could open up security problems as client software is readily accessible to end-users. By design PaperCut Software International Pty Ltd developers endeavor to implement all monitoring at the server level eliminating client-side loopholes. The client software supplied with PaperCut NG is simply a presentation layer around server-side implementation.

Client software is provided to facilitate three tasks:

- Allow users to view their current account balance via a popup window
- Allow users to select shared accounts via a popup, if administrators have granted access to this feature.
- Display system messages such as the "low credit" warning message.



Figure 4.4. The User Client Balance Window




Figure 4.5. User Client account selection popup (Standard Popup)




Figure 4.6. User Client (Advanced Popup)

The client software is available for most major platforms including:

- Microsoft Windows
- Macintosh OS X
- Linux and Unix




Figure 4.7. PaperCut Client on Mac OS X

The client software and deployment tools are installed automatically on the server under the [appdir]\client directory. On a Windows based server this directory is automatically shared in read-only form providing network users with access to the client executables.

The following chapters contain further information about the user client:

- Command line and config options are discussed in Section A.5, "User Client Options".
- Customization of the user client is discussed in Section 14.1, "Customizing the User Client Tool window".



Tip

The behavior of the user client, such as where on the screen it pops up or which option is selected by default, can be customized. This is discussed in Section A.5, "User Client Options".

4.2.1. User Client Deployment

4.2.1.1. Deployment on Windows

The PaperCut NG client software may be deployed to workstations using a variety of deployment methods. The deployment options are covered in details in the [appdir]\client\README.txt file.

Options include:

1. If you're after a manual "setup wizard" style installer, run the program `client-local-install.exe` located in the network share `PCCClient`. You can access this share by typing the following address into Windows Explorer. `\\<MyServer>\PCCClient\win`, where `MyServer` is the name of the server where PaperCut NG is installed.

2. Administrators looking for an automated install/deployment option should consider the "zero install" strategy. See below for details.

The recommended approach with Windows Domains is the "zero install" strategy. This involves configuring the workstations via group policy or otherwise, to run the client executable directly off the `PCClient` share - a share set up during installation. This avoids the need to undertake a separate installation process on each workstation and ensures the client software is automatically updated in conjunction with server updates.

The client can simply be run directly from the `PCClient` share setup on the server. Two executables provide this launch functionality:

```
pc-client.exe
pc-client-local-cache.exe
```

`pc-client.exe` will launch the client directly off the network share. The "local-cache" version (`pc-client-local-cache.exe`), is a smarter version that first copies itself and associated files to the local drive and launches itself from there. The local-cache version has the advantage that any future startups will use the local copy and hence minimize network traffic. The cache is self-managing and kept up-to-date ensuring that any new versions of the client are automatically and transparently copied down to the client.

Using `pc-client-local-cache.exe` is recommended on large networks. It does however require a globally writable cache directory. By default the cache is created in a directory on the system drive (normally `C:\Cache`). An alternate cache can be specified with the `--cache` command-line switch. Administrators should ensure that standard users have write access to the system drive, or manually create the cache directory if required.

The zero-install deployment option is not appropriate for all situations. A local install is recommended on Windows Laptop systems that are not permanently connected to the network or centrally managed by network administrators. The `client-local-install.exe` program can assist end users with a standard "setup wizard" install process. This installer may also be streamlined / automated by using command-line options, see Section A.7, "Automating / Streamlining Installation on Windows" for more details.

For more information on alternate deployment options see the `[appdir]\client\README.txt` file.

4.2.1.2. Deployment on Mac OS X

This section covers the installation of the PaperCut NG client on Apple Macintosh systems. The complexities of Mac printing in general are discussed in Chapter 20, *Mac Printing in Detail*. Before installing the client software, we recommend that administrators study Chapter 20, *Mac Printing in Detail*.

The Mac client is supplied as a native Macintosh `.app` package. It's a universal application supporting Mac OS X 10.3.9 (fully patched) or higher on both PowerPC and Intel hardware.



Figure 4.8. PaperCut NG requires Mac OS X v 10.3.9 or later

The three common installation methods are outlined below cover most situations. The instructions for the "single user install" is very standard and should be able to be conducted by any Mac end-user. The other installation methods are more technically focused and aimed at Mac network administrators.

The client software will work best if Java 5 is installed. Java 5 is available for OS X 10.4 or higher. If Java 5 is not already installed, the installer is available from the Apple website at: <http://www.apple.com/support/downloads/java2se50release3.html>.

4.2.1.2.1. Single User Install

This method is suitable for a Mac computer used by a single user. For example, a personal Mac desktop or laptop. The installation process simply involves clicking on the `client-local-install` program. This copies the `PCCClient` application into the over to the system's Applications folder and starts the client in the "confirm network identity" mode. The simplest way to run the install process is to connect to the server's `pcclient` share over the network, however alternate methods such as copying the folder contents via a USB key or drive are also possible.

To install the Mac client from the server's share:

1. Start and Log into the Mac computer. Ensure it's connected to the network.
2. Open the **Finder**.
3. From the **Go** menu, select **Connect to Server...**




Figure 4.9. Connecting to a Windows server

4. Enter the `pcclient` share's connection details like: `smb://server_name/pcclient`




Figure 4.10. The PCClient share's connection string

5. Enter password information if requested.
6. Double-click the `client-local-install` file. This will execute a small AppleScript program that will commence the install/copy process.
7. Test the application by double-click on the `PCClient` application icon in the system's local `Applications` folder.

If the user needs the client for printing - for example to use the shared account popup - it's advisable to configure the application to automatically open upon start-up:

1. Open **System Preference...** from the **Apple** menu.
2. Select **Accounts**.
3. Select your login account.
4. Click the **Login Items** tab.
5. Click the + button and browse and locate the `PCClient` application.




Figure 4.11. Add PCClient as a Login Item

6. Test by restarting the computer. The client should automatically after the reboot and login is complete.

4.2.1.2.2. Multi-User Install

On a multi-user Mac system, setting up a **Login Item** for each user would be a tedious task. To streamline this process, the `PCClient` application can be configured to start on login via the login hook. A login hook is an advanced Mac feature that works by running a script when a user logs in. The `PCClient` package includes a command script resource that installs the login hook.

To install the client on a multi-user system:

1. Start and Log into the Mac computer. Ensure it's connected to the network.
2. Open the **Finder**.
3. From the **Go** menu, select **Connect to Server...**
4. Enter the `pcclient` share's connection details like: `smb://server_name/pcclient`
5. Enter password information if requested.
6. Drag the `PCClient` package over to the local hard disk's **Applications** folder. The copy process will commence.
7. Control-click on the newly copied `PCClient` application in the **Applications** directory. Select **Open Package Contents**.




Figure 4.12. Control-click and open the package contents

8. Browser to `Contents/Resources/`.
9. Double-click on the `install-login-hook.command` script.




Figure 4.13. Double-click to install the login hook

10. Restart the system and verify the client starts on login.



Important

If you're already using a login hook for other script tasks, the setup process will be different. Instead in step 9, double-click on the `set-permissions.command` file. Then insert the following line at the end of your current login script:

```
/Applications/PCClient.app/Contents/Resources/login-hook-start "$1
```

The `set-permissions.command` script ensures the software is set up with the correct permissions, ensuring it's assessable to all users.

The login hook, once installed, can be removed with the terminal command:

```
sudo defaults delete com.apple.loginwindow LoginHook
```

4.2.1.2.3. Zero-Install Deployment

This deployment method is for advanced Mac network administrators and is suitable for medium to large Mac networks. Knowledge of the Mac's Unix underpinning and scripting is required.

A more flexible option over locally installing the `PCClient` package on each Mac system, is to directly launch the client from the `pcclient` share. The advantage of this deployment method is that any updates applied on the server (and hence updates to the client directory) will automatically be propagated to all workstations.

The process of setting up zero-install deployment will vary from network to network depending on the directory environment in use and administrator preferences. The process can however be summarized as:

1. Configure the Macs to mount the `pcclient` share as a volume on login or start-up.
2. Configure a login hook to start the client off the share. The `install-login-hook.command` resource script explained in the multi-user install above may help.

The typical way to mount the share is to use `mount_smbfs` in a boot script. See the Apple documentation [on mount_smbfs at: http://developer.apple.com/documentation/Darwin/Reference/ManPages/man8/mount_smbfs.8.html](http://developer.apple.com/documentation/Darwin/Reference/ManPages/man8/mount_smbfs.8.html)

Further information on Mac printing is available at Chapter 20, *Mac Printing in Detail*.

4.2.1.3. Deployment on Linux and Unix

The PaperCut NG user client software may be deployed on Linux and other Unix based operating systems using the following installation procedure.

4.2.1.3.1. Step 1 - Install Java 5.0+

Linux and Unix workstations are supported via Java. Java version 5.0 or higher is required. Your Linux distribution may come with Java pre-installed or have the option to install. If no Java option exists, Sun Microsystems provides a self-install Java distribution for Linux and other major Unix platforms.

Ensure Java 5.0 is installed and the `JAVAHOME` environment variable is defined on the `PATH`.

4.2.1.3.2. Step 2 - Copy (or Mount) the PaperCut NG user client files

Like the Windows version of the client software, the Linux/Unix Java version is installed in the `~/client` directory on the server. All files in this directory need to be copied, or make available to the Linux/Unix workstation. Common methods include:

- Copying the files from the server using file transfer programs such as FTP or scp.
- If the server is Windows based, connecting using `smbclient` or the Gnome or KDE `smb://` file browsing tools. The client files are shared via a read-only share called `\\[server_name]\PCClient`.
- If the server is Linux based, consider exporting the `~/papercut/client` directory via NFS and mounting on the workstations. The client can then be ran directly from the mount.

If the workstation is used by multiple users, the client directory should be copied to a common location such as `/usr/local/papercut/client`.

4.2.1.3.3. Step 3 - File permissions

Open a command prompt and set execute permissions on the `pc-client-linux.sh` file as follows:

```
cd /usr/local/papercut/client
chmod 755 ./pc-client-linux.sh
```

4.2.1.3.4. Step 4 - Testing

Log on as a user (a user listed in the PaperCut NG system) in your preferred Linux desktop GUI environment. Locate and execute the file `/usr/local/papercut/client/pc-client-linux.sh`. The PaperCut NG client should open displaying the user's account balance.

It is usual to configure the client as a "Startup Program" or "AutoStart Program" launched during login. See your desktop documentation to see how to define a startup program.

A number of command-line options are available to change the client's behaviour. More information can be found in Table A.2, "User Client command-line options".

4.3. User Web Pages

The User Web Pages provide a range of services for users, including:

- *Summary*: A summary of usage and balance history.
- *Rates*: The current costs for printing and internet usage.
- *Use Card*: Add balance by using a topup / pre-paid card.
- *Add Credit*: Add balance from an external payment system (when using the payment gateway module).
- *Transfers*: Transfer funds to other users.
- *Transaction History*: A history of balance transactions.
- *Recent Print Jobs*: A list of the user's recent printing.
- *Recent Internet Use*: A list of the user's recent internet usage.
- *Jobs Pending Release*: Print jobs pending release (when using a release station).

The services available provide a range of functionality that empowers users to make the most of PaperCut NG without requiring intervention from administrators. The user web pages allows users to do what they need for themselves, and quickly get back to what they were doing.

Many services can be switched on or off as required. This is useful for situations where a particular service is not suitable for exposing to the users. For example, some organizations may like to disable the ability for users to transfer funds.

Each service is discussed in the following sections.

4.3.1. Summary

This page provides a summary of the information most important for a user, including their current balance, a summary of their printing and internet usage, and a graph of their balance history.

Summary

User name	tom
Balance	\$25.00
Total print jobs	38
Total pages	1,455

Activity




Figure 4.14. A user's summary information

4.3.2. Environmental Impact

One of the primary aims of PaperCut NG is to reduce printing levels by changing a user's printing behavior. Implementing monitoring, quotas and charging are a good way of drawing a user's attention to their habits. The topic of the environment, global warming, and waste management is currently an area of debate and interest to many. Highlighting the environmental aspects of their activities is another good way of modifying a user's behavior.

The *Environmental Impact* section appears on the *Summary* page and provides the user with feedback on the environmental impact or footprint associated with their activities. Information presented includes an indication on how their printing equates to trees, CO₂ emissions and energy.

For more information about how these values are calculated, see Section 10.6, "Environmental Impact". If desired, this option can be disabled via the **Options** section.

Trees	0.361% of a tree since Jun 18, 2007
Carbon	148 grams of carbon dioxide since Jun 18, 2007
Energy	Equivalent to running a 60W bulb for 82.4 hours

Figure 4.15. Draw a user's attention to their environmental impact

4.3.3. Rates

The rates page lets users know the printing costs associated with each printer. It also includes a description of how their internet usage will be charged. Displaying costs to users is a good way for them to see and understand the costs involved without having to spend time distributing the information to them.

Armed with this information, users can seek the most cost effective way to manage their printing. With discounts for grayscale and duplex printing clearly visible, ink and paper usage will be reduced by the users own accord.

Printing Rates

Quick Find:

<< < 1 2 3 > >>

Printer	Page Cost ▲	Grayscale Discount	Duplex Discount	Details
linuxserver\Canon BJ 2000	\$1.00/sq. metre	\$0.10 Less per page	\$0.20 Less per page	
linuxserver\John's Printer	\$1.00/sq. foot	\$0.20 Less per page	10% less	
linuxserver\Xerox Color 1930	\$0.10			
macserver\HP LaserJet 5MP	\$0.12			
windowsserver\Gestetner NRG MP C4500	\$0.13	80% less	\$0.20 Less per page	[details]

*Large paper = larger than Legal or ISO A4
 *Very large paper = larger than 11x17 or ISO A2

windowsserver\Gestetner NRG MP C4500	
Large paper	\$0.10 Extra per page
Very large paper	20% more

Figure 4.16. Printing costs as seen by the user

Internet Usage Rates

Data cost	\$10.00 per GB
Cost details	<ul style="list-style-type: none"> • Cached data is free • Sent (upstream) data is charged

Figure 4.17. Internet usage costs as seen by the user

4.3.4. Use Card

From here users can use a topup / pre-paid card. When a valid card number is entered, the value of the card is transferred to the user's balance. More information about cards is available in Chapter 11, *TopUp/Pre-Paid Cards*.

Use Card

Enter the Card number and press the "Use Card" button to redeem.

NOTE: All requests to use cards are logged.

Card number	<input type="text"/>
	<input type="button" value="Use Card"/>

Figure 4.18. Using a topup / pre-paid card

4.3.5. Add Credit

The Add Credit page is used to transfer funds into a user's account from an external source. This option is available when using the payment gateway module for integration with an external system.

4.3.6. Transfers

This page allows users to transfer credit to other users. Transferring balance can be useful in situations such as:

- A student transferring credit to a fellow student for printing something for them
- A teacher transferring credit to a student for extra printing
- Teachers trading printing credit between each other

Transfers

Transfer from	tom
Available credit	\$25.00
Amount	<input type="text" value="\$2.00"/>
Transfer to user	<input type="text" value="paul"/>
Comment	<input type="text" value="For printing my assignment - thanks!"/>
<input type="button" value="Transfer"/>	




Figure 4.19. Transferring funds to another user

4.3.7. Transaction History

The transaction history page displays a user's balance history in detail. Here a user can see how, when any why their balance was affected. If there is ever doubt about why a user's balance is at the current amount, or what they have been spending their credit on, the transaction history page has the answer.

▼ [Show Filter](#) [filter active: [remove](#)]

Transaction Date ▼	Transacted By	Amount	Balance	Transaction Type	Comment
May 29, 2007 12:22:44 PM	admin	\$24.30	\$25.00	Adjustment	
May 23, 2007 2:42:12 PM	[system]	-\$0.75	\$0.70	Printer Usage	
May 21, 2007 2:50:51 PM	[system]	\$0.10	\$1.45	Adjustment	Bulk credit adjustment for group [All Users]
May 21, 2007 10:06:18 AM	[system]	-\$0.50	\$1.35	Printer Usage	
May 21, 2007 10:02:36 AM	[system]	-\$0.50	\$1.85	Printer Usage	
May 21, 2007 9:55:21 AM	[system]	-\$0.50	\$2.35	Printer Usage	
May 21, 2007 9:37:57 AM	[system]	-\$0.50	\$2.85	Printer Usage	
May 21, 2007 9:35:21 AM	[system]	-\$0.50	\$3.35	Printer Usage	
May 21, 2007 9:34:27 AM	[system]	-\$0.50	\$3.85	Printer Usage	
May 21, 2007 9:34:04 AM	[system]	-\$0.75	\$4.35	Printer Usage	

Export/Print   

• Printer: windowserver\Canon ColorPASS Z500e (Color PS)
 • Pages: 2
 • Document: OpenOffice - New Document
 • Cost: \$0.50
 • User: tom

Figure 4.20. A user's recent balance transactions

4.3.8. Recent Print Jobs

This page displays the user's printing history. It allows a user to see the cost of their print jobs, or to find a particular print job. The filter criteria allows for many different views of printing, and can be used to easily drill-down to find the information required.

▼ [Show Filter](#) [filter active: [remove](#)]

Usage Date ▼	Charged To	Printer	Pages	Cost	Document Name	Attribs.	Status
May 28, 2007 9:43:17 AM	Administration	macserver\HP Color LaserJet 9500	2	\$0.50	Microsoft Word - list.doc	A4 (ISO_A4) Duplex: No Grayscale: No 300 kb MAESTRO Postscript	Printed
May 23, 2007 2:42:35 PM	English Department	windowserver\Gestetner NRG DSc424	3	\$0.75	Untitled1 - OpenOffice.org Writer	A4 (ISO_A4) Duplex: No Grayscale: No 273 kb MAESTRO Postscript	Cancelled, Refunded
May 23, 2007 2:42:15 PM	tom	linuxserver\maestro\Dell Color Laser 5110cn	3	\$0.75	research paper.pdf	A4 (ISO_A4) Duplex: No Grayscale: No 273 kb MAESTRO Postscript	Denied
May 23, 2007 2:33:35 PM	tom	macserver\HP Color LaserJet 3000	9	\$2.25	PaperCut Software - Mozilla Firefox	A4 (ISO_A4) Duplex: No Grayscale: No Copies: 3 267 kb MAESTRO Postscript Not Invoiced Comment	Cancelled (partial print)
May 23, 2007 9:21:34 AM	Science Department	linuxserver\HP Color LaserJet 9500	1	\$0.25	Budget - OpenOffice.org Calc	A4 (ISO_A4) Duplex: No Grayscale: No 278 kb MAESTRO Postscript Comment	Printed




[Export/Print](#)   

Figure 4.21. A user's recent printing

4.3.9. Recent Internet Use

This page displays the user's daily internet usage. If the user is curious about what they have been charged for internet usage, here they can find exactly how long they were clocked using the internet, and the amounts of data sent and received.

▼ [Show Filter](#) [filter active: [remove](#)]

Usage Day ▼	Usage Cost	Hours Used	MB Received (total)	MB Received (not cached)	Cached MB Received	MB Sent
Apr 24, 2007	\$0.05	0:03	1.55	1.47	0.08	0.08
Apr 23, 2007	\$0.22	0:16	5.38	5.04	0.33	0.28
Apr 22, 2007	\$0.25	0:14	6.83	6.47	0.36	0.38
Apr 21, 2007	\$0.12	0:08	2.91	2.86	0.05	0.11
Apr 20, 2007	\$0.08	0:05	2.18	2.10	0.09	0.07
Apr 19, 2007	\$0.17	0:11	4.46	4.15	0.31	0.21

Figure 4.22. A user's recent internet usage

4.3.10. Jobs Pending Release

This page functions as a web based release station for users. From here, jobs that have been held in a release station can be printed by the user. This allows for them to confirm the cost and details of the job before printing.

Jobs awaiting approval prior to printing are listed below:

	Submit Time ▼	Printer	Document	Client	Pages	Cost	Action
▼	May 29, 2007 2:14:10 PM	linuxserver\Xerox Color 1930	PaperCut Software - Mozilla Firefox	MyDesktop	20	\$2.00	[print] [cancel]
▼	May 29, 2007 2:13:02 PM	macserver\HP LaserJet 5MP	research paper.pdf	MyDesktop	403	\$40.30	[print] [cancel]

Figure 4.23. The user web based release station

More information about release stations is covered in Chapter 9, *Print Release Stations*.

Chapter 5. Advanced User Management

This section covers some of the more advanced user management tasks. On large networks managing users on an individual basis is not practical. Management needs to be handled either via a level of automation, or manually at group level. Some common user management tasks that typically consume time on a large network include:

- Allocating user credit or quotas.
- Creating new user accounts
- Performing administration tasks such as allocating additional allowances or applying different privileges.

PaperCut NG offers a number of features to help automate these tasks.

5.1. Groups in PaperCut NG

Groups are collections of users. PaperCut NG uses the network domain or computer's groups, meaning administrators can take advantage of the existing network structure. Groups in PaperCut are used in the following ways:

1. To control how quota/credit is allocated to users on a regular basis.
2. To automate the addition of new (future) user accounts.
3. To assist with making modifications to user accounts by group.
4. For group based reporting.

PaperCut NG mirrors (caches) domain network group memberships for performance reasons. Hence changes in group membership made at the domain level may not be immediately reflected in PaperCut. The group membership can be refreshed at any time via the **User/Group Sync** option under the **Options** section. Groups are mirror/cached for two reasons:

- For fast reporting and search performance.
- To ensure PaperCut NG is a good network application and does not overload domain controllers with group membership requests.

Many large networks may contain hundred of groups and/or organizational units. In many cases only a small percentage of these groups are pertinent to PaperCut NG management. To ensure administrators are not overwhelmed with all groups, PaperCut NG only lists the groups selected as relevant by the administrator.

To add a group to PaperCut NG:

- Navigate to the **Group** section.
- Select the **Add/Remove Group** link at the bottom of the groups list.
- Select the group(s) required on the left-hand-side and click the **Add** arrow.
- Click the **OK** button to add the group(s).




Figure 5.1. Adding/removing groups


PaperCut NG includes one built-in group called the `[all users]` group. This group is not related to any existing network group and simply is a "catch all" group that represents *all* users list in the PaperCut system. It is similar to the "Everyone" special group in Windows.

5.2. Setting up quota allocations

In many organizations PaperCut NG is used to control and restrict users to sensible use by allocating a quota or allowance (a budget). For example a user may be allocated \$10.00 a week. This type of control is particularly popular in schools and universities. The process of quota allocation can be automated via the **Groups** section.

To allocate a \$10.00 a week to members of the Students group:

1. Navigate to the **Groups** section
2. Add the `Student` group via **Add/Remove Groups** if not already listed.
3. Select the Student group
4. Under the **Quota Scheduling** section, select a period of Weekly and enter `10.00` in the **Schedule amount**.
5. Click the **Apply** button to save the change.



Group Details: staff

Details
The group or organization unit's name.

Group Name
staff

Quota Scheduling
Quota can be added to users' accounts on a scheduled basis either daily, weekly or monthly.

If 'Only allow accumulation up to' is not selected, the user's balance will accumulate indefinitely.

If 'Only allow accumulation up to' is selected, the user's balance will only accumulate to the amount specified.

Period
Weekly

Schedule Amount
\$5.00

☒ **Only allow accumulation up to:**
\$10.00

Figure 5.2. The Group Details screen

To configure quotas correctly it is important to understand how quota allocations work. Users receive quotas for all groups they belong to. For example, consider the situations where `Students` and `Student Newspaper` groups are defined in PaperCut NG, with \$20/month and \$10/month quotas respectively. If a student belongs to both groups they will receive a \$30/month of quota. If they belong to only the `Students` group they will receive only \$20/month.

If you configure a quota on the special `[All Users]` group then all users in the system will receive this quota in addition to quotas defined on other groups.

Credit will be assigned to group members at just past 12:00am (midnight) on the day of the schedule. Administrators can verify that this has taken place by inspecting log entries in the Application event log and/or users' transaction logs.

Task	Time
Daily Allocations	Applied at 12:10am every day (7 days a week).
Weekly Allocations	Applied at 12:20am on Sunday.
Monthly Allocations	Applied at 12:30am on the first day of the month.
Custom Allocations	Applied at 12:10am on the given day (after the daily allocations).

Table 5.1. Quota schedule times

One potential issue associated with quota allocation in some organizations (for example Schools or Universities) is that users can "bank up" their quota allowance over time leading to excessive use at periods of the year such as the end of semester. The **Only allow accumulation up to** option can be used to implement a "use it or lose it" policy!

5.2.1. Custom Quota Scheduling Periods

In some cases quotas may need to be scheduled for unusual times. A good example of this is unusual term or semester start dates. The `Custom` quota scheduling period allows specifying any date for which to run quotas. To set a custom quota scheduling period:

- Select the group for which to allocate quotas
- Under the **Quota Scheduling** section, select a **Period of Custom**.
- Enter a date in the ISO international date format `YYYY-MM-DD` (e.g. `2007-03-15`). Multiple dates may be entered, separated by a comma (e.g. `2007-03-15,2007-08-20`).
- Click the **Apply** button to save the change.



Tip

The year may be omitted to specify that quota allocations should take place on the same date every year. E.g. entering `03-15` will result in quotas being allocated on March 15th every year.

5.2.2. Advanced User Quota Management

Some organizations may require scheduling quota allocations for periods other than those available above. For example, an education organization may like to schedule quota allocation per term, semester (period) or academic year, which may not have set dates. This can be achieved by a manual update when necessary through **Bulk user actions ...** in the **Users** or **Groups** tab. More information is available in Section 5.4, “Bulk User Operations”.

It is also possible to automate the allocation of user quota through the use of Server Commands (see Section A.1, “Server Commands (server-command)”) or XML Web Services (see Section A.3, “The XML Web Services API”).

5.2.3. Automated Quota Allocation Example

One way to automate quota allocation is through the use of Server Commands. Following is an example of how to use Server Commands to automate quota allocation in a Microsoft Windows environment:

North Shore High would like to automate their quota allocation on a per-term basis. There are four terms in a year, and terms do not necessarily start on the same date every year. Junior students are to receive \$5 per term printing budget, and senior students are to receive \$10 per term. The domain has the groups `junior-students` and `senior-students` to reflect the students' grade.

Using the information from Section A.1, “Server Commands (server-command)”, we can see that the Server Command `adjust-user-account-balance-by-group` will meet the needs of this situation. Create a batch file with a name like `assign_term_quotas.bat` with content similar to the following (depending on your environment):

```
cd "C:\Program Files\PaperCut NG\server\bin\win"
server-command adjust-user-account-balance-by-group "junior-students" \
    +5.00 "$5 term budget for junior students"
```

```
server-command adjust-user-account-balance-by-group "senior-students" \  
+10.00 "$10 term budget for senior students"
```

Note: backslash indicates text should appear on the same line.

Running this script will allocate \$5 to all members of the group `junior-students`, and \$10 to all members of the group `senior-students`. The script can then be scheduled to run at the specified dates by the use of a tool such as Windows Task Scheduler (**Control Panel** → **Scheduled Tasks** → **Add Scheduled Task**).

This example can be found with your PaperCut NG installation under `[app-dir]/server/examples/scripting/batch/assign-term-quotas.bat`.

5.3. New User Creation Rules


It is inevitable that new users will be added to your network in the future. To streamline account setup, PaperCut NG offers the option of having new users automatically assigned initial settings such as starting credit, privilege level, and other settings based on their group membership. Users are automatically added to PaperCut NG when either:

- The user sends his or her first print job
- Overnight during user/group synchronization
- When a manual user/group synchronization is performed

Taking the time to configure initial settings rules means one less job for administrators to perform! The group based control offers maximum flexibility and ensures that it's possible to have a different set of initial settings rules for different types of users. This flexibility is particularly important in an academic environment where students of different year levels need different settings.

For example an administrator may wish for new users belonging members of the `Senior Students` group to be allocated \$10 starting credit and `restricted` access, while all other students receive \$5.00 starting credit.

New user creation rules are controlled under the **Groups** → **Group Details** → **New User Settings** section.



New User Settings

New user settings help streamline the setup of new user accounts.

These settings are automatically applied to new users created that belong to this group.

Initial Credit

☒ Initially Restricted

Initial Account Selection Settings

Figure 5.3. Initial settings applied to new users



Important

Changes made to `new user` settings are in the **Groups** section only affect users *NOT* yet listed in the system. (i.e. future users). Any users *already* listed in the system are not affected. Initial user settings also do not apply when users change groups. To modify settings or credit on existing users, see **Bulk user actions** in the following section.



Tip

Initial settings can become confusing when a user belongs to more than one group. PaperCut NG uses the following logic to allocate initial settings:

- The user obtains a starting credit that is the sum of all the matching groups (the special `[all-users]` group is ignored).
- If any of the matching groups has `unrestricted` access, the user will inherit `unrestricted` status.
- If any of the matching groups has account selection popup settings, the user will inherit the `ON` settings.
- If the user does **NOT** belong to any matching group, they will inherit the settings applied to the special `[all-users]` group.



Tip

To control when users are automatically created, see Section 10.2.2, "On Demand User Creation".

5.4. Bulk User Operations

A bulk user operation refers to an operation that is applied to more than one user. This operation was referred to in previous PaperCut releases as "Group level functions". Bulk user operations are best described by example.

John is a network administrator at a local high school. A number of students from each year level have been placed on the school newspaper committee. The head teacher has requested that John allocated an extra \$10.00 of printing credit to these students. The students are all in a network group called "NewspaperCommittee". John performs this operation as follows:

1. Clicking the **Bulk user actions** link under the **Users** section.
2. Selecting NewspaperCommittee as the group to perform the action on.
3. Selecting the **Adjust credit by** option and entered \$10.00 in the amount field.
4. Entering a transaction comment of "extra allowance for newspaper committee role".
5. Clicking the **OK** button to apply the change.

Bulk user operations apply changes to all users matching the selected group and other criteria. Settings under the **Groups** section or shared accounts are not affected.



Warning

Group level operations are one-way and cannot be undone. Always carefully consider the operation before proceeding. If you are unsure of the function or behaviour, performing a backup prior to undertaking the operation is advised.

Other bulk user operations available under **Bulk user actions** include:

- Adjust or set the users' credit (perform a transaction).
- Change the users' restriction status
- Modify account selection popup options
- Reset the users' count statistics
- Apply user level overrides like print cost adjustments, and disabling printer filters for a user
- Disable printing for a specified period of time
- Disable Internet use for a specified period of time

5.5. Using Overdrafts

The overdraft setting applies to restricted users (and restricted Shared Accounts). An overdraft allows a user to continue to use services even though their account has dropped below zero. In essence, the overdraft value moves the "zero-point" allowing users to overdraw the account to the agreed limit. An overdraft can also be referred to as a credit limit.

Reasons for using an overdraft include:

- Provide users with flexibility between budget, quote or allocation periods. For example, an overdraft will allow a user to "draw on" a portion the next month's quota allocation.
- To Implement a credit system with credit limits rather than an up-front pay system.
- Grant trusted users a "loan" on a case-by-case basis.

An overdraft can be defined at two levels:

1. Globally as a default affecting all users and shared accounts.
2. On an individual user or account basis.

The default overdraft is zero. This can be changed by **Options** → **General** → **Account Options** → **Default overdraft limit**

Optionally, a separate overdraft can be applied to an individual user (or shared account) using the following procedure:

1. Click on the **Users** section.
2. Select the user.

3. Ensure the account is set as **Restricted**.
4. In the **Overdraft** field, select the option **Individual overdraft**.
5. Enter a positive value in the adjacent overdraft balance field.
6. Click **Apply** to save the changes.




Figure 5.4. Setting a user's overdraft to \$20.00

5.6. Batch User Import and Update

The batch import and update feature allows the administrator to import users, user information and optionally update existing users details by reading data from a simple text file. In addition to being able to create users, it enables administrators to update the following user data:

- Credit balance
- Restriction status
- Full name
- Email address
- Department
- Office
- Card Number
- Notes

Examples of where the batch user import feature is useful include:

- To set the user email addresses that are stored in another system (like a student management system).
- When moving user balances from previous PaperCut editions to PaperCut NG
- When importing user and balance data from another external system

For more information on using the batch import to import data from previous PaperCut editions, please see Appendix G, *Upgrading from PaperCut Quota*.



Tip

PaperCut NG is designed to import user information from the underlying system or network domain. The batch import feature is not designed to replace this but rather complement it by allowing importing of user data from other systems or sources.

To perform a batch import:

1. Manually inspect your file in a text editor and ensure it's in the prescribed tab-delimited format as detailed at Section 5.6.1, "Batch User Import File Format".
2. Navigate to the **Users** section.
3. Click the **Batch import ...** action (on the left).
4. Click **Browse** to select the file to import. (The format of the file is described in Section 5.6.1, "Batch User Import File Format").
5. Choose whether you want the import to create new users if they do not already exist. If you clear this checkbox, lines that contain users that do not exist will be ignored and only existing users will be updated.
6. Press the **Import** button.
7. Upon completion you will be told how many users were updated and how many users were created.



Caution

Batch imports are a major operation modifying data on mass. Best practise suggests:

- Always run a backup *before* preceding with the import.
- First experiment/test the import process with a small batch of users before moving onto the full batch.

5.6.1. Batch User Import File Format

The import file is in tab delimited format and contains the following fields in the given order.

Field	Description	Optional?	Limitations
Username	The user's user-name	Mandatory	Max. 50 characters
Credit Balance	The user's credit balance	Optional - balance not set if blank	A number with no currency symbol or separators, using a full stop for the decimal separator. Correct: 1.23 Incorrect: \$1.23 or 1,23 or 1,023.00
Restricted Status	The user's restricted status. (Y/N)	Optional - restricted status not set if blank	

Field	Description	Optional?	Limitations
Full Name	The user's full name	Optional - full name not set if blank	Max. 255 characters
Email	The user's email address	Optional - email not set if blank	Max. 255 characters
Department	The user's department or faculty	Optional - department not set if blank	Max. 200 characters
Office	The user's office or location	Optional - office not set if blank	Max. 200 characters
Card Number	The user's identity card number	Optional - card number not set if blank	Max. 200 characters, case insensitive
Notes	Notes about the user.	Optional - notes not set if blank	Max. 2000 characters

Table 5.2. User Import File Format

Other limitations: Although any actual limit to the size of an import file should be large enough for any purpose, we recommend keeping the file size below 10MB.



Tip

A simple way to create a tab delimited file is to create a spreadsheet in Microsoft Excel, and then save it in the Text (Tab delimited) format.

5.6.1.1. Import File Format Examples

The following lines shows importing all the above fields. (The fields are separated by tabs).

```
matt 20.00 Y Matt Johnson mattj@email.com Science Dept Head office \
103251 NoteA
john 25.00 N John Jackson jj@domain.com Administration Other office \
963254 NoteB
```

Note: backslash indicates text should appear on the same line.

The following lines shows importing user email addresses only. NOTE: That the tabs still exist for balance, restriction, full name fields, but each entry is blank.

```
matt mattj@email.com
john jj@domain.com
```

The following lines shows importing the credit balance and full name for the first user and the credit balance and email address for the second user. NOTE: That the tabs characters still exist for blank fields.

```
matt 10.00          Matt Johnson
john 15.00          jj@domain.com
```

5.7. Disabling user printing with time latches

PaperCut NG allows printing to be disabled for particular users using time-based locks. These time latches allow a user's printing to be disabled for a predetermined amount of time. After this time has passed, the user's printing is re-enabled without the need for manual intervention. Some examples of where time latches may be useful include:

- Student discipline - Under some circumstances it might be useful to disallow printing for a student who has been misbehaving in class, abusing computer resources or for other disciplinary reasons. The user's printing can be disabled for the duration of a class, or indefinitely. Once the time period has passed, printing will automatically be enabled for this user.
- Classroom Management - Using the bulk user actions screen, printing can be disabled for a group of users. This can be useful to stop a classroom from printing for a period of time.
- User Management - If a employee or student is away for an extended period of time and may return, printing can be disabled so that their details and balance is unchanged but no-one can use their account for printing.

The disable printing option is located on each user on the user details screen.




Figure 5.5. User printing disabled using a time-latch

5.8. User Management Quick Reference

How do I add credit to a user?

Select the user from the groups list, and click on the **adjust** link next to the credit or select the **Adjustment & Charges** tab.

How do I add a new user to the system?

PaperCut NG will automatically add users to the system the first time they print. If your new user initial settings rules are defined correctly under groups section, the user will automatically be created with the designated starting credit and settings.

If you have added a large batch of new users, you can force the addition of these users immediately via the **User/group synchronization** option under the **Options** section. For more information see Section 10.2, “User and Group Synchronization”.

How should I make a change to more than one user?

If you need to make a change to more than one user, consider using the **Bulk user actions** link located under either the **User** or **Groups** section. This allows bulk modification of user settings based on their network group membership. See Section 5.4, “Bulk User Operations”.

How do I grant administrator access to a trusted person to manage a group of users?

Administrator level access can be granted to trusted individuals. See Section 3.7, “Assigning Administrator Level Access”. By using advanced access control rights, administrators can be limited to a subset of users (a group) via the option **Limit access to users only in group**.

How can I prevent new users from being added automatically?

See Section 10.2.2, “On Demand User Creation”.

Chapter 6. Advanced Printer Management

This section covers some of the more advanced printer management tasks. Advanced printer management can be grouped into the following high-level concepts:

- Activity monitoring
- Encouraging appropriate use
- Managing the addition of new printers

This section addresses these management areas and covers tools available in PaperCut NG to assist administrators.

6.1. Adding and Removing/Deleting/Ignoring Printers

6.1.1. On Windows

PaperCut NG tracks all print queues *local* to the system by default. Local print queues are those that have been set up on the server running PaperCut NG with a local port, such as: a TCP/IP connection to a network printer, an LPR connection, or a printer attached locally via USB or LPT. Standard Windows print queues that are hosted on a different system, or “re-shared”, are not tracked (these queues may be tracked by setting up a *secondary print server*, see Chapter 12, *Configuring Secondary Print Servers and Locally Attached Printers*).

New print queues added to the system should show up automatically in PaperCut NG, however in some rare situations the printer may only show up after the first print job has been sent.

Under some situations it may not be desirable to track all printers. Some examples of why an administrator may choose not to monitor a printer include:

- The printer is a “virtual printer” such as a PDF generator, FAX, or document management program.
- The administrator may wish to offer free printing on a selected printer and not be concerned with monitoring (silent monitoring with a zero page cost will also achieve this).
- The printer may not be supported by PaperCut NG and may need to be ignored.

The *Print Provider* component is responsible for locating and tracking the printers. To instruct it to ignore a printer:

1. Open the file `[app_dir]\providers\print\win\print-provider.conf` in a text editor such as Notepad.
2. Locate the line `IgnorePrinters=` and enter the full name of the printer on the right-hand-side of the equals line. For example:

```
IgnorePrinters=Office Printer
```

Note: This is the printer's locally assigned name and not the name of its network share.

If you have multiple printers to ignore, then separate the each printer name with a comma. For example:

```
IgnorePrinters=Office Printer,Copy Room Printer
```

3. Restart (stop then start) the PaperCut Print Provider component under **Start** → **Control Panel** → **Administrative Tools** → **Services**
4. If the printer data is no longer required for reporting purposes, log into PaperCut NG's admin interface and select the **Printers** section, then click on the printer to be removed and select **Delete printer** from the **Actions** list.
5. Test the changes by printing to the deleted printer and ensuring the printer does not re-register itself in the system. If it does, verify the name assigned under the `IgnorePrinters=` setting is correct.

6.1.2. On Mac

The list of monitored printers is configured when installing PaperCut NG. To change the list of monitored printers, run the script at `/Applications/PaperCut NG/Control Printer Monitoring.command`. Please read the script's instructions carefully and ensure that the **Print Setup Utility** is closed/quit when running this script.

After running the script the printers should now be registered. Log into PaperCut NG as admin and verify that the printers are now listed under the **Printers** section. Perform a test print on each printer and verify that the jobs are tracked correctly.

Note

At the technical level, Mac systems use the Common UNIX Printing System (CUPS). PaperCut NG tracks printing by integrating with CUPS. (For system administrators familiar with CUPS, PaperCut NG integrates by wrapping or proxying the CUPS backend). The `Control Printer Monitoring.command` script simply edits the file `/etc/cups/printers.conf` and prefixes the `DeviceURI` with `papercut:`, enabling monitoring on the selected printer.

System administrators experienced with the terminal may prefer to edit the `printers.conf` file directly with a text editor. See Section 6.1.3, "On Linux" for more details.

To delete a printer:

1. Double click on the `Control Printer Monitoring.command` script.
2. Choose to disable monitoring on the printer(s) to delete.
3. If the printer data is no longer required for reporting purposes, log into PaperCut NG's admin interface and select the **Printers** section, then click on the printer to be removed and select **Delete printer** from the **Actions** list.
4. Test the changes by printing to the deleted printer and ensuring the printer does not

re-register itself in the system. If it does, verify that it is not being monitored using `Control Printer Monitoring.command`.

6.1.3. On Linux

PaperCut NG tracks printing by integrating with the Common UNIX Printing System (CUPS), the printing system on Linux. For a printer to be tracked, CUPS needs to be told to route print jobs through PaperCut NG before printing.

To do this, the `printers.conf` file must be edited. This can either be done manually, or assisted via the `configure-cups` script.

To use the script, run the script file at `[app-dir]/providers/print/linux-i686/configure-cups`. Please read the script's instructions carefully to enable monitoring on the desired printers.

To edit the file manually:

1. Open your `printers.conf` in a text editor such as `vim`. On most Linux distributions `printers.conf` is located at `/etc/cups/printers.conf`.
2. Prepend `papercut:` to the `DeviceURI` of the printers you wish to track. After the modification a `DeviceURI` line might look like:

```
DeviceURI papercut:ipp://1.2.3.4/printers/My_Printer
```

3. Restart CUPS in the way appropriate to your distribution. E.g.:

```
/etc/init.d/cupsys restart
```

4. Perform a test print on each printer. This will cause the printers to be registered. This step is not required with the `configure-cups` script, because the script registers the printers automatically.
5. The printers should now be registered. Log into PaperCut NG as `admin` and verify that the printers are now listed under the **Printers** section. Verify that the test prints sent previously were tracked correctly.

To delete a printer:

1. Double click on the `configure-cups` script (or manually edit `printers.conf`), and choose to disable monitoring on the printer(s) to delete.
2. If the printer data is no longer required for reporting purposes, log into PaperCut NG's admin interface and select the **Printers** section, then click on the printer to be removed and select **Delete printer** from the **Actions** list.
3. Test the changes by printing to the deleted printer and ensuring the printer does not re-register itself in the system. If it does, verify that it is not being monitored using `configure-cups`.

6.2. The Template Printer

The Information Technology field is a rapidly moving environment. Change is driven by two main forces:

- Business and end-user requirements
- Technology advances


It is change that often consumes a network administrator's time. PaperCut NG endeavors to alleviate some of the more mundane tasks via automation. The **New User Initial Settings** section under **Groups** assists with the creation of new user accounts. The addition of new printers, although less common, is also inevitable. PaperCut NG helps administrators streamline new print setup using a concept of a template. A template is a pattern or initial condition used as a starting point. PaperCut NG has a special virtual printer called the [template printer]. This is not a real printer, but a special printer used as a template for printers added in the future.

The [template printer] is best described by an example:

1. Jane is a network administrator at a local business. She has implemented a print policy across all printers as follows:
 - a. The page cost for a standard page is \$0.10.
 - b. Double sided printing is encouraged with a 40% discount.
 - c. A filter exists on all printers to prevent jobs of over 100 pages. This prevents users from holding up the queues with large single jobs.
2. Jane has set up her policy on all existing printers and then adjusted settings on a printer-by-printer basis depending on the type and functions.
3. She has also set up this policy on the [template printer].
4. Two months later Jane adds 4 new printers. No change in PaperCut NG needs to take place as the printers automatically set themselves up based on the settings in the [template printer].
5. When Jane has spare time later in the month she fine tunes printer configuration as required.

As the example shows, the template printer not only helps alleviate future configuration work, but also ensures a consistent policy is applied on printers by default. It brings PaperCut NG one step closer to the "zero-administration" goal.

It is recommended the administrators take a few minutes to configure the template printer on any network of more than 100 users.



Printer ▲	Page Cost	Filtered	Total Pages	Total Jobs
[Template Printer]	\$0.50 (simple)	No filters	0	0
linuxserver\HP LaserJet 5MP	\$0.08 (simple)	No filters	0	0

Figure 6.1. The Template Printer

6.3. Copying Printer Settings

Another way to quickly configure printers and have a consistent charging policy is to copy printer settings (costs, filters, etc.) from one printer to another.



Warning

Copying settings to printers is a one-way operation and cannot be undone. Always carefully consider the operation before proceeding. If you are unsure of the function or behavior, performing a backup prior to undertaking the operation is advised.

To copy printer settings from one printer to another:

1. Navigate to the **Printers** tab.
2. Select the printer you wish to copy the printer settings from. The **Printer Details** screen appears.
3. Click the **Copy settings to other printers** action link.
4. Choose which settings to copy. There is a choice of the cost and the filter settings.
5. Select the printers to copy the settings to.
6. Press **Copy** to perform the copy.

Figure 6.2. Copy settings from one printer to others

6.4. Disabling printers with time latches

A new feature introduced in PaperCut NG is time latch based locks. Time latches allow a printer to be disabled for a predetermined amount of time. After the disable time has expired, the printer is re-enabled without the need for manual intervention. Some examples of where time latches may be useful include:

- **Printer maintenance** - A printer may be consistently jamming and require maintenance. The administrator can lock the printer for 24 hours until the maintenance is performed. Users receive a notification message if they try to use the locked printer.

- Classroom management in schools - A teacher may wish to disable printer use to force students to focus on their work for the duration of the class. The printer can be locked for the duration of the class. After the class has finished the printer is re-enabled automatically ready for the next class.

The disable option is located on each printer under the printer configuration area.



Figure 6.3. Printer disabled using a time-latch

6.5. Managing printing using differential charging

In a quota-based or charged environment, one of the most important tools at the administrator's disposal is the ability to charge different amounts for different types of documents or on different types of printers. Printers are designed for a particular task and a particular work rate. For example an inkjet color printer is ideal for photos or the occasional color page but should not be used print 1000-page black and white documents when the heavy duty laser printer is located just down the corridor.

PaperCut NG allows administrators to:

- Charge different cost-per-page amounts for each printer
- Charge different amounts based on the type of document including:
 - Discounts for black and white printing
 - Discounts for double-sided or duplex printing
 - Different amounts based on the size of the page

Administrators can use differential charging to encourage users to use the correct printer and printer settings for the task at hand. This ensures maximum utilization of the resources available.

Example: David is a network administrator at a local university. The printer comparison charts in PaperCut NG suggest that one of the printers on the 4th floor in the computer science wing is only used half as much as other printers. Upon investigation he finds that students prefer to use the closer printer located in the corridor outside the lab. David decides to relocate the printer at the end of semester. In the meantime he encourages its use by reducing the price thereby taking load off the other printers.

6.5.1. Charging modes available

PaperCut NG offers a very powerful array of charging rule possibilities. To help simplify configuration, charging options are divided into modes.

6.5.1.1. Simple Mode

Simple mode is the default mode and is appropriate to all types of printers. It allows administrators to define a simple cost-per-page setting only. For example if the cost per page was defined at \$0.10, 50 pages would cost \$5.00.

6.5.1.2. Charging by Category

Category based charging is the most commonly used mode for printers that support advanced print attributes including:

- Duplex or double-sided printing
- Color or Black & White printing modes
- Multiple paper trays offering standard and large sizes

Category based charging allows administrators to define costs based on the document's attributes. Black and white (grayscale) documents can be granted a discount over full color. An option also exists to discount and encourage double-sided printing. Discounts can be applied either as fixed amounts or as a percentage of document cost.

A practical example, Mary has a color printer that supports letter and legal paper and duplex. She would like to define rules to:

- Charge \$1.00 per page for letter (standard size) color printing.
- Charge \$0.40 per page if the users select grayscale (black & white) - a \$0.60 discount for grayscale
- Charge an extra \$0.80 if they use large legal size paper
- Offer a 50% discount for duplex to encourage double sided printing.

To accomplish this complex set of charging rules, Mary should setup the Advanced charging options for the particular printer as defined in the screenshot below.

Charging by Paper Size Category

This charging model provides the ability to control cost based on categories. All jobs are charged at the base cost-per-page. Documents printed on large paper can be charged at a higher rate (a surplus) while grayscale and duplex documents offered a discount.

Base cost	<input type="text" value="\$1.00"/>
Large paper surplus (larger than Legal or A4)	<input type="text" value="\$0.80"/> <input type="button" value="Extra per page"/>
Very large paper surplus (larger than A2)	<input type="text" value="\$0.00"/> <input type="button" value="Extra per page"/>
Grayscale discount	<input type="text" value="\$0.60"/> <input type="button" value="Less per page"/>
Duplex discount	<input type="text" value="50.00%"/> <input type="button" value="Percent less"/>

Figure 6.4. Advanced differential charging example

6.5.1.3. Charging by Paper Sizes

The charging by paper size mode is designed for printers with multiple trays and a variety of available paper sizes. Administrators have full flexibility to define cost for each of the paper sizes support by the printer. For example, printing a letter size page would cost less than printing a legal size page. This mode includes options to enable discounts for gray-scale and/or duplex jobs. Discounts can be applied either as fixed amounts or as a percentage of document cost.

6.5.1.4. Charging by Paper Area

This mode is designed for plan printers, plotters or printers that support a variety of paper sizes. For example, many engineering firms use these types of printers for plotting CAD design diagrams. Charging by area allows the cost of the print job to be a function of the paper area.

6.5.2. How duplex discounts are calculated

Many of the supported cost modes allow a discount to be applied to printing duplex documents. The discount is entered as either a percentage or a constant amount per page. It is important to understand that PaperCut NG counts a single *side* of printing as a one page. For example, if you have a 50 page Word document, PaperCut NG will count this as a 50 page document, whether it is printed single-sided or duplex.

When calculating the cost of a job, the duplex discount is only applied to pages when there is printing on both sides of a sheet paper. If a document contains an odd number of pages, the duplex discount is not applied to the last page. For example, if a 11 page document is printed as duplex, the duplex discount is applied to the first 10 pages, but not the last page.

Some printers allow multiple copies of a document to be printed as a single job. PaperCut NG will calculate the cost using the above rules. i.e. If a copy contains an odd number of pages, it will not apply the discount to the last page of each copy.

6.6. Using filters and restrictions

PaperCut NG offers advanced filter options to provide network administrators with the ability to filter or restrict print jobs using a set of rules. Filtering options available include:

- Detect and delete duplicate print jobs
- Define the maximum cost of a single print job
- Define the maximum number of pages allowed in a single print job
- Filter documents based on the file extension or name
- Allow only selected paper sizes
- Set a printer to allow only color or black and white documents

Each printer has its own set of restrictions. The rules can either apply to all users or **restricted** users only (the filter scope). You access these settings by selecting the appropriate printer in the charging list and clicking the **Filters** tab.

Filter Scope	Maximum Cost	Page Count	Color Mode
<input checked="" type="checkbox"/> Only apply filters to restricted users	<input type="checkbox"/> Deny print jobs based on document's total cost: \$0.00	<input checked="" type="checkbox"/> Deny print jobs based on number of pages: Minimum: 0 Maximum: 100	<input checked="" type="checkbox"/> Deny print jobs based on color mode: Allow grayscale documents only

Figure 6.5. Some of the available printer filters and restrictions

The printer restrictions provide network administrators with advanced control over printer usage. Some common examples include:

6.6.1. Reduce printer jams

Many printers expect print jobs to be on single size of paper, or maybe two sizes if the printer has multiple paper trays. A non-standard size will cause the printer to enter a *manual load* state causing the queue to halt. PaperCut NG **Filters** section allows Administrators select the allowed sizes. Non-standard sizes are automatically deleted before they're sent to the printer. It's an effective way of reducing one of the most common causes of queue jams.

6.6.2. Controlling documents on slow Inkjets

Inkjet printers have very low throughput rates. A large color document can hold up a queue preventing other users from getting their "fair share" of print time. By setting an upper page count via the printer's **Filters** section, network administrators can prevent large print jobs. The page count forces users to split up large documents and allows other users access to the printer.

6.6.3. Automatically deleting duplicate jobs

PaperCut NG can also monitor the print queues and automatically delete duplicate print jobs. This option is useful on networks with novice users. New users often "double click" an application's printer icon causing two identical print jobs to be sent to the queue. This wastes paper and users' print quota. Network administrators can enable duplicate job detection via the **Filters** section. A popup message warns the user and the duplicate job is removed from the queue.



Important

This option can affect multiple prints from Microsoft Excel and some other applications. Users wishing to print multiple prints from Excel may need to reprint the document 30 seconds apart.

6.6.4. Force sensible use

Restrictions can be set to define a maximum cost per job. This will prevent users from accidentally spending all their credit/quota in one print job.

6.6.5. Automatically deny documents based on file extension or name

There are many reasons why users should not print certain files. For example, maybe a report from the accounting application consists of 400 pages. Users may not be aware of this and "accidentally" print the report expecting only a few pages. PaperCut NG can be configured to match this document via its name and automatically deleted it from the queue. Use the **Filters** keyword filter to implement this functionality.

Additionally it's also possible to filter documents based on file extension by entering a keyword like `.htm` or `.pdf`.

To filter a document name based on a regex (regular expression), enclose the keyword in forward slashes. Note that the regex matches the entire document name. For example:

- To disallow printing of any documents ending in `.htm`:

```
/.*\.htm/
```

- To disallow printing documents of the form `account-12345.pdf`:

```
/account-\d*\.
```



Important

This is *not* a security option. It is easy to circumvent the filter by simply renaming the document. Some systems may not even report type information!

6.6.6. Control who can print in color (Advanced)

By combining PaperCut's ability to restrict color printing (allow only grayscale), and standard printer access permissions, it's possible to control which users have access to color printing.

To implement:

1. On the print server, install the drivers for the printer twice. Call one printer *Grayscale*

Only and the other *Color*. You will now have two printer icons (logical printers) each connected to the same physical printer.

2. Share the printers as normal
3. Set Windows access permissions on each printer as required. Users that require color access should be able to print to the color printer. Other users should only be provided access to the "black and white" only printer.
4. Add the printers to PaperCut NG and define appropriate costs
5. Select **Restriction** for grayscale only printer. Ensure that restrictions only allow black and white (grayscale) printing.

6.6.7. Advanced Setups

PaperCut NG provides printer management features that can be easily extended to more advanced network setups including:

- Environments with multiple print servers
- Monitoring of locally attached network printers.
- Central monitoring over Wide Area Networks (WAN) or VPN.

These topics are an advanced subject and covered in subsequent sections.

6.7. Charge Rates

Charge Rates are used in conjunction with the User Client's Advanced Popup (see Section 7.4.2, "Advanced Account Selection Popup"). They allow an administrator to define a user selectable list of different rates that can be applied to the current print job. The rate, defined as a percentage, is applied to the print job's base cost. Charge Rates are commonly used in the Engineering and Architectural Drafting fields. Examples include:

- Charging different rates for premium print material. For example 150% for use of Mylar drafting film.
- Offering a discount of selected situations. A 2nd copy of an architectural plan printed on draft quality paper may be charged at 50% normal rate.
- Ad-hoc discounting for selected customers/circumstances.

Charge Rates are defined at the printer level - that is, the list of rates can vary depending on the target printer selected. The rates are defined in the format:

```
Rate1:100%,Rate2:150%,Rate3:75%
```

(A comma separated list of rates in the format of "Name" and "Rate" separated by a colon) A rate above 100% will add a premium to a job, while one below 100% will discount the job accordingly. The first rate listed in the default rate and is automatically selected in the Advanced Client Popup.




Figure 6.6. Three charge rates defined at the printer level




Figure 6.7. Charge rates displayed in the Advanced Client Popup

6.8. Popup Authentication

PaperCut NG normally relies on the underlying operating system and the associated print queues to perform authentication. For example, in normal operation, a user logs into a workstation using a domain/network level authentication method such as a username and password. The print queues also use this authentication and PaperCut NG can trust the supplied identity. However in some network environments, relying on network level authentication may either not be possible, or may not be reliable. Common examples include:

- All users log in with a common generic username and password meaning that it's not

possible to distinguish between users.

- A print queue that does not enforce authentication.

For a detailed explanation of print authentication, please Chapter 19, *Print Authentication & Cross-Platform Networks*.

6.8.1. Where Popup authentication is used

Some real life examples covering these two situations include:

6.8.1.1. The Student Lab

Some student labs are set up so everyone logs in using a generic username and password. For example, username: student, password: student. This is common in Apple Mac labs, where enabling multi-user authentication is complex and can often prevent selected applications from running correctly.

6.8.1.2. LPR/LPD or CUPS

The Line Printer Daemon print protocol, often used in UNIX environments, is a non-authenticated system. The username associated with the print jobs is passed through to the print queue, however the name is not verified and can easily be forged. An extra level of authentication is required.

CUPS, the modern print system often used on Linux, Apple Mac and some Unix systems, is often implemented in a non-authenticated fashion. Although CUPS can support authentication, technical considerations such as the inability to interface with Active Directory domain authentication often prevent its use.

6.8.1.3. Mac Print Queues

Mac OS X server use the CUPS print system. Current Apple implementations prevent administrators from enabling CUPS authentication. This is not usually a problem in an environment where logins can be controlled at individual workstation level. It does however pose a problem if users have local admin access - for example, individual owned laptops. PaperCut NG popup authentication provides a way to work around the non-authentication issue.

More information, including a discussion of platform specific issues is available in Chapter 19, *Print Authentication & Cross-Platform Networks*.

6.8.2. How does popup authentication work?

The popup authentication works by authenticating the user via the PaperCut NG client software. The client software pops up a window requesting the user's username and password. The password is sent to the server via an SSL encrypted connection and is validated. On successful validation, a session is formed that associates the user with this workstation. The session is valid for a length of time as selected by the user - the default being 5 minutes - or until the user logs out.

6.8.3. Configuration

The following sections cover how to enable popup authentication on either the user account level or the print queue level.

6.8.3.1. Popup authentication and generic user accounts

The following notes explain how to enable popup authentication when a user logs in under a generic user account - for example, `student`.

- Add the account to the domain called `student`. You may already have such as account set up.
- Perform a **User/Group Sync** or print a job from this account so the username is listed in PaperCut NG
- Select the generic user and set the account to a *zero balance* and a *restricted* status. This will ensure that users can't charge against this account.
- Check the **Unauthenticated** option and click on the **Apply** button to save the changes.




Figure 6.8. Turning on popup authentication at the user level

- Install client software on workstations. See Section 4.2, “User Client” for details.
- When a user logs in as the generic `student`, they will be prompted for their domain level username and password.




Figure 6.9. PaperCut NG client requesting for authentication

6.8.3.2. Popup authentication on a print queue

The following notes explain how to enable popup authentication when a user attempts to print to a non-authenticated printer such as one hosted via an LPR/LPD queue or a CUPS print queue:

- Add the printer to the system and normal. Perform a few test prints to ensure the printer is functioning and tracking as expected.
- Log into PaperCut NG and check the **Unauthenticated** option under the relevant print to enable the popup authentication.
- Install the client software on any workstation that will print to this printer. See Sec-

tion 4.2, “User Client” for details.

- When a user attempts to *print* to this printer, they will be prompted for their username and password.

6.8.3.3. User Interaction

When running in popup authentication mode, the client makes available a number of additional options including:

- Logout
- Login as another user

The **Logout** option is available on Windows via either the right-click option on the task tray icon, or when running on Mac or Linux, via a right-click popup menu (Option Click) access via the icon on the balance window.

The **Login as...** option is made available if the client starts as an unauthenticated user. This option allows users to authenticate or quickly switch user identity.

6.8.3.4. Advanced Popup Configuration

The login box displayed to the user offers the choice of how long their authentication details should remain active. An administrator can control the options presented to the user by modifying the following system configuration keys. These configuration keys are edited under **Options** → **Actions** → **Config editor (Advanced)**

Config name	Description
client.config.auth.ttl-values	A comma separated list of values to display in the popup authentication login box. -1 denotes infinity.
client.config.auth.ttl-default-minutes	The default time-to-live value automatically selected when the login authentication window displays.
client.config.auth.popup-on-startup-if-unauthenticated	Determine if the client should request authentication when the client starts if the operating system user is unauthenticated. Set to \mathbb{Y} (yes = enabled) or \mathbb{N} (no = off).

Table 6.1. User Client Popup Config Keys

6.9. Color Detection

The color detection setting determines the method used by PaperCut NG to analyze documents for the presence of color. Changing the detection method may require some additional printer configuration. Please read this section in its entirety.

The standard way used by PaperCut NG to handle color in documents is to see if the printer's driver has set the `grayscale` flag. When this flag has been set on a document sent to a color printer, the grayscale discount is applied. Otherwise, the document is charged at

the printer's standard rate. This may be an inconvenience for users when a large document is printed with just a few color pages.

For example, a user prints a 21 page document to a color printer. The document is all grayscale except for a color header on the first page. When using *standard color detection*, the user is charged for 21 pages at the color printer's standard rate. As a workaround, the user could send the document as two print jobs (one with just the first page containing color, and another with the rest of the document), but this is an inconvenience. An enhanced alternative is to use *page-level color detection*. When this option is selected, the user would be charged for one page at the color printer's standard rate, and receive the grayscale discount for the other 20 pages.

PaperCut NG has three options for document color detection:

- Grayscale only (for grayscale printers)
- Standard color detection (also referred to as document-level detection)
- Page-level color detection

The color detection setting is available for each printer controlled by PaperCut NG. To access the setting, click on a printer from the **Printers** tab to bring up the **Printer Details** page.




Figure 6.10. The color detection setting for a printer

'This is a grayscale printer'

This option indicates that the printer is not capable of printing color documents, so color detection should be bypassed. This will ensure that the color page count for this printer is always zero.

'This is a color printer (use standard detection)'

When this option is active, documents are treated as being either grayscale (where a printer's driver has set the grayscale flag) or color. This mode is available in almost all color printers, and is the standard color detection method in PaperCut NG. Where users print documents containing both grayscale and color pages, this option encourages users to use color printers only for their color printing.

'This is a color printer (use page-level detection)'

Page-level color detection is a relatively new feature for PaperCut NG (introduced in November 2006), and continues to be under active development. This feature scans each page of a document for traces of color. The grayscale discount is applied to any grayscale pages, and other pages are charged at the printer's standard rate.

Currently, PaperCut NG can perform page-level color detection with most *PostScript*, *PCL5* and *HPGL* printer drivers (with *PCL6* support coming soon). Many manufacturers offer PostScript and PCL drivers as well as proprietary ones - check your printer manufacturer's

website for availability.

Important: To use page-level color detection:

1. Ensure the printer is using a *PostScript* or *PCL5* printer driver on both the server *and* workstations.
2. Apply the **page-level detection** option for the printer in PaperCut NG.
3. On Windows based servers the `Print Provider` service will be notified of the setting change every 2 minutes. This can be sped up by manually restarting (stop and starting) the PaperCut NG `Print Provider` service via **Control Panel** → **Administrative Tools** → **Services**. Linux and Mac systems will pick up the change immediately.
4. For Windows based servers, *disable* the setting **Enable advanced printing features** on the **Advanced** tab of the printer's Windows Properties page. This option needs to be changed on the print server. This forces documents to spool in the driver's native PostScript or PCL language that PaperCut NG can analyze.
5. Print a few test documents with both grayscale and color pages and ensure PaperCut NG is correctly charging the document. The **Print Log** under the **Printers** tab is a good place to monitor the detection in real-time.



Important

Ensure that the three conditions listed above are met before enabling page-level color detection. Page level color detection is a new and maturing feature that the development team continues to enhance. If you do encounter any issues, please raise them with the development team.

6.9.1. Limitations of Page-Level Color Detection

Page level detection works by inspecting the contents of the document looking for color use. The aim is to track down simple black and white only pages so it can offer the user the grayscale discount on these pages. There are a few situations that may cause a seemingly grayscale page to list as color - referred to as a 'false positive'. These situations are rare and are discussed below:

- The use of some image formats, even if they look grayscale, may detect as color. For example, JPEG is a lossy format and artifacts as a result of compression may cause speckles of color. PaperCut NG will handle most of these situations but grayscale JPEG images in PDF files can cause false positives.
- The use of 'color' white-space in Microsoft Word can cause a false positive with some print drivers. For example, the user selects a color font, enters a single space or new-line, and then changes back to black. PaperCut NG in most cases will correctly filter out the 'color space' but may experience problems with some drivers leading to a false positive.

6.10. Printer Quick Reference

How do I view printing history?

Printing history can be quickly accessed via a number of areas. The most appropriate area depends on the information required.

- To view a user's print history select the Print History under the user's details page.
- To view recent print jobs printed on a printer, select Recent Jobs under the appropriate printer's details page.
- To view all print jobs printed on the network with advanced search and filtering options, use the global Print Log under the Printers section.

How do I add a new printer?

On Windows systems, new printers will be added to the system automatically once the printer is added to a monitored server. On a Mac or Linux system, after PaperCut NG is enabled on the printer, it will list in the administration interface after first print. New printers are assigned initial settings based on the configuration assigned to the [Template Printer].

How do I delete a printer?

Once the printer has been removed from the operating system's print list, the printer may be deleted from PaperCut NG via the delete printer action under the printer's detail page. This action will remove the printer from the monitored list. Print history logs are still maintained allowing access to historical data. Always confirm your action before proceeding with the delete!

How do I disable a printer?

Printers can be disabled indefinitely or for a specified time via the **Disable** option under the printer's details section.

How do I tell PaperCut NG to ignore (not monitor) a printer?

By default on Windows systems all printers are tracked by PaperCut NG. The *Print Provider* can be instructed to ignore a printer by setting the `IgnorePrinters=` attribute in the `print-provider.conf` file. A restart may be required for this to take affect. Note: This setting only stops monitoring. The printer will continue to be listed under the printer list section until it is manually deleted via the **Delete printer** action.

For more information see Section 6.1, "Adding and Removing/Deleting/Ignoring Printers".

What can I use the printer notes field for?

The **Notes** field under each printer is useful for tracking all manner of information. Typical uses include:

- Tracking configuration changes
- Recording maintenance and/or toner replacements
- Documenting problems
- Leaving notes/comments to assist other administrators.

Chapter 7. Shared Accounts

PaperCut NG has two types of accounts - personal accounts and shared accounts. Each user has a personal account. This is the default account charged under normal operation. In some organizations and businesses it may be useful to provide users, or selected users with the option to charge printing to a shared account. Some uses of shared accounts include ...

In business:

- Allocate and budget printing by business areas (e.g. cost center)
- Track printing by project, phase, client or account
- Track printing by client/matter - popular in legal and accounting firms

In a school or university:

- Budget staff use via shared faculty or department accounts
- Provide share accounts for classes or subjects
- Track printing costs by subject areas

Shared account scenario

East Beach High School has implemented PaperCut NG to control their printing. Students are allocated a \$5.00 a month budget. Pre-paid cards are sold at the library for students who need extra credit above this allowance.

Teachers and staff are given a small personal budget to cover casual printing with curriculum material to be allocated to share accounts. Shared accounts exist for each faculty. The network administrator has granted staff members access to the share account popup. Access to faculty accounts is controlled via Active Directory group membership.

Sarah is a Science and English teacher at the school. When she prints she is able to allocate the print job to either her personal account or either the Science or English shared account via a drop-down list.




Figure 7.1. Selecting a shared account with the User Client popup

7.1. Creating a Shared Account

Personal user accounts are automatically created when users are first imported into the system. Shared accounts are created manually on an as-need basis. Normally shared accounts are created manually via the administration interface, however organizations with many accounts and good IT skills can automate the account creation process by importing accounts. Import options include via a file (for example Excel, or an export from a 3rd party system) or by scanning an existing directory structure. More information on automatic importing can be found in Section 7.6, "Batch Shared Account Import and Update".

To create a shared account:

1. Log into PaperCut NG as an administrator (e.g. admin account).
2. Select the **Accounts** tab.
3. Click the **Create a new account** action.
4. Enter an appropriate name for the account. Account names should be as descriptive as possible.
5. Complete other details such as starting balance, restrictions status and notes as appropriate.
6. Click the **OK** button to save the changes and return to the accounts list.




Figure 7.2. Creating a shared account

By default shared accounts default to an unrestricted status. This means that the account's balance is allowed to drop below zero. Many organizations use shared account to track printing expense. A common strategy is to start the account off at a zero balance and let it count down into the negative. By setting the account to restricted and allocating an initial starting balance, shared accounts can be used as a budget control system as printing to the account is denied once credit is exhausted.



Tip


PaperCut NG has support for advanced parent/child account structures. The subsequent account naming conventions section covers many of the common practices. See Section 7.2, "Account Naming Guidelines" for more details.

Each account can also be assigned a PIN/Code that helps uniquely identify an account. Many users use the codes to represent cost-centers, clients, projects, etc. These codes are often also used in other systems (like the accounting system) to identify these accounts consistently across the organization. Once defined, these codes can be used in the client software to quickly search for accounts, and can also displayed in account-based reports.

The account PIN/code can be entered on both parent and sub-accounts. For example, it is common to use parent accounts to represent clients and sub-accounts to represent projects for those clients. In this scenario, the parent account code would represent a client code, and the sub-account code would represent the project code.

7.1.1. The Template Account


The [Template Account] is designed to save time by applying the most common settings to all newly created accounts. The [Template Account] can be found on the **Shared Account List** page of the **Accounts** tab.



	Name	Balance	Restricted
	[Template Account]	\$50.00	No
	Finance	\$0.00	No

Figure 7.3. The template account

Any settings applied to the template account will be applied to new accounts when they are created.



Account Details: [Template Account]	
<div> <div>Details</div> <div>Adjustments & Charges</div> <div>Security</div> <div>Transactions</div> <div>Print History</div> </div>	
<div> <div> Details & Balance <p>Selected users may charge to shared accounts. The account name should be unique and descriptive.</p> <p>Access to the account is controlled either via a simple PIN or via group level control as defined under the Security tab.</p> </div> <div> Balance <input type="text" value="\$50.00"/> <input type="checkbox"/> Restrict the use of this account when balance drops to zero Enable/Disable <input type="text" value="Enabled"/> </div> </div>	

Figure 7.4. Template account settings

Some examples of where the template account might prove useful include:

- Applying common security settings. For example, if the `Staff` group should have access to all accounts, adding the group to the template account will ensure group members can also charge to future accounts.
- Applying a starting balance. The starting balance might represent the standard department print quota or the amount of 'free printing' a customer has before they are billed for the excess.

7.2. Account Naming Guidelines

Administrators are encouraged to create accounts as logically related groups. Doing so makes for easier searching and charging, and better integration with existing accounting systems.

Different account models may be adopted by organizations depending on their requirements. Three common models are:

- *Client / Matter model* - familiar to legal and accounting firms
- *Project / Phase model* - familiar to engineering and IT firms

- *Customer / Job model* - familiar to other customer based firms and common in accounting software


The following sections describe how to configure PaperCut NG to best match the three described models.

7.2.1. Client / Matter Naming Model

The client / matter model is one with which legal and accounting firms are familiar. In this model:

- Top level accounts are created for each client
- Sub-accounts are created for each matter under the relevant client

Usually, charging directly to a client (without a matter) is not allowed in this model. Instead users should charge to the relevant matter. System administrators should set each top level account to be inactive (disabled), and all sub-accounts to active, as shown in Figure 7.5, “Client / Matter Naming Model example”. This will enforce use of sub-accounts only.



Name ▲	Code	Balance	Restricted
[Template Account]		\$0.00	No
Envirotech	00002	\$0.00	No
Air Filter	00002-002	\$0.00	No
Employee agreements	00002-010	\$0.00	No
General	00002-001	\$0.00	No
Intellectual property	00002-100	\$0.00	No
PCR removal	00002-003	\$0.00	No
Public liability	00002-012	\$0.00	No
Workcover	00002-011	\$0.00	No
Friends of the earth	00003	\$0.00	No
General	00003-001	\$0.00	No
Inhabitat renovations	00003-003	\$0.00	No

Figure 7.5. Client / Matter Naming Model example

As shown in the example, the shared account *code* is used as the client code for the top level client accounts, and the matter code for the matter sub-accounts. In the account list, the sub-account codes are displayed as [parentCode]–[subCode]. For the shared account code to be visible, the option **Make shared account PIN / code visible** must be enabled. For more information see Section 7.9, “Advanced Shared Account Options”.

By including both the client/matter code and name, users are able to search for a particular account by either client code, matter code, client name or matter name. The following examples demonstrate this:

1. Searching by client name will display the client plus all matter codes for the client.

Print Job Notification

Confirm the print and select the print action

Print job details

Document name: Chapter 7. Shared Accounts

Printer: maestro\Canon CLC-IR C3220-C2 (Color PCL5c)

Pages: 4 Cost: \$0.40

Comment: ☐ Remember

Charge rate: Default (100.0%) ☒ Show on invoice

Accounts Preferred List Recent Selections

Search: ☒ Remember

Account	Code	Preferred
Envirotech	00002	<input type="checkbox"/>
Air Filter	00002-002	<input type="checkbox"/>
Employee agreements	00002-010	<input type="checkbox"/>
General	00002-001	<input type="checkbox"/>
Intellectual property	00002-100	<input type="checkbox"/>
PCB removal	00002-003	<input type="checkbox"/>
Public liability	00002-012	<input type="checkbox"/>
Workcover	00002-011	<input type="checkbox"/>

☐ Apply to all documents in queue (Jobs: 1)

Figure 7.6. Searching accounts by client name in the client/matter code naming model

2. Searching by client code will display the client plus all matter codes for the client.

Print Job Notification

Confirm the print and select the print action

Print job details

Document name: Chapter 7. Shared Accounts

Printer: maestro\Canon CLC-IR C3220-C2 (Color PCL5c)

Pages: 4 Cost: \$0.40

Comment: ☐ Remember

Charge rate: Default (100.0%) ☒ Show on invoice

Account Selection

Search: 00002 ☒ Remember

Account	Code	Preferred
Envirotech	00002	<input type="checkbox"/>
Air Filter	00002-002	<input type="checkbox"/>
Employee agreements	00002-010	<input type="checkbox"/>
General	00002-001	<input type="checkbox"/>
Intellectual property	00002-100	<input type="checkbox"/>
PCB removal	00002-003	<input type="checkbox"/>
Public liability	00002-012	<input type="checkbox"/>
Workcover	00002-011	<input type="checkbox"/>

☐ Apply to all documents in queue (Jobs: 1)

Figure 7.7. Searching accounts by client code in the client/matter code naming model

3. Searching by matter name will display the matching matters plus the client for each matching matter.

Print Job Notification

Confirm the print and select the print action

Print job details

Document name: Chapter 7. Shared Accounts

Printer: maestro\Canon CLC-IR C3220-C2 (Color PCL5c)

Pages: 4 Cost: \$0.40

Comment: ☐ Remember

Charge rate: Default (100.0%) ☒ Show on invoice

All Accounts Preferred List Recent Selections

Search: intellect ☒ Remember

Account	Code	Preferred
Envirotech	00002	<input type="checkbox"/>
Intellectual property	00002-100	<input type="checkbox"/>
Harvey Planos Inc.	00004	<input type="checkbox"/>
Intellectual property	00004-100	<input type="checkbox"/>
Lotek Electronics	00001	<input type="checkbox"/>
Intellectual property	00001-100	<input type="checkbox"/>

☐ Apply to all documents in queue (Jobs: 1)

Figure 7.8. Searching accounts by matter name in the client/matter code naming model

4. Searching by matter code will display the matching matters plus the client for each matching matter.

Print Job Notification

Confirm the print and select the print action

Print job details

Document name: Chapter 7. Shared Accounts

Printer: maestro\Canon CLC-IR C3220-C2 (Color PCL5c)

Pages: 4 Cost: \$0.40

Comment: ☐ Remember

Charge rate: Default (100.0%) ☒ Show on invoice

Accounts Preferred List Recent Selections

Search: 100 ☒ Remember

Account	Code	Preferred
Envirotech	00002	<input type="checkbox"/>
Intellectual property	00002-100	<input type="checkbox"/>
Harvey Planos Inc.	00004	<input type="checkbox"/>
Intellectual property	00004-100	<input type="checkbox"/>
Lotek Electronics	00001	<input type="checkbox"/>
Intellectual property	00001-100	<input type="checkbox"/>

☐ Apply to all documents in queue (Jobs: 1)

Figure 7.9. Searching accounts by matter code in the client/matter code naming model


7.2.2. Project / Phase Naming Model

Engineering and IT firms will be familiar with the project / phase model:

- Parent accounts are created for each project
- Sub-accounts are created for each project phase or stage

Usually, charging directly to a project is not allowed in this model - instead users should charge to the relevant project phase. System administrators should set each parent ac-

count to be inactive (disabled), and all the sub-accounts to be active, as shown in Figure 7.10, “Project / Phase Naming Model example”.



Shared Account List

Shared Account List | Batch Import / Update | Account Sync

Quick find:

<< < 1 2 > >>


	Name ▲	Code	Balance	Restricted
	[Template Account]		\$0.00	No
	Customer Contact History	034225	\$0.00	No
	Analysis - Dynamic modelling		\$0.00	No
	Analysis - Functional modelling		\$0.00	No
	Analysis - Object modelling		\$0.00	No
	Design - Object design		\$0.00	No
	Design - System design		\$0.00	No
	Design - User interface design		\$0.00	No
	Implementation - Phase 1 Implementation		\$0.00	No

Figure 7.10. Project / Phase Naming Model example

When projects have a job or project number, it is recommended that it be included as the shared account **code**. For the shared account code to be visible, the option **Make shared account PIN / code visible** must be enabled. For more information see Section 7.9, “Advanced Shared Account Options”.

By including the project name, project number and phase name, users can search for a particular account using any of these fields. The following examples demonstrate this:

1. Searching by project name or number will display the project plus all phases for that project.



Print Job Notification

Confirm the print and select the print action

Print job details

Document name: Chapter 7. Shared Accounts

Printer: maestro\Panasonic KX-CL510 (Color PS)

Pages: 4 Cost: \$0.40

Comment: ☐ Remember

Charge rate: Default (100.0%) ☒ Show on invoice

All Accounts Preferred List Recent Selections

Search: customer prod ☒ Remember

Account	Code	Preferred
Customer Product Inventory	034227	<input type="checkbox"/>
Analysis - Dynamic modelling		<input type="checkbox"/>
Analysis - Functional modelling		<input type="checkbox"/>
Analysis - Object modelling		<input type="checkbox"/>
Design - Object design		<input type="checkbox"/>
Design - System design		<input type="checkbox"/>
Design - User interface design		<input type="checkbox"/>
Implementation - Phase 1 implem...		<input type="checkbox"/>
Implementation - Phase 2 implem...		<input type="checkbox"/>
Testing - Phase 1 UAT		<input type="checkbox"/>
Testing - Phase 1 stress and volu...		<input type="checkbox"/>
Testing - Phase 2 UAT		<input type="checkbox"/>
Testing - Phase 2 stress and volu...		<input type="checkbox"/>
Testing - Phase 3 UAT		<input type="checkbox"/>
Testing - Phase 3 stress and volu...		<input type="checkbox"/>

☐ Apply to all documents in queue (Jobs: 1)

Figure 7.11. Searching accounts by project name or number in the project/phase code naming model

2. Searching by phase will display all matching project phases, plus the project name for each phase.

Print Job Notification

Confirm the print and select the print action

Print job details

Document name: Chapter 7. Shared Accounts

Printer: maestro\Panasonic KX-CL510 (Color PS)

Pages: 4 Cost: \$0.40

Comment: ☐ Remember

Charge rate: Default (100.0%) ☒ Show on invoice

Accounts

Search: ☒ Remember

Account	Code	Preferred
Customer Contact History	034225	<input type="checkbox"/>
Testing - Phase 1 UAT		<input type="checkbox"/>
Testing - Phase 1 stress and volume		<input type="checkbox"/>
Testing - Phase 2 UAT		<input type="checkbox"/>
Testing - Phase 2 stress and volume		<input type="checkbox"/>
Customer Product Inventory	034227	<input type="checkbox"/>
Testing - Phase 1 UAT		<input type="checkbox"/>
Testing - Phase 1 stress and volume		<input type="checkbox"/>
Testing - Phase 2 UAT		<input type="checkbox"/>
Testing - Phase 2 stress and volume		<input type="checkbox"/>
Testing - Phase 3 UAT		<input type="checkbox"/>
Testing - Phase 3 stress and volume		<input type="checkbox"/>

☐ Apply to all documents in queue (Jobs: 1)

Figure 7.12. Searching accounts by phase in the project/phase code naming model

7.2.3. Customer / Job Naming Model

Organizations that deal with customers on a per-job basis will be familiar with the customer / job model, as will those who use common accounting software packages. In this model:

- Parent accounts are created for each customer
- Sub-accounts are created for each job

The basic principals of the customer / job naming model are the same as the project /

phase naming model. See Section 7.2.2, “Project / Phase Naming Model”, substituting *project* for *customer* and *phase* for *job*.

7.3. Client Security

By default all printing is automatically charged to the user's personal account. For a user to be able to select a shared account the user needs to be granted access to account selection popup.




Figure 7.13. Selecting a shared account from the popup

Access to the account selection popup, as shown in the above figure, is controlled at the user level on the user's details page. The **Show the account selection popup** option needs to be selected for each user that requires access to shared accounts. System administrators might find the **Bulk user actions** section under the **User List** screen convenient for applying this change to many users.

Account Selection
Account selection can be used to allow the user to select what account is charged, or even to confirm print jobs before they are sent to the printer. These options require running the user client tool on workstations.

Print account selection
Show the account selection popup

Information to show in popup

- ☒ Allow user to charge to their personal account
- ☒ Allow user to select shared accounts (from list)
- ☒ Allow user to select shared accounts (using a PIN)
- ☒ Allow user to perform printing as another user

When shared account is selected

- ☒ Charge shared account
- ☐ Charge personal account (and allocate to shared account for reporting)

Figure 7.14. The user's popup settings under User -> User Details



Important

Users need to restart their workstation (or manually restart the PaperCut client software) for this change to take affect.

Users with the **Show the account selection popup** option enabled need to be running the client software at all times. Print jobs will not print until the user has selected the account.

In addition to granting users access to the popup they also need to be granted access to a shared account. Shared accounts access can be controlled using two methods:

- Network group membership
- PINs (also known as security codes or passwords)

If an account is allocated a PIN (an alpha-numeric access code) users with knowledge of the PIN can select the account. A PIN based system would be a sensible selection in an organization when PINs are already in use for other systems such as photocopiers or door access codes.



Tip

PINs/Codes can also be used when using parent and sub-accounts. To select a specific sub-account from the client software, both the parent and sub-account pins are required. They should be entered in the format of: [parentPIN] - [subPIN] (i.e. they are separated by a hyphen).

An alternate method is to delegate access to the shared account via network group membership. One advantage of group based control is that users do not have to remember PINs. Most medium to large organizations will already have their network structured into suitable groups representing their position, title, department or work area. These existing groups may be used to control access. Access to shared accounts can also be granted on an individual user basis, however best practice suggests group-based management for

medium to large networks.



Tip

In a Windows Active Directory environment, Organization Units are treated as special groups. Hence they also can be used to control access to a shared account.

Controlling access to shared accounts via group membership rather than individual user accounts is recommended. By using group based control, new users created on the network inherit the correct account access by virtue of their network group membership. This alleviates the need for additional user setup inside PaperCut NG.

To grant access to a shared account or all members in a given network group:

1. Log into the system as an administrator (i.e. admin account).
2. Select the **Accounts** tab.
3. Select the appropriate shared account from the list.
4. Click on the **Security** tab.
5. Select the appropriate group from the drop-down list.
6. Click the **Add** button.




Figure 7.15. Setting up shared account security

7.4. The Account Selection Popup

The account selection popup is a feature of the User Client that allows allocating printing to shared accounts. There are two types of account selection popup:

- *Standard account selection popup*

The standard account selection popup provides the basic features required to charge to shared accounts.

- *Advanced account selection popup*

The advanced account selection popup includes additional features that are suitable when shared accounts are used frequently, and especially when many shared accounts exist.

7.4.1. Standard Account Selection Popup

The standard account selection popup offers four account selection types:

1. Charge to personal account.
2. Charge/allocate to a shared account selected by a PIN.
3. Charge/allocate to a shared account from list (taking into account security settings).
4. Perform print as another user (username and password required).




Figure 7.16. The standard account selection popup

When a user selects the a shared account, there is the option to:

1. Charge the print to a shared account.

2. Charge the print to personal account (and allocate to shared account for reporting).

The option to charge a to personal account allows printing to be tracked against shared accounts while allowing the use of user-based quotas. When this option is selected, the cost of the print job is deducted from the user's personal account, but the job is allocated against the shared account which allows for account based print reporting.

System administrators can control on a per-user basis what options are available in the user's popup.

Note

Changes to the options available in the account selection popup come into effect immediately. There is no need to restart the client software for these settings to take effect.




Figure 7.17. Client popup options defined on a per-user basis

The **Charge to personal account with popup notification** option displays a popup with no account selection features. This option is useful in environments where the system administrator desires to provide users with cost confirmation prior to printing.




Figure 7.18. The print job confirmation dialog (no account selection options)

7.4.2. Advanced Account Selection Popup

The advanced account selection popup allows charging to personal or shared accounts, and has the following additional features:

1. *A searchable account list*

The account list can be searched by the account name or code, making it much easier to find an account when there are many in the list. The search can also be remembered for next time.

2. *Structured account list*

The account list is hierarchical; that is, sub-accounts are shown indented from their parent accounts for clarity.

3. *A preferred list of accounts*

The most commonly used accounts can be saved to a list. This is a useful feature when many accounts exist, but each user mostly just uses a few of them.

4. *A list of recently selected accounts*

The accounts that have been recently selected are saved to a list for quick selection.

5. *Comments on print jobs*

The advanced account selection popup allows assigning a comment to a print job for future reference.

6. *Charge rates*

Charge rates offer the ability to charge different rates per print job. For example, a 200% charge rate could be defined for manually loading photo paper (charge twice the standard cost). Other common examples of charge rates include; Mylar Film, draft paper, draft printing mode, discounts for "special" customers/jobs, and extra for binding and manual handling. Charge rates are defined at the printer level and are documented in detail in Section 6.7, "Charge Rates".

7. *Option to not show a print job on invoices*

Sometimes there are print jobs that need to be allocated to an account but not appear on any invoice reports. The advanced account selection popup has an option to allocate a 'non invoiceable' print job to an account.

Print Job Notification

Confirm the print and select the print action

Print job details

Document name: P-D Floorplan.odg

Printer: maestro\OKI C9800 GA (Color P5)

Pages: 2 Cost: \$0.80

Comment: Floorplan (building C) ☐ Remember

Charge rate: Default (100.0%) ☒ Show on invoice

Account Selection

Search: ☒ Remember

Account	Code	Preferred
My Personal Account		<input type="checkbox"/>
Accounting	ACC	<input type="checkbox"/>
Information Technology	IT	<input checked="" type="checkbox"/>
Help Desk	IT-H	<input type="checkbox"/>
Infrastructure	IT-I	<input checked="" type="checkbox"/>
Projects	P	<input type="checkbox"/>
Alpha	P-A	<input type="checkbox"/>
Bravo	P-B	<input type="checkbox"/>
Delta	P-D	<input checked="" type="checkbox"/>
Foxtrot	P-F	<input type="checkbox"/>
Sales	SAL	<input type="checkbox"/>
General	SAL-G	<input type="checkbox"/>
Project	SAL-P	<input type="checkbox"/>
Support	SUP	<input type="checkbox"/>

☐ Apply to all documents in queue (Jobs: 1)

Print **Cancel**

Figure 7.19. The advanced account selection popup

As in the standard account selection popup, there are two charging options for shared accounts:

- Charge shared account
- Charge personal account (and allocate to shared account for reporting)

7.5. Account Selection Non-Domain Environments (Workgroups)

Many small networks may not be controlled via a central domain server. These networks are sometimes referred to as Workgroups or peer-to-peer networks. On these networks users may not log on to their desktop, or computers may be shared by multiple users. The **Allow users to charge to other users** option may be useful in non-domain/logon environments. User accounts can be set-up in the system hosting the printers and users can select their account using usernames and passwords for each print job, irrespective of what user account is currently logged onto the workstation.




Figure 7.20. Configuration allowing only selection of other user accounts




Figure 7.21. Popup requesting the user to enter their username and password

7.6. Batch Shared Account Import and Update

The batch import and update feature allows the administrator to import accounts, and optionally update existing account details by reading data from a simple text file or directory structure. In addition to being able to create accounts, it enables administrators to update the following account data:

- Account Name
- Enabled / disabled status
- Account PIN / Code
- Credit balance

- Restriction status
- Users allowed to use the account
- Groups allowed to use the account
- Invoicing options
- Comment options
- Notes

Examples of where the batch import feature is useful include:

- When importing account and balance data from another external system (e.g. a project management or accounting system).
- To reset the account balances at the end of a billing period (year/term/semester).
- To bulk update the users and groups who are allowed to use/access the accounts (security).



Tip

To update shared accounts from a tab delimited file on a regular basis, see Section 7.7, “Shared Account Synchronization” instead. You can also synchronize shared accounts against the directory structure of a file system, for example when there is a separate folder for each department or customer.

To perform a batch import:

1. Manually inspect your file in a text editor and ensure it's in the prescribed tab-delimited format as detailed at Section 7.6.1, “Batch Account Import File Format”.
2. Navigate to the **Accounts** section.
3. Click the **Batch Import / Update** action (to the left).
4. Click **Browse** to select the file to import. (The format of the file is described in Section 7.6.1, “Batch Account Import File Format”).
5. Choose whether you want to delete accounts that exist in PaperCut NG but not in the import file.
6. Press the **Test Settings** button.
7. The window shown will tell you how many lines were processed, and how many shared accounts will be imported, updated or deleted when **Import** is pressed.
8. If you are happy with the results of the test, press the **Import** button.

7.6.1. Batch Account Import File Format

The import file is in tab delimited format and contains the following fields in the given order.

Field		Description	Optional?	Limitations
Parent Name	Account	The name of this account's parent.	Mandatory	Max. 255 characters

Shared Accounts

Field	Description	Optional?	Limitations
	When creating a top level account, leave the sub-account name blank (and this will be the account's name).		
Sub-account Name	When creating a sub-account, enter its name here.	Optional - account will be top level if blank	Max. 255 characters
Enabled	Whether or not this account is enabled. (Y/N where Y = YES, and N = No).	Optional - account will be enabled if blank	
Account PIN/Code	The account PIN/Code. For parent accounts, the code must be unique for all parent accounts. For sub-accounts, the code must unique amongst accounts with the same parent account.	Optional - PIN not set if blank	Max. 50 characters
Credit Balance	The account balance.	Optional - Balance set to 0 if blank	A number with no currency symbol or separators, using a full stop for the decimal separator. Correct: 1.23 Incorrect: \$1.23 or 1,23 or 1,023.00
Restricted Status	The account's restricted status. (Y/N where Y = YES, and N = No).	Optional - if blank, set to a configurable default	
Users	The usernames of users that are allowed to use the account. The list of users is pipe () delimited. To specify that all access users should be removed,	Optional - users are not updated if blank	No real limit, but if there are many users consider using an access group instead

Shared Accounts

Field	Description	Optional?	Limitations
	enter a hyphen (-).		
Groups	The groups that are allowed to use the account. The list of groups is pipe () delimited. To reference the special 'All Users' group, use the syntax [All Users]. To specify that all access groups should be removed, enter a hyphen (-).	Optional - groups are not updated if blank	
Invoice Option	<p>The invoicing option defines how prints allocated to this account are invoiced. Available values are:</p> <p>ALWAYS_INVOICE - prints allocated to this account are always invoiced</p> <p>NEVER_INVOICE - prints allocated to this account are never invoiced</p> <p>USER_CHOICE_ON - it is up to the user whether or not to invoice prints allocated to this account. The default is yes.</p> <p>USER_CHOICE_OFF - it is up to the user whether or not to invoice prints allocated to this account. The default is no.</p>	Optional - set to USER_CHOICE_ON if blank	
Comment Option	The comments option defines whether or not comments should be added to prints allocated to this account. Available values are:	Optional - set to COMMENT_OPTIONAL if blank	

Field	Description	Optional?	Limitations
	<p>NO_COMMENT - comments may not be added</p> <p>COM-MENT_REQUIRED - comments must be added</p> <p>COM-MENT_OPTIONAL - it is up to the user whether or not to add a comment</p>		
Notes	Notes about the shared account (placed in the Notes field).	Optional - notes not set if blank	Max. 2000 characters

Table 7.1. Shared Account Import File Format

Other limitations: Although any actual limit to the size of an import file should be large enough for any purpose, we recommend keeping the file size below 10MB.



Tip

A simple way to create a tab delimited file is to create a spreadsheet in Microsoft Excel, and then save it in the Text (Tab delimited) format.

7.6.1.1. Import File Format Examples

The following lines shows importing all the above fields. (The fields are separated by tabs).

```
Maths Y 1234 500 N user1|user2|user3 group1|group2|group3 ALWAYS_INVOICE C
Science Physics Y 1620 100 Y user3 group1 NO_COMMENT More notes
Science Biology N 1621 12.50 N group3 USER_CHOICE_OFF The biology departm
```

The following lines show updating only the groups that can access the account. NOTE: The tabs still exist for the enabled status, pin, balance, restriction and users fields, but each entry is blank.

```
Maths group1|group2|group3
Science Physics group1
Science Biology group3
```

**Tip**

The shared account import process can be triggered via the command-line scripting tool `server-command`. See Section A.1, “Server Commands (server-command)”.

7.7. Shared Account Synchronization

The shared account synchronization feature allows the administrator to define an external source for shared accounts. This is useful for situations where shared accounts are managed by an external system, and allows PaperCut NG to mirror the accounts without any additional administration.

To enable shared account synchronization:

1. Navigate to the **Accounts** section.
2. Click the **Account Sync** tab.
3. Choose appropriate settings. The available settings are discussed in Section 7.7.1, “Synchronization Options”.
4. Press **Test Settings**
5. The window shown will tell you how shared accounts were processed, and how many shared accounts will be imported, updated or deleted when **Synchronize Now** is pressed.
6. If you are happy with the results of the test, press the **Synchronize Now** button. This will trigger a shared account synchronization, and synchronization will continue to occur at the chosen interval.

7.7.1. Synchronization Options

Shared Accounts can be synchronized against two possible sources: a text file or a directory structure. This is configured in the first option on the **Account Sync** tab: **Sync source**.

- *Text file* - Synchronize shared accounts against a text file. The format of this text file is discussed in Section 7.6.1, “Batch Account Import File Format”.
- *Directory* - Synchronize shared accounts against a directory structure. Many organizations will have a 'Customers' folder or similar in their file system which will contain one folder per customer. For example, given `Customers/Client 1` and `Customers/Client 2`, synchronizing against the `Customers` directory will import `Client 1` and `Client 2` as shared accounts.

**Tip**

The location of the text file or directory (the sync source) is relative to the system where PaperCut NG is installed, not the system being used to access the admin interface. The sync source should either be physically on that system, or accessible via a mapped / mounted drive. Additionally, the source should have permissions to be readable by the `Local System` account on Windows, or the `papercut` account on Mac or Linux.

The other options include:

- *File location / directory location* - The location of the file or directory to sync against. The location is relative to the server.
- *Perform sync* - How often the account sync should take place. The available options are **Hourly** and **Overnight**. If new accounts are being added regularly throughout the day, **Hourly** is probably the best choice.
- *Treat subdirectories as sub-accounts* - This option is only available with directory synchronizing against a directory. When checked, subdirectories will be treated as sub-accounts. For example, a directory structure of `Customers/Client 1/Project 1` will produce a top level account called `Client 1` and a sub-account of `Client 1` called `Project 1`.
- *Delete accounts that do not exist in the selected source* - This option will delete accounts that exist in PaperCut NG but not in the sync source. Use this option to clean out 'old' accounts. This option is not 'remembered' for the automatic synchronization, so accounts can only be deleted by checking this box and pressing **Synchronize Now**. Deleting is a destructive operation. Don't forget to perform a test first and a backup is also advised!

7.8. Bulk Shared Account Operations

A bulk shared account operation refers to an operation that is applied to more than one shared account. There are occasions where the same task needs to be performed on multiple accounts. With a large number of shared accounts, it may take too long to perform the task manually on each one; this is where bulk account operations are useful.

Bulk account operations... can be found in the **Actions** list while on the **Accounts** tab.

Some examples of where bulk account operations might come in useful include:

- Shared account balances need to be reset at the start of a new billing period.
- A new printing policy or account model is being introduced, and needs to be rolled out across all shared accounts.
- Shared accounts are to be temporarily disabled. For example over the holiday period when there should be no shared account based printing.



Warning

The bulk account operations are one-way and cannot be undone. Always carefully consider the operation before proceeding. If you are unsure of the function or behaviour, performing a backup prior to undertaking the operation is advised.

The following tasks can be performed through bulk account operations:

- Adjust or set the accounts' credit (perform a transaction)
- Change the accounts' restriction status
- Disable the accounts for a specified period of time
- Change the invoicing option

- Change the comments option

7.9. Advanced Shared Account Options

It is possible to customize the functionality of shared accounts to suit a wide range of uses. There are several advanced options available throughout PaperCut NG to control this customization:

- *Make shared account PIN/code visible*

When this option is active, the purpose of the shared account PIN is changed. Usually the PIN is equivalent to a password, and can be required before a user is able to charge to a shared account. When this setting is active, the PIN is treated as a 'code' instead; that is, a unique identifier for a given shared account. For example, an organization dealing with projects might allocate a shared account the project code 123.

When this option is active it has several effects throughout PaperCut NG, including:

- The shared account list (on the **Accounts** tab) includes the shared account code.
- Reports dealing with shared accounts display the code.
- On the account selection popup dialogue of the user client tool, the code is visible when entering (i.e. it is no longer hidden by stars). This allows charging to a shared account by code, rather than scrolling through the dropdown list to find the correct account by name.

To activate this option:

- Go to the **Options** tab
- Check the option **Make shared account PIN/code visible**
- Press **Apply**
- *Apply to all documents in queue*

This option appears at the bottom of both the standard and advanced account selection popups. When checked, the settings being applied to the current print job will be applied to all waiting jobs automatically. The text will let you know how many jobs this will affect (e.g. "Jobs: 5").

This setting is useful when printing a batch of documents for the same purpose. For example, when printing a letter, diagram and spreadsheet for a client, the client account can be selected on the account selection popup along with any other appropriate settings, and the settings will be applied to all three jobs. This saves the time taken to apply the settings for each job.

- *Changing the time after which jobs are deleted when awaiting popup response*

If a user does not respond to the account selection popup after a defined time, their print job will be automatically deleted. This is to prevent a buildup of old jobs in the print queue. For more information see Section A.5, "User Client Options".

Chapter 8. Reports

A report is a representation of data, often in a printable tabular format. PaperCut NG provides a set of built-in reports. These include simple pre-built reports accessed via one-click, up to more advanced reports constructed using custom filters.



Tip

PaperCut NG is an open system. System administrators with database management experience may choose to run the system on an external database system. 3rd party reporting tools can then be used to construct customer reports. The PaperCut Software Development team can also consult on custom report development.

Many of the one-click reports are produced from data over a given date range. Common date ranges, such as last 30-days, and the previous month can be accessed via the appropriate link. The ad-hoc reports may be used to generate the reports over user defined date ranges.

Report Parameters: Largest print users (Ad-hoc)

Parameters
Enter the report parameters to filter the report data as required.

Report Title
Largest print users (Ad-hoc)

From Date
20 Aug 2005

To Date
20 Sep 2005

Report Format
Choose the output format to create for the report.

Report Format
PDF

Run Report Cancel

Figure 8.1. Selecting ad-hoc date ranges for reports

8.1. Report types

The *one-click* reports accessed under the **Reports** section can be grouped into the following areas.

8.1.1. User Reports

These are reports producing information about users. They range from a list of users, their names and current account balance, to detailed reports listing all print jobs printed by a user over a particular time-frame.

8.1.2. Printer Reports

Printer reports produce information on printers including configuration, usage summaries and statistics.

8.1.3. Print Log Reports

The print log is a detailed list of all printing performed on the network. The print log reports allow administrators to produce reports list all jobs over a given date range with simple one-click version for today's print jobs and largest print jobs.

Largest print jobs (Last 30 days)

For the period of Dec 31, 2006 to Jan 30, 2007.

Date	Printer	Username	Document	Pages	Cost	Allowed	Attributes
Dec 31, 2006 8:36:46 AM	Win2003\HP LaserJet 5MP	matt	Awesome Presentation - OpenOffice.org Impress	280	\$28.00	Yes	FOOLSCAP, Duplex: Yes, Grayscale: Yes, 57679kb, Library2
Dec 31, 2006 3:44:36 AM	Win2003\HP LaserJet 5MP	mark	Awesome Presentation - OpenOffice.org Impress	189	\$18.90	Yes	A3, Duplex: Yes, Grayscale: Yes, 68879kb, Library1
Jan 1, 2007 1:23:36 AM	printserver\Xerox Color 1930	bob	research paper.pdf	141	\$14.10	Yes	A4, Duplex: No, Grayscale: No, 44155kb, Library1
Jan 1, 2007 5:53:00 AM	linuxserver\Canon BJ 2000	cathy	Stats - OpenOffice.org Writer	88	\$8.80	Yes	FOOLSCAP, Duplex: Yes, Grayscale: No, 7230kb, Office2

Figure 8.2. Printer log PDF report

8.1.4. Internet Use Reports

These provide a summary of Internet usage by users on the network.

8.1.5. Group Reports

These reports group printer usage by network group allowing system administrators to determine which group of users performs the most prints. These reports are ideal for gaining a quick overview of printing costs performed by work area, department, floor, management level, etc.

8.1.6. Shared Accounts Reports

Administrators may use the shared account reports to track printing allocated to shared accounts via the popup.

8.2. Report Formats

All reports are available in three different formats. Access to all formats depends on the software installed on your system. Alternate formats are accessed via the three icons located next to the report generation links.




Figure 8.3. Report icons of available report formats (PDF, HTML, CSV (Excel)).

There are three report formats available.

Format	Description
PDF Reports	PDF is the most appropriate format for printing. To view these reports your computer must have a PDF viewer installed. Adobe Acrobat Reader is a free PDF viewer available from adobe.com.
HTML Reports	HTML Reports will work on all systems and don't require an external PDF viewer. These reports may not print or format as well as the PDF versions and are designed for either a quick review of data or for systems that don't have a PDF viewer.
CSV/Excel Reports	The CSV/Excel reports can be used to access the data in plain text format. The format is suitable for importing data into programs such as Microsoft Excel.


Table 8.1. Report Formats

8.3. Combining Filters and Reports

All data list views in PaperCut NG have export/print option linked at the bottom of the list. The **export/print** links run a report over the data currently displayed in the list. The lists column order and filter options are taken into consideration when generating the report data. This functionality can be used to produce ad-hoc or custom reports. This functionality is best described by example.

To run a report to see who and how much people have printed against a shared account over the month of September:

1. Navigate to the **Accounts**.
2. Click on the appropriate shared account.
3. Select the **Print History** tab.
4. Click the **Show Filters** link.
5. Select the 1st of September in the **from date** and enter the 30th of September in the **to date**.
6. Click **Apply Filter** button. The data displayed in this list should be all print jobs printed against this shared account for the month of September.
7. Click on the **Summary by user** link to produce the PDF report.



Account Details: IT Support

Details Adjustments & Charges Security **Transactions** Print History

▲ Hide Filter

between dates: 01 Sep 2005 to 30 Sep 2005

comment containing:

Apply Filter Clear

Transaction Date ▼	Transacted By	Amount	Balance	Usage Log	Comment
13/09/2005 09:52:45	[system]	-\$0.15	\$45.34	Printer Usage	
13/09/2005 09:48:02	[system]	-\$0.08	\$45.49	Printer Usage	
13/09/2005 08:29:01	[system]	-\$0.15	\$45.57	Printer Usage	

Figure 8.4. Filters applied to the shared account print log

To run a report listing all transactions issued against a user's account over the month of September ordered by transaction amount:

1. Navigate to the **Users** tab.
2. Click on the appropriate user account. The user details page will display.
3. Select the **Transactions** tab.
4. Click the **Show Filters** link.
5. Select the 1st of September in the **from date** and enter the 30th of September in the **to date**.
6. Click **Apply Filter** button.
7. Click on the **Amount** column to order the data by amount value.
8. Click on the **Export/Print** button at the bottom of the list to produce the report.

8.4. Scheduling and Emailing Reports

The one-click reports in the PaperCut NG web interface are good for finding important data fast, however sometimes it is more convenient to have important data 'pushed' to interested parties. This can be achieved through the use of *scheduled reports*.

PaperCut NG can schedule reports to run periodically and have them automatically sent out via email. Scheduling reports can be used for a variety of purposes, for example:

- Sending a department manager a summary of the department staff's printing.
- Sending a teacher a summary of printing for each student in their class.
- Producing a regular CSV report for import into an external system, such as an accounting package.
- Producing a regular report for billing or invoicing purposes.

8.4.1. Usage

The scheduled reports page can be found at **Reports** → **Scheduled Reports**.



Important

Before scheduled reports can be sent via email, PaperCut NG needs to know where to find the SMTP server (outgoing email server). For information about how to configure email sending, see Section 10.4.1.3, “Configuring Email Notifications”.

Type	Title	Parameters	Format	Period	Recipients	
Printer usage - print job summary	Popular paper sizes		PDF	Daily	joe@domain.org	[show example] [run now] [delete] [show]

Figure 8.5. The Scheduled Reports page

To create a scheduled report, choose the desired report options and press **Add**. The process is best described by way of example:

8.4.1.1. Example 1: Faculty based reporting in education

Joe is head of the science faculty at a university. Faculty staff have the ability to charge printing back to the faculty. Joe would like to see, on a regular basis, how much printing each user charges to the faculty.

To do this:

1. Navigate to the **Scheduled Reports** page.

2. Click **Schedule a new report...** if the panel is not already displayed.
3. Choose the report **Type** of **Shared account printing - user summary**.
4. Under **Optional parameters** → **Account name**, enter Joe's faculty shared account name, *Science*.
5. Change the report title to "Science Faculty Account Printing".
6. Leave the report **Format** as **PDF**.
7. Make the report deliverable every week by setting **Send report** to **Weekly**.
8. Enter Joe's email address under **Recipients**.
9. Press **Add**.

The report is now scheduled to run every week, and should now be shown in the table below. Joe will receive an email every Sunday showing the previous week's printing in his faculty. To find out exactly when the report will be sent, see Section 8.4.2, "Details". To see an example of what the report will look like, press **[show example]** next to the report. To manually run the report (generate it and email to Joe now), press **[run now]**. The

The **[run now]** operation also provides a convenient way to resend the previous period's report if the original delivery failed or if the email was accidentally deleted.

8.4.1.2. Example 2: Division based reporting in business

Mary is head of marketing division at a company. She would like to see which printers her staff use most, to make decisions about printer redistribution and purchasing. Also of interest are the sizes of paper being used, and how much color printing is being performed.

To do this:

1. Navigate to the **Scheduled Reports** page.
2. Click **Schedule a new report...** if the panel is not already displayed.
3. Choose the report **Type** of **Group printing - printer summary**.
4. Under **Optional parameters** → **Group name**, enter Mary's division group name, *Marketing*.
5. Leave the report **Format** as **PDF**.
6. Make the report deliverable every fortnight by setting **Send report** to **Fortnightly**.
7. Enter Mary's email under **Recipients**.
8. Press **Add**.

The report is now scheduled to run every fortnight, and should now be shown in the table below. Mary will receive an email every second Sunday showing the previous fortnight's printer usage by her division.

8.4.2. Details

Each report *Period* determines when the report will run. When the report includes date based usage information (such as printing usage), the period also determines the date range of the data to include.

Period	Report Run Time	Report Date Range
Daily	Early every morning, about 01:15.	The previous day.
Weekly	Every Sunday in the early morning, about 01:15.	The previous week, from Sunday to Saturday
Fortnightly	Every second Sunday in the early morning, about 01:15. Fortnightly reports are run on <i>even</i> weeks, i.e. the second week of the year, the fourth week of the year, etc.	The previous fortnight, from two Sundays ago to Saturday.
Monthly	Early morning on the first day of every month, about 01:15.	The previous month.

Table 8.2. Scheduled reports delivery times



Tip

If a user has their email address set in PaperCut NG, their username can be entered in the **Recipients** instead. For example, instead of entering **joe123@domain.org**, entering just **joe** will work.

8.5. Advanced Reporting Options

The following configuration keys can be used to configure report behavior. Configuration keys can be edited at **Options** → **Actions** → **Config editor (advanced)**.

Config name	Description
reports.max-rows	The maximum number of rows that a report will produce. Once the number of rows in a report reaches this value, the data in the report will be cut short (and the report will contain a message to indicate this has happened). This is a 'sanity limit', intended to avoid producing overly large reports by accident. The default value is 10000.
reports.top-x-rows	The number of rows to display in 'top X' reports, such as the <i>Largest print users</i> report. The default value is 100.

Table 8.3. Advanced Reporting Config Keys

Chapter 9. Print Release Stations

In a standard network printing environment, when a user prints from an application, the job is sent directly to the printer and starts printing immediately. In some environments it may be advantageous to place the job in a holding state prior to printing. Some common examples include:

- *Secure Printing* - In a secure printing environment jobs are only printed when the user arrives at the print area and confirms his or her identity. This ensures the user is there to collect the job and other users can't "accidentally" collect the document.
- *Approved Printing* - In some organizations it may be appropriate to hold jobs until they are approved by selected individuals. A good example would be a teacher approving printing on an expensive color printer.

PaperCut NG provides the framework and software interface to implement hold and release queues.

Print Release Stations provide an interface to allow authorized persons to release held jobs. In many situations, a release station is a dedicated computer terminal located next to the printers, however release stations can take other forms such as a browser-based interface. Release Stations are used for a wide variety of purposes depending on the requirements of the organization. This section outlines a number of these scenarios, and also how to install and configure the release stations.

The simplest way to get started with release stations is to read through the scenarios below (see Section 9.2, "Release Station Usage Scenarios"), and decide which best suits your needs. These scenarios will outline the steps required to configure the release station.

9.1. Release Station Interfaces

PaperCut NG includes four different release station interfaces. Three of these are variations of a web-based interface and one is a software version that is typically used for dedicated release stations. These release station interfaces are described below.

9.1.1. Standard Release Station

The standard release station is typically used on dedicated workstations located near-by the printers. It usually runs in a full-screen mode that cannot be exited. The release station can be run in a number of modes that changes its behavior depending on your needs. These modes are described in Section 9.3.3.1, "Release Station Modes".

For more information regarding deployment of the Standard Release Station see the [appdir]\release\README.txt file. For information regarding configuration of the Standard Release Station see Section 9.3.3, "Standard Release Station Configuration".

The release station scenarios below describe which mode to use for different situations.




Figure 9.1. The Standard Release Station

9.1.2. Web-based release station (Manager mode)

The web-based release station provides functionality equivalent to the standard release station running in "Manager mode". However, the web-based release station can be more convenient because it can be run from anywhere using a web browser.

The web-based release station can be access by visiting the following URL, and logging in as a user with `admin` or `release station manager` permissions.

`http://[servername]:9191/release`

where `[servername]` is the name of the PaperCut NG server. To make a user a release station manager see Section 9.3.2, "Release Station Managers".





Figure 9.2. Web-based release station (Manager mode)

9.1.3. Web-based release station within the admin pages

When logged into the admin pages, an administrator can view all jobs held by release stations by:

- Navigating to the **Printers** section.
- Selecting the **Jobs pending release** tab.

This interface is identical to the full-screen web-based release station, but can be more convenient for users already logged into the administration pages.




Submit Time	Printer	User	Document	Client	Pages	Cost	Action
Mar 28, 2006 4:04:16 PM	Win2003\HP LaserJ	chris	Microsoft PowerPoint - Presentation	192.168.0.200	55	\$2.75	[print] [cancel]
Mar 28, 2006 4:04:16 PM	Win2003\Xerox Color 1930	james	http://www.slashdot.org/	laptop	225	\$11.25	[print] [cancel]
Mar 28, 2006 4:04:16 PM	printserver\John's Printer	chris	my file.PDF	WinXP	200	\$10.00	[print] [cancel]

Figure 9.3. Web-based release station within the admin pages

9.1.4. End-user web-based release station

When end-users are logged into the user web interface, they can view their print jobs that are currently held by a release station. The administrator can decide whether this interface is visible to end users, and which type of jobs a user may release. More information can be found at Section 9.3.4, “End-User Web Based Release Station Configuration”.



Submit Time	Printer	Document	Client	Pages	Cost	Action
Mar 28, 2006 4:04:16 PM	printserver\Xerox Color 1930	http://www.slashdot.org/	192.168.1.1	98	\$4.90	[print] [cancel]
Mar 28, 2006 4:04:14 PM	Win2003\HP LaserJet 5MP	Microsoft Word - Document1	Server	17	\$0.85	[print] [cancel]
Mar 28, 2006 4:04:14 PM	linuxserver\HPLaserJ	Microsoft PowerPoint - Presentation	Libary2	70	\$3.50	[print] [cancel]
Mar 28, 2006 4:04:06 PM	linuxserver\HPLaserJ	Microsoft PowerPoint - Presentation	192.168.1.123	47	\$2.35	[print] [cancel]

Figure 9.4. End-user web-based release station

9.2. Release Station Usage Scenarios

This section describes various usage scenarios for print release stations. They provide a good starting point for implementing release stations.

9.2.1. Saving paper and toner

A large source of wasted paper in organizations are documents that were never collected from the printer. Some of these uncollected documents are caused by accidental printing, and others were just forgotten. But the majority of these documents end up in the bin.

If the document is not printed until a user walks to the printer to collect it, then this source of waste can be mostly eliminated.

To implement a release station to save paper:

- Set up a low-end workstation near the printer(s).
- Run the Standard Release Station in the default mode (Release Any mode). More information can be found at Section 9.3.3.1, "Release Station Modes".
- In PaperCut NG, enable the printer(s) for release station use. More information can be found at Section 9.3.1, "Enabling release station support for a printer".
- To allow users to release jobs via the end-user web based release station, also enable Release Any mode for the web tools interface. More information can be found at Section 9.3.4, "End-User Web Based Release Station Configuration".

9.2.2. Secure Printing

When users print documents that contain sensitive information, it is important that no one else picks up the document from the printer. Even when the printers are close-by, people can be distracted and accidentally leave sensitive documents on the printer. Print release stations can be used to implement Secure Printing, which ensures that a document can only be released by the person who printed it and only when that person is standing near the printers.

Secure printing is implemented as follows:

- Setup a low-end workstation near the printer(s).
- Run the Standard Release Station in "Secure" mode. More information can be found at Section 9.3.3.1, "Release Station Modes".
- In PaperCut NG, enable the printer(s) for release station use. More information can be found at Section 9.3.1, "Enabling release station support for a printer".

Secure printing requires users to be authenticated on the network when printing (i.e. an Active Directory domain). This allows the release station to enforce the secure printing so that users can only release documents they print.

9.2.3. Pay per print (e.g. Library or Internet Cafe)

Libraries and Internet cafes usually only allow printing once a user has paid for the cost of the printed document. Previously, implementing pay-per-print often involved deploying expensive card-based payment solutions, however PaperCut NG release stations allow this to be implemented in a more cost effective way.

An example of how print release stations would be used in this scenario is:

1. Users print documents from a workstation without any assistance from staff.
2. The printed documents will be held in the queue until released by a staff member.
3. The user goes to the staff desk and asks for the document to be released.
4. The staff member opens a release station, finds the user's job, notes the cost and collects the payment from the user.
5. The staff member presses the "Print" button, allowing the job to be printed.
6. The user then collects the printed document from the printer.

If the user never pays for a print then the print job will be automatically deleted without any staff interaction.

To implement a pay-per-print release station:

- In PaperCut NG, enable the printer(s) for release station use. See Section 9.3.1, "Enabling release station support for a printer".
- In PaperCut NG, setup the staff to be "release station managers". This will allow them to log in to the "manager mode" release stations. See Section 9.3.2, "Release Station Managers".
- On the staff desk workstations, run the release station in "Manager mode". See Section 9.3.3.1, "Release Station Modes".
- There are release station interfaces to choose from:
 - Standard Release Station in "Manager mode" - requires minimal setup.
 - Web-based release station - requires only a web browser.

9.2.4. Expensive Printers (Approved Printing)

At times it is necessary to restrict access to an expensive printer (like a color laser printer), or other printer that should only be used with an administrator's permission. Instead of locking the printer away where no one has access to it; the printer can be configured so that only administrators or release station managers can release print jobs. In this situation:

1. The user prints the document to the restricted printer.
2. The document is held in the queue awaiting approval by an authorized person.
3. The user talks to the administrator (or approved user) who would decide whether the user should be allowed to perform the print.
4. The administrator logs into the web-based release station from any machine on the network, and "Release" or "Cancel" the job as appropriate.

To implement admin/manager only release station:

- In PaperCut NG, enable the printer(s) for release station use, and select the "Admin/Manager only release" mode. See Section 9.3.1, "Enabling release station support for a printer" for more info.
- It is not necessary to set up a dedicated release station near the printer, because the web-based release station can be used from any machine on the network.

- It is also a good idea to put a notice on the printer that tells users how to have their documents released.

9.2.5. Unauthenticated printing

In some environments it is not possible (or very difficult) to have users authenticated when printing. This could be due to a technology constraint (like using Macs in mainly Windows environment) or could be for convenience (like having kiosk computers in the library that people can use without logging in).

In these scenarios, print jobs are printed under one name, but charging should be allocated to another. For example, a job is printed by an generic "library user", but there is a need to charge to the user's real account. In order to charge the correct user for printing, PaperCut NG needs to identify the user to charge, and this can be achieved by using a release station in "Release Any" mode.

This works as follows:

1. The user prints from a workstation but is not authenticated, so jobs are allocated to a generic user.
2. The print job is held in the queue awaiting release.
3. The user walks to the release station and enters a username and password.
4. All jobs held by the release station are listed. Jobs can be identified by document name or workstation machine name.
5. The user selects his or her jobs. Any jobs released are charged to that user's account.




Figure 9.5. All documents easily identifiable by document and machine name

To implement unauthenticated printing using a release station:

- Set up a low-end workstation near the printer(s).
- Run the Standard Release Station in "Release Any" mode. See Section 9.3.3.1, "Release Station Modes".

- In PaperCut NG, enable the printer(s) for release station use, and select the "User release" mode. See Section 9.3.1, "Enabling release station support for a printer".
- To allow users to release jobs via the end-user web based release station, also enable Release Any mode for the web tools interface. More information can be found at Section 9.3.4, "End-User Web Based Release Station Configuration".

9.3. Release Station Configuration

This section describes various aspects to configuring release stations.

Some additional installation notes can also be found in the release station README file located here:

[appdir]\release\README.txt

9.3.1. Enabling release station support for a printer

By default, print jobs will be sent directly to the printer and will not be held by the release station. To turn on release station support for a printer:

1. Log on to the administration section.
2. Navigate to the **Printers** section.
3. Select the printer to enable release station support on.
4. Select the option to **Enable release station**.
5. Choose the appropriate release station mode for your needs.

The two release modes available are:

- User Release - this is the standard mode that allows users to release their own jobs from the release station.
- Admin/Manager only release - in this mode, jobs can only be released by administrators or release station managers.



Tip

To configure multiple printers for release station support, the **Copy settings to other printers** function can be used. To use this, configure one printer as required, press the **Copy settings to other printers** and select the printers to copy the settings to.

9.3.2. Release Station Managers

A release station manager is a user that has additional privileges to manage release stations and jobs held by a release station. Release station managers can:

- Log on to the "manager mode" release stations (both the software and web-based release station).

- Release jobs that can only be released by managers or administrators.
- Can close the Standard Release Station.

To make a user a release station manager:

1. Log on to the administration pages.
2. Navigate to the **Options** section.
3. Find the **Release Station security** section.
4. Enter user's username in Release station managers field. To enter multiple users, separate usernames with a comma (,).



Important

PaperCut NG administrators can automatically perform all operations that release station managers are allowed to.

9.3.3. Standard Release Station Configuration

The Standard Release Station is configured using a configuration file located in the directory where the release station executables are located. The default configuration file is:

```
[appdir]\release\config.properties
```

This configuration file allows you to configure the behavior and look of the release station in a number of ways. Each of the configuration items are described in the table below:

Config name	Description
mode	The mode changes the behavior of the release station depending on the need. The available modes are described in Section 9.3.3.1, "Release Station Modes".
printers	Filters the list of jobs to only those printers listed. This is a comma separated list of full printer names (i.e. server\printer). This is useful when there are multiple release stations, each managing the queues of a different set of printers.
display-columns	Used to customize the columns displayed and the order they appear in the list of print jobs. The default value is: date,user,printer,document,machine,pages,cost
display-column-widths	Used to customize the width of columns

Config name	Description
	displayed. The setting can only be used if the <code>display-columns</code> is defined. The number of values must match the number of values in the <code>display-columns</code> setting. The default value is: 8,12,25,30,15,8,8
hide-printer-server-names	(Y/N) - Used to hide the printer server names from the list of print jobs. Default: N (No)
show-release-all	(Y/N) - Indicates whether the "Release All" button should be displayed. Default: Y (Yes)
show-cancel-all	(Y/N) - Indicates whether the "Cancel All" button should be displayed. Default: Y (Yes)
max-idle-secs	The number of seconds without user input, before the user is logged out of the release station. The default is 30 seconds.
background-color	Allows for customizing the background color of the release station to match the organization's colors. The color format is the hexadecimal color code used in HTML - #RRGGBB (where RR is the red component, GG is the green component and BB is the blue component).
font-color	Allows for customizing the font/foreground color used in the release station. The color format is the hexadecimal color code used in HTML.
title	The title that appears at the top of the release station screen.
instructions	The instructions to display at the login page. A <code>
</code> can be included to start a new line.
logo-image	Allows a custom logo image to be displayed. For best results the image should be between 50 and 80 pixels in height. PNG, JPG or GIF images are allowed.

Table 9.1. Standard Release Station config settings



Tip

When running release stations from the `\\server\PCRelease` share, each workstation can have its own configuration file. The "config.properties" is used for default settings for all release stations, but settings can be overridden by defining another configuration file for each release station. These files should be put in the same directory and be named using the following convention:

```
config.[machine-name].properties
```

where [machine-name] is the name of the machine running the release station.

A custom configuration file can also be specified on the command-line using the following syntax:

```
pc-release.exe --config "[config file path]"
```

9.3.3.1. Release Station Modes

The release station modes available are described below. The release station mode is changed in the configuration file as described in Section 9.3.3, "Standard Release Station Configuration".

Mode	Description
ReleaseAny	This is the default mode. It allows a user who logs onto the release station to release any held jobs. Any jobs released will be charged to the logged in user.
Manager	Manager mode allows only administrators or release station managers to log in to the release station. In release station mode, all jobs are listed and users are not automatically logged out due to inactivity.
Secure	Secure mode allows users to only see and release print jobs that they have printed.
NoPassword	This works similar to the secure mode, however users don't need to enter the password to view jobs.

Table 9.2. Standard Release Station modes

In all modes except Manager mode, users are logged out automatically after a period of inactivity defined in the configuration file, the default being 30 seconds.

9.3.3.2. Card-based User Authentication

In some environments, users are issued with identity cards that can be used for authentication. The cards might be used to gain entry to buildings, or borrow from a library. The cards can also be used to authenticate users at the standard release station. Using a card is often much more convenient and less error-prone than entering a username and password.

To use card-based authentication an appropriate hardware card-reader is required. The card reader must be connected to the machine running the release station and act like a keyboard. i.e. when the user swipes/scans their card, the card reader outputs the digits just as if someone entered them using the keyboard. There are card readers that can do this for all commonly used card types (e.g. magnetic stripe, barcode, etc). An easy way to test a card reader is to open a text editor and place the cursor in a new text document. Then when a card is swiped the card number will appear in the text file.

The card numbers entered at the release station are validated against the **Card/Id number** field for the user. This can be found at the bottom of the user details screen in the admin interface. Before card authentication can be used, the users' card numbers must be associated with the user record in PaperCut NG. This can be done manually or in bulk using the Batch User Import file (see Section 5.6, "Batch User Import and Update").

Once card numbers are associated with users, the card-based authentication can be enabled in the release station by setting the `use-card-authentication` to `Y` in the release station's `config.properties` file. Once the release station is restarted it will be in card-authentication mode, and can be tested by swiping a card through the card-reader.

The `config.properties` file has some other settings to change how the card-number is read from the reader. For example, you can change the header and trailer characters used by some card readers to indicate the start and end of the card number. See the config file for details.

9.3.3.3. Friendly client machine aliases

In some environments (for example public libraries), it can be important for users to identify print jobs by the client machine they were printed from. By default, the release station will list the either the IP address or the machine's unique network name. Neither of these are helpful to release station users. To avoid this problem the administrator can define a list of aliases, that map the unfriendly names to a more user-friendly name.

For example, print jobs might appear in the release station as `192.168.1.100` or `win-pc0076`, but would be more meaningful for the user to appear as `Public PC 1`.

These aliases are defined in the `[app-path]/release/client-machine-aliases.properties` file. The entries are in the format:

```
[machine]=[alias]
```

It is also valid to have multiple entries that map to the same alias. So to add aliases for the example above the following lines would be added to the `client-machine-aliases.properties` file:

```
192.168.1.100=Public PC 1
winpc0076=Public PC 1
```

9.3.3.4. Job timeout

If a user does not release their held job after a defined time, their job will be automatically deleted. This is to prevent a buildup of old/abandoned jobs in the release station queue. The default timeout is 30 minutes, and can be changed as follows:

1. Navigate to the **Options** tab
2. In the section **Release Station Security**, find the option **Delete held jobs if not released after...**
3. Enter the number of minutes to wait for users to release their job before it is deleted.
4. Press **Apply**

9.3.4. End-User Web Based Release Station Configuration

Configuration options for the end-user web based release station can be found in the administrative interface at **Options** → **General** → **User Features**. The available options are:




Figure 9.6. End-user web based release station options

- *Allow users to view held release station jobs* - this option enables the **Jobs Pending Release** screen in the user web tools. When this option is disabled, no release station functionality is available from the user web tools interface.
- *Users have permission to:* - this option changes which type of jobs users can see and/or release. The available options are:
 - **view their own jobs only** - users may see their own jobs that are held in the release station. Jobs printed by other users are not displayed. They may cancel their own jobs, but cannot release them. This is useful if users are required to be physically at the printer to release a job, where a standard release station is running.
 - **release their own jobs** - users may release or cancel their own jobs. Jobs printed by other users are not displayed.
 - **release any jobs (charged to their account)** - users may release or cancel any job that is being held, including jobs from other users. If a user releases a job that was sent by a different user, the releasing user is charged for the job.
- *Enable the 'Release All' and 'Cancel All' buttons* - enabling this option allows users to release or cancel all held jobs by clicking one button. When this option is disabled, users must release or cancel jobs individually.

This option is purely for the convenience of the users. It can save a user a few clicks when they want to release all their jobs at once. However if the user is able to release jobs other than their own, a user might accidentally release (and be charged for) many other users' jobs.

Chapter 10. System Management

10.1. Overview

This section discusses various options and features to assist the administrator manage and configure the application. PaperCut NG is designed to work with minimal initial configuration and is self-maintaining once set up. This section outlines some of the options available to the administrator, including:

- Configuring the synchronization of users and groups
- Managing backups
- Configuring user notifications
- Exporting/import the data
- Defining security options
- Disabling features in the user web interface
- Display options (like whether to display the currency sign).

10.2. User and Group Synchronization

One of the most important parts of managing the system is to configure the User and Group synchronization options. PaperCut NG synchronizes user and group information from a source such as Windows Active Directory (or Windows Domain). This simplifies the administration of the system by avoiding the need to manage a separate database of users and groups. If a user is added to the domain or is removed from a group then PaperCut NG will automatically synchronize this information without any intervention from the administrator. For example:

- Jason configures PaperCut NG to assign an initial credit of \$10 to users that are members of the "Students" windows security group.
- At the start of the new school year Jason, the system administrator, has just added 100 new students to the Windows Active Directory.
- Jason also adds all the users to the "Students" Windows security group.
- When PaperCut NG next synchronizes with Active Directory, the 100 new users are added to PaperCut and automatically assigned the \$10 of initial credit. This was done automatically without any additional work by Jason.

10.2.1. Synchronization Options

The synchronization options are located on the **Options** → **User/Group sync** tab. There are five options to select:

- **Sync source** - this selects where the users/groups should be imported from. (Active Directory, Windows NT Domain, LDAP, or Custom provider).
- **Import users from Group** - allows to import from a subset of users
- **Delete users that do not exist in the selected source** - deletes users from PaperCut NG if they no longer exist in the selected synchronization source.
- **Update users' full-name, email, department and office when synchronizing** - if a

user's details in PaperCut NG do not match those in the synchronization source, they will be updated.

- **Import new users and update details overnight** - when selected, synchronization will be automated to occur each night. This option will never delete users from PaperCut NG.




Figure 10.1. User/group synchronization options

If the PaperCut NG server is a member of an Active Directory domain it is recommended to use this option. The advantages over the "Windows Standard" include:

- Allows using Active Directory organizational units.
- Supports nested groups for simplified user management.
- Allows importing of users from other trusted Active Directory domains.

By default, PaperCut NG automatically re-syncs the user and group information each night, however the sync process can also be initiated manually. To initiate a manual sync:

1. Navigate to the **Options** → **User/Group sync** tab.
2. Press the **Synchronize Now** button.
3. The sync process will start and a status window will open showing the status of the sync process.




Figure 10.2. Progress of a user/group synchronization process



Tip

By default, the Active Directory user source will import all users, including those that are disabled. It is possible to change this behaviour using an advanced config entry. To do this:

1. Navigate to the **Options** tab.
2. Press the **Config Editor (Advanced)** action on the left.
3. Find the `user-source.config-arg` property.
4. Change the value to `enabled-users-only`.
5. Press the **Update** button next to the config property.

Take care when changing this option if you temporarily disable user accounts for disciplinary or other reasons. If you do this, performing a user sync will cause disabled users to be deleted if you also have the **Delete old users when syncing** option enabled.



Important

The group membership is automatically synchronized nightly to ensure that group-based operations (like quota allocation) operate as expected.

However, the users are not automatically synchronized, so if many users have been added to your Active Directory, it is recommended that you perform a

manual user/group sync operation. Alternatively a full user and group synchronization can be automated as a nightly task by scheduling a script to run the appropriate `server-command` command. More information on using the `server-command` can be found in Appendix A, *Tools (Advanced)*.

10.2.2. On Demand User Creation

The **On Demand User Creation** setting defines if and when PaperCut NG will create new users. The settings applied to newly created users are defined by their group membership (for more information see Section 5.3, “New User Creation Rules”). By default, new users are created automatically when they print for the first time, use the internet, start the user client tool or log into the user web tools. This makes administration much easier, as there is no need for additional administration when new users come along; they can use PaperCut NG straight away.

In some situations it may be preferable to change the way new users are treated. For example when just one department is being tracked, but there are other departments using the same printers, it may be preferable to allow the other departments' users to print, but not to track them using PaperCut NG.

There are three options available for the setting **When the user does not exist**:

1. *create the user on demand (default)* - users are created when they interact with PaperCut NG for the first time. E.g. when they print for the first time.
2. *do not create the user and allow usage* - users interacting with PaperCut NG who do not already exist will not be created, but their usage will be allowed. The usage will not be logged.
3. *do not create the user and deny usage* - users interacting with PaperCut NG who do not already exist will not be created, and their usage will be denied. The usage will not be logged.




Figure 10.3. On demand user creation options

To change the behavior, select the desired option and press **Apply**.

10.2.3. Using Active Directory for user synchronization

PaperCut NG's Active Directory integration is performed at a native level and supports advanced features such as nested groups and OU's. Some additional options provided with the Active Directory interface include:

- *Import disabled users* - If set, all users, including disabled accounts will be imported from the domain. In an education environment it is recommended to leave this option on as often student accounts are disabled for disciplinary actions, and removing the account from PaperCut NG is not appropriate.

- *Enable multi-domain support* - This is an advanced option and is appropriate for larger sites running multiple trusted domains. For example, in an education environment it is common to have separate domains for students and staff/teachers with a one-way trust relationship. This option can bring in groups, OU's and users from both domains.

The list of domains is semicolon separated (;). This list should contain the name of the domains in DNS dot notation, and should include the name of the current domain if importing from this domain is desired.

Trust domain relationships are a complex area and administrators are advised to use the **Test** button to verify that the settings result in the desired behaviour. The total number of user accounts is a good measure.

10.2.4. Using LDAP for user synchronization

LDAP (Lightweight Directory Access Protocol) directories usually store information about user and groups in an organization. One of the most common uses of LDAP is to provide single sign-on on a network that comprises multiple platforms and applications. When a network consists of only Windows computers, then an Active Directory domain can be used. But when there is a mix of Windows, Apple and Linux machines then LDAP can provide the single source of user, group and authentication information. (It is worth noting that both Active Directory and Novell eDirectory implement the LDAP protocol).

PaperCut NG can use an LDAP directory for user authentication and as a source of user and group information. LDAP can either be enabled at installation time, or by changing the user source option in **Options** → **User/Group sync**. When enabling LDAP, a number of configuration settings must be specified to allow the application to connect to the LDAP server. Please ask your LDAP administrator what values to use for the various options:

- *LDAP Server Type* - Determines which LDAP fields are used to get user and group information.
- *LDAP Host address* - The hostname or IP address of the LDAP server.
- *Use SSL* - Indicates if an encrypted SSL connection should be used to connect to the LDAP server. The LDAP server requires SSL support to be enabled and should accept connections on the standard LDAPS port 636.
- *Base DN* - This is the Base DN of the LDAP server. This is the equivalent of the "suffix" config setting of the OpenLDAP server. For example, if the domain hosted by the LDAP server is "domain.com" then the Base DN might be `DC=domain,DC=com`. The format of the Base DN can differ significantly depending on configuration. Some examples:

```
DC=myschool,DC=edu,DC=au
DC=myorganization,DC=com
OU=OrgUnit,DC=domain,DC=com
DC=local
```

- *Admin DN* - The DN of the user who has permission to connect to and query the LDAP server. This is typically an administrative user, although it can be a user that has full read access to the LDAP server. An example of the DN of the Administrator user on a Windows AD domain "domain.com", would be `CN=Administrator,CN=Users,DC=domain,DC=com`. The exact format of the DN depends on the LDAP server. Some examples:
 - Windows Active Directory: `CN=Administrator,CN=Users,DC=domain,DC=com`

- Windows Active Directory (in organizational unit):
CN=adminimator,OU=OrgUnit,DC=domain,DC=com
- Mac OpenDirectory: uid=admin,CN=users,DC=domain,DC=com
- Unix Open LDAP: uid=root,DC=domain,DC=com, or uid=ldapadmin,DC=domain,DC=com
- *Admin password* - The password for the above user.



Tip

Some LDAP servers are configured to allow 'anonymous' LDAP query access. In these situations, the **Admin DN** and **Admin password** may be left blank.

PaperCut NG supports the following server types:

- Novell eDirectory
- Microsoft Active Directory
- Unix/NIS

However, it is easy to support other server types by adjusting the LDAP fields PaperCut NG searches. This is discussed in Appendix C, *Advanced LDAP Configuration*.

10.3. System Backups

As with any application, it is important to ensure that backups are performed regularly. PaperCut NG includes a built-in backup process that saves the state of the database to a file. The in-built backup functionality is designed to compliment (not replace) a good system-wide backup policy and procedure. The backup is stored in the industry standard XML format that is compressed using the standard ZIP format to reduce disk-space on the server and your backup medium. The use of these open standards ensures that your data is always available and accessible.

PaperCut NG makes the process of managing backups simple by automatically performing a weekly backup. The backup file is in the following directory:

```
[appdir]\server\data\backups
```

The weekly backups are performed at 20 minutes past midnight on Sunday morning (or as otherwise defined by the `schedule.weekly` config key.)



Tip

In accordance with backup best practice, the above directory should be regularly backed-up to offline media (e.g. tape, CD or remote server). This will allow the data to be restored in the case the server hard-drive is corrupted. An example backup script called `copy-backups-to-remote-server.bat` found at `[app-path]/server/examples/scripting/batch/` may help administrators automate the process of maintaining an off-disk copy.

On larger networks, it may be desirable to perform backups more frequently than the in-built once a week period. The `server-command` tool may be used

to execute the backup task at other times. Simply write a script (e.g. batch file) to execute `server-command perform-online-backup`. Schedule the script to run at the desired intervals. More information on `server-command` is available in Section A.1, “Server Commands (`server-command`)”.

10.3.1. Performing an Online Backup

In addition to the automated weekly backups, it is also possible to manually initiate a backup. This might be useful to back up the system before performing an upgrade. To perform a manual backup:

1. Navigate to the **Options** → **Backups** page.
2. Press the **Backup Now** button.
3. A window will open showing the backup progress and the location where the backup file is saved.

10.3.2. Restoring a Backup

There are a number of situations when it might be necessary to restore a database, including:

- Hardware or system failure requires you to rebuild the server and reinstall PaperCut NG.
- A new print server was purchased and PaperCut NG is being moved to a new server.
- To import data into an external RDBMS (See Chapter 16, *Deployment on an External RDBMS*).

To restore from a backup:

1. Locate a previous backup file.
2. Shutdown the application server (See Section A.6, “Stopping and Starting the Application Server”). The database cannot be in-use when performing the restore, so the application server needs to be stopped first.
3. Open a command prompt. Change to the server binaries directory. On a Windows system the directory location is `[appdir]\server\bin\win\`.
4. Run the import process by executing the following:

```
db-tools import-db -f "backup file path"
```

(Or, `./db-tools` on some systems. See Section A.2, “Database Tool (`db-tools`)” for more information on using `db-tools`)

5. The import will ask whether the existing database data should be deleted before proceeding.
6. Once the import has completed, restart the application server (See Section A.6, “Stopping and Starting the Application Server”).

10.3.3. Performing Offline Backups

Performing an online backup (as discussed above) is a simple and convenient process, but it is sometimes necessary to perform an offline backup. For example:

- To integrate into your existing backup procedures, it might be necessary to write a script or batch file to perform a backup at a known point in time.
- When it is necessary to guarantee that the backup captures all the data. When performing an online backup the system is still in use so data could be modified after the backup completes.

To perform an offline backup:

1. Stop the application server (See Section A.6, “Stopping and Starting the Application Server”). To ensure all data is captured, the application server must be stopped to perform an offline backup.
2. Open a command prompt. On a Windows system change to the following directory:
[appdir]\server\bin\win\
3. Run the database export process by executing:

```
db-tools export-db
```

(This will create a backup file in the system backups directory and the filename named with a timestamp).

The export command has additional options that allows you to specify a different directory or filename. See Section A.2.1, “export-db Command” for more details.

10.4. System Notifications

This section describes system notifications and how they can be configured to assist your users and administrators. PaperCut NG includes built-in notifications to alert users and administrators of a important pieces of information. Examples of these notifications include:

- Alerting a user when their account balance drops below a given balance.
- Displaying a message explaining why a print job was denied (e.g. not enough credit; the printer is disabled; the print job contains too many pages).
- Alerting administrators or key IT support staff to problems such as printer jams, or application errors.

The message that is delivered to the user can be customized to suit your organization. For example, if the user is denied printing for some reason, you may wish to direct the user to the intranet page that discusses printing policies and guidelines.



Important

Notifications are important to your users because they let them know why their print jobs were denied. If notifications are not enabled, users print jobs might be deleted without them knowing and they will not understand what happened. They might then contact the Administrator or Help Desk for assistance. If they received a notification, then this situation is avoided.

System notifications can be delivered to the user in a number of ways, and the administrator can decide the preferred option. The delivery options available include:

- Winpopup (or "net send") - this is useful in a Windows network but workstations running other operating systems may not receive these messages.
- User Client - messages are sent to users running the PaperCut NG User Client tool. This option is guaranteed to work in all environments where the user runs the user client.
- Email - messages are delivered by email, to the email address defined in the system. This is a good alternative for "low balance warning" messages but is not recommended for real-time messages like when printing is denied.
- Custom - this allows you to develop your own message delivery mechanism. This might be useful if your organization has an instant messaging infrastructure.

10.4.1. Configuring Notifications

PaperCut NG provides flexible options for configuring the various notifications. The administrator can choose to:

- Enable/disable each of the notification types.
- Change the notification message to suit your organization.
- Choose the delivery method for each notification type.

Notification text can be modified to suit your organization's requirements. The notification text is a template that can include some special fields that are replaced by the system when the message is sent. They can be used to provide more detailed information to the user. These fields are surrounded by percent characters (%).

The default notification text in the application shows a variety of examples using these fields. For a list of the fields available in each type of notification, see the following sections covering each notification type in more detail.

10.4.1.1. Printing Notifications

To change printing notification options, navigate to **Printers** → **Notification Options**.

Field	Description
%user%	The username of the user receiving the message.
%date%	The date/time that the message was sent.
%balance%	The user's current balance.
%cost%	The cost of the print job.
%printer%	The printer the job was printed to.
%document%	The name of the document printed.

Field	Description
%pages%	The total number of pages in the print job.
%copies%	The number of copies of the document printed.
%paper-size%	The size of the paper used to print the document.

Table 10.1. Fields available in printing notifications

10.4.1.2. Low Balance Notification

To change low balance notification options, navigate to **Options** → **Notifications**, and scroll down to the "Low Balance Notification" section.




Figure 10.4. Options for a single system notification

Using the notification options (shown above), the notification can be enabled, the notification text can be changed, and the delivery type can be modified.

Field	Description
%user%	The username of the user receiving the message.
%date%	The date/time that the message was sent.
%balance%	The user's current balance.

Table 10.2. Fields available in low balance notifications

10.4.1.3. Configuring Email Notifications

Before sending notifications via email, the system needs to know the SMTP server to deliver emails to. The SMTP server can be internal or external to your organization however it must allow forwarding of emails to your users. The SMTP server will typically be the same server that users set in their email application to send emails.

To set the SMTP server:

1. Navigate to **Options** → **Notifications**.
2. Find the **Email Options** section.
3. Enter the SMTP server in the field provided.
4. It is also recommended that the **subject** and **from address** are changed to be applicable for your environment.
5. Press the **Apply** button.



Important

Anti-virus software running on the PaperCut NG server can block/disallow SMTP connections because it attempts to block SPAM sent by viruses and trojans. Ensure that any anti-virus software is configured to allow PaperCut NG to make SMTP connections (e.g. add an exception or disable the SMTP blocking).

When anti-virus is blocking email delivery PaperCut NG will log errors like: Mail server connection failed. Software caused connection abort.. These errors are displayed in the application log or on-screen when performing email notification tests.

If there are other SMTP connection problems, you should check that your fire-wall allows SMTP connections, and that your SMTP server is configured to accept connections from the PaperCut NG server.



Tip

If your email server requires authentication, the username and password can be configured using the advanced configuration editor. For further details, please contact PaperCut Software support.

10.4.1.4. Configuring Email Addresses

To send notification messages to users via email, an email address needs to be defined for the user. User email addresses can be entered in the **User Details** screen. However, if all email addresses match the pattern `[username]@yourdomain.com`, then the email addresses can be defined globally using the global email suffix. An example of how this works is as follows:

1. An email notification needs to be sent to user `brian`.
2. No email address has been defined in Brian's user details, but a global email suffix of `@myschool.com` is defined in the **Email Options** section.
3. To generate Brian's email address, the username (`brian`) and suffix (`@myschool.com`) are combined to form the email address `brian@myschool.com`.

To define the global email suffix:

1. Navigate to **Options** → **Notifications**.
2. Find the **Email Options** section.

3. Enable the **Use email suffix to build user email addresses** option.
4. Enter the Email Address Suffix.
5. Press the **Apply** button.

To confirm that the email suffix is working as expected:

1. Navigate to the **Users** section.
2. Select a user from the list.
3. The **Use global email suffix** option should be enabled, and the email field should contain the address constructed from the username and suffix.

10.4.2. Error Notifications (for Administrators)

Hardware and software errors will happen on all networks from time to time. The key to minimizing disruption is to act on errors fast. PaperCut NG's error notifications feature will help keep response times down by proactively notifying key staff of error events. Take for example a paper jam. It might take several hours before an annoyed user reports the problem as most users may simply opt to use another printer. Automated email notifications take the "human factor" out of the loop.

To enable and configure error notification options, navigate to **Options** → **Notifications**, and scroll down to the "Error Notifications" section. The following notification types are available:

- *Printer errors*: Notify when a printer enters an error state for a selected period of time.
- *Application errors*: Notify if a software or application error is detected. This option will allow administrators to proactively act on errors raised in the **App. Log** section.
- *License errors*: Notify on important license events such as exceeding the licensed user limit.

All error notifications can be enabled using the checkbox, and a list of recipient email addresses can be specified. Multiple email addresses can be entered by separating them with a comma, e.g. `joe@domain.org,bill@domain.org`.



Tip

Consider SMS alerts: Error notifications are often important and require urgent attention. Many organizations use an email-to-SMS gateway service to ensure technical staff can receive urgent messages from anywhere in the building via the text message service on their cell/mobile phones.

10.4.2.1. Printer error notifications

Printer error notifications can be used to give advance warning when printers go into an error state.

PaperCut NG detects a printer error if either the print queue or the job at the top of the print queue are in an error state. This is equivalent to clicking on the print queue from the operating system and checking its status.

Some errors that might be seen on print queues or jobs include: paper jam, out of paper, out of toner, out of memory, device is offline, device door is open, or a generic error. The actual errors reported depend on the printer driver and which ones it supports.

The message can include information such as the name and location of the printer, the reason for the error, and how many jobs are pending in the queue (an indication of the impact).

Figure 10.5. Printer error notification settings

The setting `Time a printer has been in error before sending notification` can be used to decide how soon a notification should be sent after a printer goes into error. For example if there is a paper jam the user might be able to fix it themselves, and raising an immediate is unnecessary. The suggested default is 10 minutes as problems lasting longer than this are probably more serious and will need technical intervention.

The following special fields can be used in printer error event notifications:

Field	Description
<code>%time%</code>	The time the printer error was first reported.
<code>%printer%</code>	The name of the errored printer.
<code>%location%</code>	The location of the errored printer.
<code>%error%</code>	The error message detail. E.g. Paper jam.
<code>%num_jobs%</code>	The number of print jobs currently in the queue. This information can be used as a guide to judge the severity of the error. For example, if a printer goes into error while there are 30 jobs in the queue, there are probably quite a few people waiting.

Table 10.3. Fields available in printer error notifications

10.4.2.2. Error level event notifications

Error level event notifications help to draw the attention of the administrator to any errors

that might occur. This could involve events such as problems contacting a directory server, software crashes, or processing problems.




Figure 10.6. Error level event notification settings

The following special fields can be used in error level event notifications:

Field	Description
%error%	The error message detail.

Table 10.4. Fields available in error level event notifications

10.4.3. Testing Notification Methods

Once the system notifications are configured, it is useful to test that messages can be delivered. PaperCut NG provides a function to send test messages to users. This allows you to verify that notifications are working without having to try to produce notifications artificially. To send a test notification:

1. Navigate to the **Options** → **Notifications**.
2. Scroll to the bottom of the page to the **Test Notifications** section.
3. Enter the username of the user to send the message to.
4. Select the delivery method to use.
5. Enter the notification message to send.
6. Press the **Send Test Notification** button
7. Verify that the notification was received.

10.5. System Security Options

The default installation of PaperCut NG is configured to be secure by default. After initial installation only the `admin` user defined during the setup process is permitted to administer the system. To allow additional users to administer PaperCut NG follow the instructions defined in Section 3.7, “Assigning Administrator Level Access”.

10.5.1. Application Server Connections

By default PaperCut NG runs an internal web server on port 9191. All communication with the server uses HTTP to this port and includes connections by:

- administrators to connect to the administration interface

- users to connect to the end-user interface
- the user client to communicate with the server to get the user balance and receive notifications; and
- the information providers (as discussed in Section 1.1.2, “Key Features”) to send information to the server

It is therefore important that all of the above clients can access this port on the server from across the entire network. If your organization uses firewalls between departments or campuses then it will be necessary to allow inbound HTTP connections on port 9191 to the PaperCut NG application server.

The application server port can be changed from 9191 to any other value.



Important

If the application server port is changed, the port number also must be changed in the applications that connect to the server. i.e, the print provider and the user client.

To change the application server port:

1. On the server, navigate to the `[appdir]\server\` directory.
2. Open the file `server.properties`.
3. Change the `server.port` to setting to the desired port.
4. Change the server port in all providers installed on your network. The server port is set in the `print-provider.conf` file in the provider directory.
5. Change the server port in the user client config file: `[appdir]\client\config.properties`.



Important

If the client is installed locally on workstations, then the config file will need to be changed on each workstation.

On Linux/Unix systems, the server runs under the privilege of a non-root account. Some systems may prevent non-root users from binding to ports lower than 1024. An alternate option is to use kernel level TCP port redirection (e.g. `iptables`).

6. Restart the application server. (See Section A.6, “Stopping and Starting the Application Server”).

10.5.2. Provider Connection Security

The PaperCut NG architecture (as discussed in Section 1.2.3, “Architecture Overview” and Section 12.4, “Print Monitoring Architecture”) involves having a central application server and multiple information providers that send data to the server to process. One example of a provider is the print provider which monitors printing and sends the printer activity to the central server.

PaperCut NG supports an unlimited number of information providers and they can be located on anywhere on the network. By default PaperCut NG allows these providers to connect from any machine on the network. This can be restricted to a reduced set of machines by specifying a list of IP addresses or subnets that are allowed to submit information to the application server.

To define the list of addresses that providers can connect from:

1. Navigate to **Options** → **General**.
2. Scroll down to the **Security** section.
3. Enter the list of IP addresses or subnet masks to allow. The list of addresses is comma separated. The format of the subnet is $x.x.x.x/y.y.y.y$ (where X represents the address and Y the subnet mask).
4. Press **Apply**.
5. It is then recommended to test all providers to ensure that they can still submit information to the application server. To test the print provider, perform a test print job to the server that the provider is running on.

10.6. Environmental Impact

One of the primary aims of PaperCut NG is to reduce printing levels by changing a user's printing behavior. Implementing monitoring, quotas and charging are a good way of drawing a user's attention to their habits. The topic of the environment, global warming, and waste management is currently an area of debate and interest to many. Highlighting the environmental aspects of their activities is another good way of modifying a user's behavior.




Figure 10.7. Draw a user's attention to their environmental impact

The *Environmental Impact* section is available to end-users via their web summary page (See Section 4.3.2, "Environmental Impact" for more details). Administrators also can view the impact of a user and a printer via the details pages in the admin interface.

The meaning of the reported values and how they are calculated are detailed below:

Field	Description
Trees	<p>This value corresponds to percentage of a tree that has gone into making the paper. The value assumes the user is printing on standard A4 or Letter sheets and 80,500 sheets make up a tree ^a</p> <p>This value is set by the config key: <code>environment.sheets-per-tree</code></p>

Field	Description
Carbon	<p>This value corresponds to greenhouse gases released in the production of the paper (CO₂ equivalent). The value assumes that the user is printing on standard A4 or Letter sheets and one sheet equals 8.6g CO₂^b.</p> <p>The default value takes in account CO₂ produced as a byproduct of the paper production only. It does not take into account the power consumed by the printer or power associated with the ink / toner use and production. Finding referenced figures on these values is difficult, and one could argue that the printer power consumption is not a function of the user's usage as the printer would be there consuming power even if they choose not to use the device.</p> <p>This value is set by the config key: <code>environment.co2-grams-per-sheet</code></p>
Energy	<p>This value represents the manufacturing energy used to produce the paper. The energy value is represented by relating it to the equivalent energy consumed by a standard light bulb. This provides users with a real world understanding of the value. This value assumes the user is printing a standard A4 or Letter sheet and that the manufacturing cost per sheet is 17Wh^c. This is an appropriate amount for virgin office paper. 12Wh is more appropriate for 100% recycled paper^d.</p> <p>This value is set by the config key: <code>environment.watt-hours-per-sheet</code></p>

Table 10.5. Environmental Impact Reporting

^a A single tree can produce about 80,500 sheets of paper according to *How Much Information? 2003* filed by University of California at Berkeley, <http://www2.sims.berkeley.edu/research/projects/how-much-info-2003/print.htm>.

^b Office paper produces 0.53 metric tons of carbon equivalent (MTCE) per ton of paper, according to the USA EPA report *Greenhouse Gas Emissions From Management of Selected Materials in Municipal Solid Waste*, 1998, p26, [http://yosemite.epa.gov/OAR%5Cglobalwarming.nsf/UniqueKeyLookup/SHSU5BUMGJ/\\$File/greengas.pdf](http://yosemite.epa.gov/OAR%5Cglobalwarming.nsf/UniqueKeyLookup/SHSU5BUMGJ/$File/greengas.pdf). This amount is equal to 1.9 metric tons of CO₂. The *Environmental Energy Technologies Division* of the U.S. Department of Energy indicate that there are about 220,000 paper sheets in a ton: <http://eetd.lbl.gov/paper/ideas/html/copyfactsM.htm>.

^c According to the *Environmental Energy Technologies Division* of the U.S. Department of Energy, the manufacturing cost of virgin office paper is 17 Watt hours: <http://eetd.lbl.gov/paper/ideas/html/issues.htm>.

^d According to the *Environmental Energy Technologies Division* of the U.S. Department of Energy, the manufacturing cost of 100% recycled office paper is 12 Watt hours: <http://eetd.lbl.gov/paper/ideas/html/issues.htm>.



Tip

Config keys can be set by at **Options** → **Config editor (advanced)**.

Chapter 11. TopUp/Pre-Paid Cards

Many organizations run PaperCut NG in either a silent logging mode or as a way of enforcing sensible quotas. On the other hand, other organizations choose to run PaperCut NG in “charging mode” requiring users to make payments in advance. Recording and entering payments can be a time consuming process for staff or system managers. PaperCut NG offers a web interface for user account management to assist with the process, however there is still the need for someone to manually assign credit. The TopUp/Pre-Paid Card system included with PaperCut streamlines the payment process and moves much of the manual handling over to the end-user.

Cards are also known as:

- Vouchers
- Re-Charge Cards
- Pre-Paid Cards

11.1. Cards by Example

The card system is best described by walking through the payment process:

11.1.1. The User's Perspective

Amy is a student at a local high school. The school uses PaperCut NG for their charging. Amy is allocated \$5.00 a week for printing and Internet use. This week she has used all her allocation but still has one assignment to print on Friday. She purchases a \$5.00 Card from school canteen. The card contains a 16-digit identification number. She logs onto the schools intranet site, enters the PaperCut section, and enters the card's ID number. Her account is automatically credited \$5.00.

11.1.2. The Administrator's Perspective

Andrew is a system administrator at the same high school. At the start of the term he used the PaperCut NG card wizard to generate 500 TopUp/Pre-Paid Card of \$5.00 value. These were generated in 2 batches. The first batch was prefixed with C1 and the second batch L1. The C1 batch was sold at the school canteen and the L1 batch sold at the school library. The cards are kept secured at these locations.

The card wizard generated a *number definition file* for each batch. Andrew imported these numbers into PaperCut. Andrew took the time to customize the look of the cards to include the school logo and simple instructions on how to redeem the card.

During the year Andrew is able to track the cards sold and uses the batch prefixes to track where students like to purchase cards. Andrew also keeps an eye on the event log and has disciplined students attempting to guess card numbers.

11.2. The Card System

PaperCut Software International Pty Ltd has worked with a number of organizations to design the TopUp/Pre-Paid Card system. A number of payment technologies were evaluated over the period of two years. These technologies included vending machines, smart cards, micro-payment systems, and manual processing. The card system proved to be the most successful and cost effective solution. The card concept is now the de facto standard

in other industries such as pre-paid mobile phones.

The PaperCut NG card system is 100% software based. There is no need for special hardware such as smart card readers or special vending machines.

The card system is included as standard with PaperCut NG. The system includes:

- A card wizard application for assisting with the process of creating new cards.
- A web page for end-users to enter card numbers.
- A security framework for tracking card redemption and implementing fraud prevention.

11.3. Creating New Cards

11.3.1. Overview and Definitions

Cards are generated using the *Card Wizard*. The card wizard is a Microsoft Windows application that integrates with Microsoft Word. The card wizard install can be downloaded from inside the PaperCut NG administration login under the Card section. The download link is located in the **Actions** area.



Important

The *Card Wizard* integrates with Microsoft Word. Please ensure that Microsoft Word is installed before using the *Card Wizard*.

Term	Definition
<i>Card Wizard</i>	A tool to help administrators produce a set of cards. The wizard generates cards ready for printing and a <i>number definition file</i> suitable for importing into the PaperCut NG system.
<i>Card Number</i>	All cards are designated a random unique number. PaperCut uses this number to identify the card and its value. Users enter this number to allocate the credit to their account. An example number: P0409-1945-4833-5750-4452
<i>Batch ID</i>	A batch ID is a user defined ID or number assigned to all cards in a batch. The batch ID will prefix all card numbers and are used to identify the source of a card. A unique number should be assigned to each batch.
<i>Valid Till Date (Expiration Date)</i>	Define the date on which a card can no

Term	Definition
	longer be used. It's analogous to a "use by" date on a gift certificate. Expiration dates ensures cards only remain in circulation for a limited period of time. A six to 12 month period is recommended. In a school environment it may be useful to define an expiration date as the last day of the semester.
<i>Mail Merge</i>	Mail merge is an advanced feature of Microsoft Word. The mail merge feature takes a design template and a data source, and merges the two together to construct a composite document. In the card wizard's case, the number list is the data source and the design template is the template Microsoft Word document.
<i>Number Definition File</i>	The number definition file contains information on all cards in a batch including a list of card numbers, their expiration date, and value. The card wizard creates this file during the generation process and the system administrator will import this file into the Card administration section.
<i>Card Number Entry Page</i>	The card web entry page is a designated page inside the user login section.

Table 11.1. Card Terminology

11.3.2. Using the Card Wizard

This section will walk you through the process of creating a batch of TopUp/Pre-Paid Cards. The example covers creating a batch of 100 cards of value \$10.00 each.

11.3.2.1. Step 1 - Install the card wizard

Log onto a desktop system with Microsoft Word installed (normally not the server!). Open a web browser at:

```
http://[server_name]:9191/admin
```

Log into PaperCut NG as `admin` and navigate to the **Cards** section. Download the card wizard from the **Download card wizard** action. Run the install program and complete the installation process.


11.3.2.2. Step 2 - Welcome

Open the *Card Wizard* from the start menu, and press **Next>**.

11.3.2.3. Step 3 - Batch ID & Format

Enter a unique *batch ID* to define this batch and click **Next>**. We recommend adapting a consistent convention. For example, choose numbers representing the date, or a sequential numbering scheme.

The wizard offers a choice of two popular card number formats. The **Numeric** format is the most secure and generates long numbers. The **Alphanumeric** format produces a shorter format consisting of letters and numbers. The Alphanumeric format is a little less secure due to the reduced number of possible permutations, however it does offer a shorter, more convenient entry format.

The screenshot shows a window titled "TopUp/PrePaid Card Creation Wizard" with a close button in the top right corner. The main heading is "Batch ID" with a subtitle "Allocate a unique ID to this batch of cards." Below this, there is instructional text: "Please allocate a batch ID to this card run. Batch IDs help identify and track card use and sale. Using your organization's acronym combined with a year-month combination is good practice. All cards in this batch are prefixed with this batch ID." There are two input fields: "Batch ID:" containing "P-0509" and "Sample Number:" containing "P-0509-1945-4833-5750-4452". A tip at the bottom states: "Tip: If you sell cards at multiple locations, consider using different batch ID to track the origin. Use a different batch run with different ID for each sale location." At the bottom right are three buttons: "< Back", "Next >", and "Cancel".

TopUp/PrePaid Card Creation Wizard

Batch ID
Allocate a unique ID to this batch of cards.

Please allocate a batch ID to this card run. Batch IDs help identify and track card use and sale. Using your organization's acronym combined with a year-month combination is good practice. All cards in this batch are prefixed with this batch ID.

Batch ID:

Sample Number:

Tip: If you sell cards at multiple locations, consider using different batch ID to track the origin. Use a different batch run with different ID for each sale location.

< Back Next > Cancel

Figure 11.1. Entering a batch ID

11.3.2.4. Step 4 - Card Attributes

Ensure that the number of cards is set up to 100 and the value of each card is \$10.00. By default the valid till date is set 6 months in the future. We recommend defining an appropriate date that corresponds to a fixed event such as the end of the year, budget year, term or semester.

The screenshot shows the 'Card Attributes' step of the 'TopUp/PrePaid Card Creation Wizard'. The window title is 'TopUp/PrePaid Card Creation Wizard'. The subtitle is 'Card Attributes' with the instruction 'Select the number of cards and their value.' Below this, it says 'Enter the number of cards to produce, the card value and their expiry date.' There are three input fields: 'Number of cards:' with the value '100', 'Value:' with the value '\$10.00', and 'Expire Date:' with the value '19/03/2006'. The 'Expire Date' field is circled in red. At the bottom, there are three buttons: '< Back', 'Next >', and 'Cancel'.

Figure 11.2. Defining a valid till date

11.3.2.5. Step 5 - Design

To produce a set of standard cards, custom design is not required. Simply click the **Next>** button to move to the next step. Modifying the custom design requires knowledge of Microsoft Word's mail merge functionality. See the Section 11.3.3, "TopUp/Pre-Paid Card Tips" for further details.

The screenshot shows the 'Design' step of the 'TopUp/PrePaid Card Creation Wizard'. The window title is 'TopUp/PrePaid Card Creation Wizard'. The subtitle is 'Design' with the instruction 'Edit the template that defines the card's visual design.' Below this, it says 'You may now customize the Microsoft Mail Merge template to define a custom card design. Experience with Microsoft Word's mail merge functionality is required.' There are two buttons: 'Edit Template...' and 'Revert'. The 'Edit Template...' button has a tooltip that says 'Edit the template design (uses sample data)'. The 'Revert' button has a tooltip that says 'Revert the template back to the system default.' Below these buttons, it says 'Save any changes made in Microsoft Word before continuing to the next step.' At the bottom, there are three buttons: '< Back', 'Next >', and 'Cancel'.

Figure 11.3. Options to edit the card design

11.3.2.6. Step 6 - Generate Numbers

Press **Next>** to generate the card numbers. The card wizard will prompt you for a location to save the *number definition file*. Save the file on the local hard driver or a secure network drive.

11.3.2.7. Step 7 - Create Cards

The card wizard will now generate a merged Microsoft Word document. Before generating the Word document, the card wizard will ask you if Macros have been enabled in Microsoft Word. If the answer is no, or you are unsure, please say **No** and the card wizard will guide you through the process of enabling Macros. The card wizard uses Word Macros to automate much of the card generation process.

11.3.2.8. Step 8 - Printing Cards

A new Microsoft Word document will open, listing all 100 cards. The cards are standard business card size suitable for printing on heavy paper and cutting with a paper cutter. For a professional look, consider forwarding a PDF version to your local printing shop. See Section 11.3.3, "TopUp/Pre-Paid Card Tips" for more ideas.





Figure 11.4. Cards ready for printing

11.3.2.9. Step 9 - Importing

The final step is to activate the cards by importing the *number definition file* in the PaperCut NG admin section.

1. Navigate to the **Card** section.
2. Select the **Import New Cards** action.
3. Click the **Browse** button and locate the number definition file as saved in step 5 above.
4. Click the **Upload** button.



Successfully loaded 100 card definitions from batch "P-0509"

TopUp/PrePaid Card Management

▼ Show Filter

<< < 1 2 3 4 > >>

	Card Number ▼	Value	Used by User	Date Used	Expiry Date	Date Loaded
<input type="checkbox"/>	P-0509-9965-9167-1605-8535	\$10.00	[Not Used]	[Not Used]	Mar 19, 2006	Sep 19, 2005
<input type="checkbox"/>	P-0509-9759-5626-4708-1784	\$10.00	[Not Used]	[Not Used]	Mar 19, 2006	Sep 19, 2005
<input type="checkbox"/>	P-0509-9492-3231-1472-2754	\$10.00	[Not Used]	[Not Used]	Mar 19, 2006	Sep 19, 2005
<input type="checkbox"/>	P-0509-9486-0303-9105-3310	\$10.00	[Not Used]	[Not Used]	Mar 19, 2006	Sep 19, 2005
<input type="checkbox"/>	P-0509-9408-2604-3498-3741	\$10.00	[Not Used]	[Not Used]	Mar 19, 2006	Sep 19, 2005
<input type="checkbox"/>	P-0509-9392-5905-6333-9528	\$10.00	[Not Used]	[Not Used]	Mar 19, 2006	Sep 19, 2005
<input type="checkbox"/>	P-0509-9327-8371-7122-7595	\$10.00	[Not Used]	[Not Used]	Mar 19, 2006	Sep 19, 2005

Figure 11.5. Imported card numbers

11.3.2.10. Step 10 - Testing

It is good practice to test the card process by using one of the cards on a test account (standard user level). Remember to destroy the spent card used for the test!

11.3.3. TopUp/Pre-Paid Card Tips

11.3.3.1. Security

The PaperCut NG card system is designed with security in mind. All fraudulent card redemption attempts are detected, trapped and logged. The number allocation system is highly secure and guessing a number is “statistically impossible”. With 1,000 cards in circulation, the chance of guessing a number is 1-in-10,000,000,000,000, or in non-mathematical terms, it would take over 300,000 years to guess a number if a person enters one number every second!

Like many IT security systems, the weakest link in the system is the human interface. Cards are a form of virtual currency. Care should be taken to protect the cards from unauthorized access and disclosure.

- Ensure the generated Microsoft Word document is deleted or saved in a secure place after the cards are printed.
- Always delete the number definition file after importing the batch into PaperCut.
- Never leave the cards in an unsecured or visible location. Consider sealing cards in envelopes.
- Check the PaperCut NG application event log on a weekly basis for security messages. PaperCut will log and trap unauthorized card use.
- Use the card log to track card redemption and allocation.
- Cancel/Expire lost or stolen cards by batch number as soon as the problem is reported.



Important

The cards are like a form of cash and should be treated with the same care. Make sure the cards are carefully secured.

11.3.3.2. Cards Design

The **Edit Template...** button in Step 4 of the card wizard opens the standard card template for editing. The card wizard is able to use any standard mail merge design. It's even possible to convert the template layout to letters rather than cards. Microsoft's mail merge support is designed for Word "power users". Consider taking the step-by-step mail merge tutorial provided with Microsoft Word help if you do not have experience with Word's mail merge functionality.

Consider keeping your customizations initially simple and work up towards more complex configuration.

To change the logo graphic:

1. Click the **Edit Template...** button in step 5.
2. Say **Yes** to **Enable Macros**.
3. Select the standard *PaperCut logo* and press the *Delete* button on the keyboard.
4. Select **Insert** → **Picture** → **From File...**
5. Locate the desired logo and click **Insert**.




Figure 11.6. Inserting a new logo into a card

- Click on the **Propagate Labels** button on the mail merge tool bar. The new logo should propagate across all cards on the page.




Figure 11.7. Propagate labels button

- Click **File** → **Save** and close Microsoft Word.
- Test the template by running a batch in the card wizard.



Tip

Design Recommendations:

- Consider changing the logo and adding your organization name
- Change the URL reference to point to your intranet site or event your network/card policy page.

- Provide basic instructions on how to redeem the card or the location of an information page.

11.4. Using a Card

The following information should be distributed to end-users - for example, via the "Print Policy" page on your organization's Intranet site.

To redeem a TopUp/Pre-Paid Card:

1. Purchase a card from the appropriate person or place. The network administrator creates cards specific for your organization. In schools, cards are often sold at the library, general office or school cafeteria.
2. Open a web browser and navigate to the PaperCut NG user login page. After logging in, your account status should display.
3. Click on the **Redeem Card** link on the left-hand navigation bar.
4. Enter the *Card Number* in the **Card Number** box and press **Redeem Card**. Take care to enter the number exactly as listed including any dashes (-).
5. If the card's number is valid, the credit as listed on the card will be transferred to your account and this will list in your transaction history.




Figure 11.8. Using a card

Chapter 12. Configuring Secondary Print Servers and Locally Attached Printers

This section covers the setup of a secondary print server in "Quick Start" format. For a detailed explanation of the underlying technology and what's happening behind the scenes see the subsequent sections.

A secondary print server is a system that directly hosts a printer. In many situations it may be a dedicated server, however a secondary server may also be a desktop system hosting a directly attached USB printer. If this printer is to be controlled and tracked by PaperCut NG, a small *monitoring* component needs to be installed. The monitoring component intercepts the local printing and reports this use back to the primary *Application Server*. A secondary server may either be:

1. A server style system hosting many printers.
2. A desktop style system hosting printer(s) also shared to other network users.
3. A desktop style system with the printer used only for local users (not shared).

The monitoring service is also referred to as a *Print Provider* as its task is to provide information back to the main *Application Server*.

The process of setting up a secondary print server, depends on the operating system. Read the section appropriate to the required operating system.

12.1. Configuring a Windows Secondary Print Server

This section describes the process of setting up a secondary Windows print server.

12.1.1. Step 1 - Ensure primary server is set up correctly

Before installing a secondary server you should take some time to ensure the primary server (central application server) is set up and running correctly. If it is not running fine now adding an extra server will only "add an extra variable to the equation" and complicate troubleshooting. Take some time now to verify that the primary server is functioning correctly. For example, verify that:

- Printers on this server are being tracked.
- Users are allowed to login to user pages from their workstations.
- Administrators can access the system.

12.1.2. Step 2 - Ensure firewall software is set to allow access to port 9191

Secondary server needs to communicate (initiate a TCP connection) on port 9191. Administrators should ensure that any firewall software on the primary *Application Server* is not set to block any incoming local network traffic on this port.

12.1.3. Step 3 - Install the print provider

Install the print provider software onto the secondary server. On a Windows server, this is done by selecting the "Secondary Print Server" option in the installation wizard.

12.1.4. Step 4 - Configuration

The Print Provider on the secondary server needs to know where the primary server is installed.

1. Open a text editor such as Notepad.
2. Open the file:

```
[app-dir]\PaperCut NG\providers\print\win\print-provider.conf
```

3. Locate the line starting with `ApplicationServer=` and change `localhost` to the name or IP address of the primary server.
4. Restart the server so the new configuration is detected. To avoid a restart, an administrator may also choose to manually restart the **PaperCut Print Provider** service.

12.1.5. Step 5 - Test

The secondary server should now be configured. Log into the system as "admin" and verify that the printers are now listed under the Printers section. Perform a multi-page test print on each printer and verify that print jobs are tracked correctly.

12.1.6. Automated Install

The installation of the secondary server component on Windows systems can be automated. This may be handy when the *Print Provider* component needs to be installed on a number of desktop systems running locally attached printers. For more information see, Section 12.6, "Automating Secondary Server Deployment on Windows".

12.2. Configuring a Macintosh Secondary Print Server

This section describes the process of setting up a secondary Mac print server. The primary *Application Server* may either be a Windows, Mac or a Linux basis system. PaperCut NG has full support for "mixed" or heterogeneous printing environments.

12.2.1. Step 1 - Ensure primary server is set up correctly

Before installing a secondary server you should take some time to ensure the primary server (central application server) is set up and running correctly. If it is not running fine now adding an extra server will only "add an extra variable to the equation" and complicate troubleshooting. Take some time now to verify that the primary server is functioning correctly. For example, verify that:

- Printers on this server are being tracked.
- Users are allowed to login to user pages from their workstations.
- Administrators can access the system.

12.2.2. Step 2 - Ensure firewall software is set to allow access to port 9191

Secondary server needs to communicate (initiate a TCP connection) on port 9191. Administrators should ensure that any firewall software on the primary *Application Server* is not

set to block any incoming local network traffic on this port.

12.2.3. Step 3 - Create the host user account

PaperCut NG runs under a non-privileged user account called "papercut". This invisible system account is created automatically upon first install. Advanced system administrators may however have a preference to create this account manually. If you fall into this category, create the `papercut` account now prior to installation.

12.2.4. Step 4 - Install the print provider

Install the print provider software onto the secondary server. Download the latest Mac DMG disk image and execute the contained installer called `PaperCut NG Secondary Server Installation.pkg`.

12.2.5. Step 5 - Configuration

The Print Provider on the secondary server needs to know where the primary server is installed. The installer may open the appropriate configuration file after the install completes.

1. Open a text editor such as TextEdit.
2. Open the file:

```
[app-dir]/PaperCut NG/provider/print/mac/print-provider.conf
```

3. Locate the line starting with `ApplicationServer=` and change `localhost` to the name or IP address of the primary server.
4. Save the file and exit the text editor.

Double-click on the command script `/Applications/PaperCut NG/Control Printer Monitoring.command`, and enable monitoring on the appropriate printers.

12.2.6. Step 6 - Test

The secondary server should now be configured. Log into the system as "admin" and verify that the printers are now listed under the Printers section. Perform a multi-page test print on each printer and verify that print jobs are tracked correctly.

12.3. Configuring a Linux Secondary Print Server

This section describes the process of setting up a secondary print server on a Linux system. The primary *Application Server* may either be a Windows, Mac or a Linux based system. PaperCut NG has full support for "mixed" or heterogeneous printing environments.

12.3.1. Step 1 - Ensure primary server is set up correctly

Before installing a secondary server you should take some time to ensure the primary server (central Application Server) is set up and running correctly. If it is not running fine now, adding an extra server will only "add an extra variable to the equation" and complicate troubleshooting. Take some time now to verify that the primary server is functioning correctly. For example, verify that:

- Printers on this server are being tracked.
- Users are allowed user login to user pages from their workstations.
- Administrators can access the system.

12.3.2. Step 2 - Ensure firewall software is set to allow access to port 9191

Secondary server needs to communicate (initiate a TCP connection) on port 9191. Administrators should ensure that any firewall software on the primary *Application Server* is not set to block any incoming local network traffic on this port.

12.3.3. Step 3 - Account setup

On the secondary server, create a user account called `papercut`. The `papercut` user's home directory should be set to the desired install location. This is normally `/home/papercut`.

12.3.4. Step 4 - Install the Print Provider

Install the *Print Provider* software onto the secondary server by copying all files and directories from the primary *Application Server's* directory:

```
[app_dir]/providers/print/linux-i686/*
```

To the location:

```
/home/papercut/providers/print/linux-i686/
```

on the secondary server. Perform the copy operation as the `papercut` so files are owned by the `papercut` user. This process can be summarized with the following commands:

```
shell> su - papercut
shell> mkdir -p providers/print/linux-i686
shell> scp primary.server:/home/papercut/providers/print/linux-i686/* \
providers/print/linux-i686/
```

After the copy operation is performed, execute the `setperms` and `roottasks` scripts as *root*:

```
shell> sh providers/print/linux-i686/setperms
shell> sh providers/print/linux-i686/roottasks
```

so all permissions are set up correctly.

12.3.5. Step 5 - Configuration

The *Print Provider* on the secondary server needs to know where the primary server is installed.

1. Open the file:

```
/home/papercut/providers/print/linux-i686/print-provider.conf
```

in a text editor.

2. Locate the line starting with `ApplicationServer=` and change `localhost` to the name or IP address of the primary server.

The binaries copied in step 4 now need to be integrated into the CUPS or Samba print queues. This process is detailed in Section 18.1.3, “Linux Print Queue Integration”.

12.3.6. Step 6 - Test

The secondary server should now be configured. Perform some test printing on all of this secondary server's printers. Log into the system as "admin" and verify that the printers are now listed under the Printers section. Perform a multi-page test print on each printer and verify that print jobs are tracked correctly.

12.4. Print Monitoring Architecture

This section covers PaperCut NG print monitoring architecture from a technical perspective. Knowledge of advanced networking is expected.

PaperCut NG is designed using the latest software design principles. An important design principle used is Service Oriented Architecture (SOA). PaperCut NG divides key operational areas into components. These components communicate using an XML Web Services standard. Two of the main services are:

Service/Component	Description
The Application Server	The central logic service responsible calculating user costs and providing the web and admin interface.
Print Provider Service	A service responsible for monitoring and analyzing print jobs and reporting this information using XML Web Services to the application server.

Table 12.1. PaperCut NG services/components

In a single server setup, an administrator does not need to be concerned with the two components as they automatically act as one (it's only noticeable in that two processes are running on the server). On a multi-server/system environment a deeper understanding of the architecture is required.

12.5. Multiple Print Servers

Many large networks, or even smaller networks with a legacy design, may be composed of more than one print server. Reasons for separating printers across servers/systems include:

- Legacy design - “That's the way the previous admin set it up.”
- Networks with 100 printers or more may need multiple servers to spread the printing load.
- Networks spanning multiple physical sites or subnets may have separate servers min-

Configuring Secondary Print Servers and Locally Attached Printers

imize cross-site network traffic.

- Servers may exist to support different operating systems
- A local desktop printer attached to a system is also a remote *print server*.

One of the servers on the network needs to be nominated as the primary server. This system runs the *Application Server* software responsible for providing the user interface, storing the data, and managing the application logic. The system nominated for this task is usually a print server (but could be any server). It needs to be a system with spare capacity to run the PaperCut NG application server software. This system should have good performance, have at least 500 Mb of free hard-disk space, and be included in an off-disk backup routine.

Other print servers are known as secondary servers. These servers run the Print Provider component and communicate back to the central server. The following diagram illustrates this setup.




Figure 12.1. Secondary server reporting back to primary server (application server)

When a client prints to a secondary server, the Print Provider intercepts the print job and forwards the information to the central server for processing. Communication is via XML Web Services over HTTP on the PaperCut Application Server's nominated port (normally port 9191). The web services protocol is specifically designed to facilitate easy firewalling, scalability, and will work over a wide range of network speeds.

PaperCut NG Service Oriented Architecture offers many advantages for network administrators including:

- Secondary servers run the minimum amount of software

- PaperCut NG's SOA design allows advanced setups including:

-
- The diagram illustrates the PaperCut NG architecture, showing the flow of data and print jobs between the Application Server, Print Servers, and various workstations.
- Application Server Running PaperCut NG**
- Database Server (optional)**: e.g. MS SQL Server or Postgresql DB. It connects to the Application Server via **XML over HTTP**.
 - Application Server**: The central component running PaperCut NG. It connects to the Print Servers via **XML over HTTP**.
- Print Servers**
- Windows Server**: Hosts shared printers. It connects to the Application Server via **XML over HTTP**.
 - Linux (Samba and/or CUPS)**: Also hosts shared printers. It connects to the Application Server via **XML over HTTP**.
- Workstations**
- Local Desktop Printer**: Connects to the Application Server via **XML over HTTP**.
 - PC Workstations**: Print via shared printers hosted on the Windows Server.
 - Macintosh Workstations**: Print via shared printers hosted on the Windows Server.
 - Linux Workstations**: Print via shared printers hosted on the Linux Server.
 - Unix Workstations**: Print via shared printers hosted on the Linux Server.
- Running PaperCut NG Print Provider component (secondary server)**: This component is shown on both the Application Server and the Linux Print Server, indicating its role in managing print jobs across the network.

Figure 12.2. PaperCut NG Architecture - an advanced configuration

The secondary server installation process can also be automated via command line switches issued to the installer program. This may be useful when there is a need to install the *Print Provider* on a number of desktop systems hosting local attached printers.

1. Copy the windows installer program, `pcng-setup.exe`, into a directory accessible to the target systems (i.e. A network share or mapped drive).
2. Copy the `print-provider.conf` file from main server. This file is located at `[app-dir]/providers/print/win`. Place the file in the *same* directory as the install program (as performed in step 1.)
3. Edit the `print-provider.conf` file and define the correct server name or IP address of the main application server in the line starting with `ApplicationServer=`.

Configuring Secondary Print Servers and Locally Attached Printers

4. Use a batch file or equivalent to start the install program as follows:

```
pcng-setup.exe /COMPONENTS="prov_print" /SILENT
```

Note: The installer requires administrator level - needed to install a system service.

Note:

- The executable name of the installer program may vary depending on the version.
- Replacing the `/SILENT` option with `/VERYSILENT` will suppress all visual output during the installation process.
- The copy of the `print-provider.conf` file is used during the install process to ensure the installation is aware of the location of the main application server.
- For a full list of command-line arguments, see Section A.7, “Automating / Streamlining Installation on Windows”.

Chapter 13. Net Control in Detail

PaperCut NG Internet Control module works by integrating with an existing Internet proxy server to monitor Internet access and restrict access to users that have exceeded their Internet quota. This chapter describes how PaperCut NG Internet Control integrates Internet proxy servers to implement Internet Control. The chapter also describes how to ensure that the proxy is configured correctly and how to configure PaperCut NG to read the proxy's log files.

13.1. How Internet Control works

PaperCut NG Internet Control provides two models for charging that allows the administrator to charge users based on both data and time used.

- *Time based* - charges users based on the length of time using the Internet. This is useful in organizations where computing resources are scarce or you want to discourage extended internet usage. For more information see Section 13.1.2, "Time-based control".
- *Data based* - charges based on the amount of data the user has downloaded or uploaded. This is useful in organizations where bandwidth is expensive, or you are charged by the megabyte by your service provider.

PaperCut NG supports a hybrid cost model that allows charging for both data and time simultaneously.

PaperCut NG Internet Control works by reading the proxy log files and counting a user's Internet data and time usage. The cost of this usage is calculated and debited from the user's credit. If the user no longer has credit available they are denied Internet access. The technique used to deny Internet access is dependent on the proxy server and platform. Configuration of proxy servers is described later in the chapter.

13.1.1. Data-based control

There are a number of options that define how data-based usage costs are calculated:

- *Cost per Megabyte* - The cost per megabyte.
- *Charge for sent data (upstream data)* - Enable this option to charge for outbound data that users send while browsing the Internet (if supported by the proxy server).
- *Charge for cached data* - Enable this option to charge users for cached content. By turning this option off, users will not be charged for data read from your proxy server's cache.

13.1.2. Time-based control

There are two options that define how time-based usage is calculated:

- *Cost per interval* - Defines the cost for each time period used.
- *Time period duration* - Defines the unit of time that users are charged for.

Users are charged based on blocks of time used. Users are always charged for using a full

time period whenever they use the Internet within that period.

The diagram below represents the Internet usage of a single user. The black boxes show 5 minute time periods, and the red dotted lines represents each time that the user views a web page, or downloads a file.




Figure 13.1. Example of how Internet Control calculates time used on the Internet

In this example the user will be charged for 4 full time periods, and will be debited 4 multiplied by the cost per time period. The user is charged for the full time period even if they only hit one web page during the period (as is shown above between 3:45pm and 3:50pm).

13.2. Proxy server configuration

Before configuring PaperCut NG to monitor the proxy log files, it is important to ensure that the proxy is configured correctly. If the proxy is not configured correctly then PaperCut NG cannot monitor Internet usage. For this reason it's worth spending some time to check the proxy configuration before starting configuring PaperCut NG.

PaperCut NG Internet Control supports the following proxy servers:

- Squid Proxy
- Microsoft ISA Server 2000/2004/2006
- Microsoft Proxy Server Version 2.0
- FreeProxy
- Any other proxy server that generates W3C compliant log files

13.2.1. Proxy authentication

The most important part of proxy configuration is to ensure that the users who access the Internet are authenticated and that their usernames are logged in the proxy log file. This is essential, because PaperCut NG requires the username in the log file so that Internet usage can be allocated to the correct users.

In many organizations proxy authentication is already enabled so that:

- Logging is performed so that inappropriate Internet access can be tracked and users who perform unauthorized access can be warned or disciplined.
- Access controls can be applied for different groups of users. For example, students may only be allowed to educational web sites, but staff have unrestricted Internet access.

The first step is to verify whether authentication is enabled on the proxy. The simplest way to check this is to verify that the proxy's access log contains usernames. By quickly scanning the proxy's access log file it should be easy to see usernames. Below is a sample log

entry for Squid proxy log (e.g. /var/logs/squid/access.log), with the username `chris`.

```
109471.484      203 192.1.1.1 TCP_MISS/200 145 GET http://site.com chris DIRECT 1
```

Below is a partial log line from Microsoft ISA Server, for Internet access by `matt`.

```
192.168.1.1 matt      Mozilla/4.0  2004-09-22  10:41:59      www.google.com
```

Detailed instructions for configuring various proxy servers can be found in Appendix D, *Proxy server configuration*.

13.2.2. Denying access to users without credit

To enforce Internet quotas and deny Internet access to users without credit the proxy needs to be configured appropriately. This is achieved differently depending on the proxy server being used.

For Squid proxy running on Unix/Linux a custom Squid ACL helper provided by PaperCut NG can be used. This helper contacts the application server and checks to see if a user has credit available and only allows Internet access if credit is available. Instructions for configuring this can be found in Section D.2.2, “Restricting Internet Access for users without credit”.

13.3. Internet Control Setup

After the Internet proxy is setup and logging usernames correctly, then the PaperCut NG Internet Control service must be configured to monitor the proxy log files. The Internet Control service is a PaperCut NG program that is responsible for analyzing log files and reporting the usage back to the PaperCut NG Application Server. Setting up the Internet Control service involves configuring the following settings:

- *Log directory* - The directory where proxy log files are stored.
- *Log file mask* - The file mask used to identify the proxy log files to monitor.
- *Log file format* - The proxy log file format.

Once these settings are configured, PaperCut NG can find the most recent log file, parse the contents and send usage information to the application server.

Where you install the PaperCut NG Internet Control service will depend on the layout of your network. Many networks will have a dedicated proxy server, which may or may not be a suitable candidate for a PaperCut NG application server installation. For this reason, the Internet Control service may either be deployed separately to the primary server, or access the proxy server logs remotely via a network share. Some reasons for separate deployment may include:

- A primary server already exists, and it runs a different operating system to the proxy server.
- Networks spanning multiple physical sites or subnets may have multiple proxy servers to minimize cross-site network traffic.

- Suitable systems already exist on the network, and it makes sense to utilize them.

The following are some common network layout examples involving the Internet Control service.

- *All on the one system*




Figure 13.2. Application Server, Internet Control module and proxy server all on one system

This setup may be useful if you are only using the PaperCut NG Internet Control module (e.g. not the Print Control module), to keep all components on the one system. It may also be used as a second (parallel) application server installation, for example to keep print and internet quotas separate.

For information about installing the Internet Control service using this method, see Section 13.3.1, "Configuring the Internet Control Service on Windows" or Section 13.3.3, "Configuring the Internet Control Service on Linux".

- *Remote access to proxy logs*




Figure 13.3. Application Server installed with Internet Control module, accessing proxy logs remotely

This is the simplest way to separate the application server and Internet Control service, as there is no requirement for additional software to be installed on the proxy server system.

For information about installing the Internet Control service using this method, see Section 13.3.1, “Configuring the Internet Control Service on Windows” or Section 13.3.3, “Configuring the Internet Control Service on Linux”.

- *Secondary internet provider*




Figure 13.4. Internet Control module installed on proxy server, Application Server on separate system

If there is an existing proxy server that is suitable for additional software to be installed, this method may be the best solution. It is also required for some advanced configurations, such as where the application server and proxy server are on different platforms, and the Internet Control service is required to make use of platform specific functionality.

For information about installing the Internet Control service using this method, see Section 13.3.2, “Configuring the Internet Control Service on Windows as a Secondary Server” or Section 13.3.4, “Configuring the Internet Control Service on Linux as a Secondary Server”.

13.3.1. Configuring the Internet Control Service on Windows

1. The setup wizard for the Internet Control service is included with the PaperCut NG application server. To start it, as an administrator level user run: **Start → Program Files → PaperCut NG → Internet Control → Internet Control Configuration Wizard**, or the file located at `[appdir]\providers\net\bin\win\setup-net-service.exe`
2. Select the type of proxy server you have under **Web proxy type**, and the location of your log files under **Log file path**. The **Log mask** will be set for automatically based on the selected proxy type. If you have changed the naming format of your log files, enter a custom file mask here.




Figure 13.5. Selecting the proxy server type and log file location

3. Press **Test settings**. The **Test results** area should now show some data reflecting the information found in the proxy log files. If the data looks correct (i.e. you recognize the user names and the data received looks correct), press **Next**. Otherwise, check that the information entered is correct, and that the log file path contains the correct log files.




Figure 13.6. Example output from a test parse of proxy server log files

A few parse errors may be encountered if a log file has been corrupted in some way, but if there are too many this may indicate an incorrect log format. Check that the **Web proxy type** you have selected is correct for your system.

4. Select an appropriate **Security group** for users with internet access. The Internet Control service will modify group membership to reflect the users who have available credit (i.e. when users run out of credit, they will be removed from this group). If you have not already created a group for this purpose when configuring your proxy server, it is recommended to create a new group with a name such as `Internet Users`.



Figure 13.7. Selecting a security group to allow internet access

Once an appropriate group is selected, press **Next**.

5. To allow the Internet Control service to modify group membership it must have the appropriate privileges. It is recommended to create a new domain user with appropriate privileges for this purpose. *The password for the service account should be set to not expire.*




Figure 13.8. Selecting a service account

Press **Next** to continue.

6. The Internet Control service will now be configured. Press **Finish** to complete the setup wizard.

To confirm that the installation was successful and that the PaperCut NG application server is now monitoring internet usage, continue reading at Section 13.3.5, "Verifying the Net Control service setup".

13.3.2. Configuring the Internet Control Service on Windows as a Secondary Server

1. *Ensure the primary server is set up correctly.*

Before installing the Internet Control service you should take some time to ensure the primary server (central application server) is set up and running correctly. If it is not running fine now adding an extra server will only "add an extra variable to the equation" and complicate troubleshooting. For example, verify that:

- Users are allowed to login to user pages from their workstations.
- Administrators can access the system.

2. *Ensure firewall software is set to allow access to port 9191.*

The Internet Control service needs to communicate (initiate a TCP connection) on port 9191. Administrators should ensure that any firewall software on the primary Application Server is not set to block any incoming local network traffic on this port.

3. *Install the Internet Control service*

Install the Internet Control service software onto the secondary server. On a Windows server, this is done by selecting the "Secondary Internet Server installation" option in the installation wizard.

4. *Enter primary server location*

The Internet Control service on the secondary server needs to know where the primary server is installed.

- a. Open a text editor such as Notepad.
- b. Open the file: [appdir]\providers\net\connection.properties
- c. Update the `server-ip`, `server-port` and `server-name` lines to match the primary server.
- d. Restart the server so the new configuration is detected. To avoid a restart, an administrator may also choose to manually restart the **PaperCut Internet Provider** service.

5. *Configure the Internet Control service*

Continue with the steps found at Section 13.3.1, "Configuring the Internet Control Service on Windows".

13.3.3. Configuring the Internet Control Service on Linux

PaperCut NG includes a command-line utility to assist with this configuration. To perform this configuration:

1. Log into the Linux server running PaperCut NG as the `papercut` user.
2. Run the command:
[appdir]/providers/net/bin/linux-i686/setup-net-provider
3. Follow the prompts, answering the questions as required.
4. The utility will perform a test parse of the log file. Check that the results are as expected.
5. When prompted, restart the Application server. This will restart the application server and the will also start the Internet Control service which will start parsing the log file.
6. To confirm that the installation was successful and that the PaperCut NG application server is now monitoring internet usage, continue reading at Section 13.3.5, "Verifying the Net Control service setup".

13.3.4. Configuring the Internet Control Service on Linux as a Secondary Server

Documentation pending - contact PaperCut NG support for details.

13.3.5. Verifying the Net Control service setup

First verify that the Net Control service is running. To do this:

1. Login to the admin pages of PaperCut NG
2. Navigate to the **Internet** section.
3. Look at the bottom of the page in the **Internet Control Service Status** section. This shows the last status message from the service and the time the status was last updated.
4. If the status text is `The Internet Control service has never been started`, then the service has not started and the settings should be checked and the application server restarted if required. See Figure 13.9, “Example of Internet Control service status when service is running.”




Figure 13.9. Example of Internet Control service status when service is running.

5. If the service is running correctly then access the Internet using the proxy server and verify that the status indicates that the service is reading the logs. This should be apparent because the current line number should be increasing.
6. By default the service reports Internet usage to the Application server once a minute. Once this time has elapsed the **Internet Usage Log** can be viewed and should include the recent internet usage. If this is the case then the Internet Charging service is correctly monitoring the proxy logs.

13.4. Internet Control Settings

The Internet Control settings allow various aspects of the module to be configured. These include:

- Internet usage costs
- Domains and users that should not be charged for Internet usage
- View the status of the Internet Control service that is monitoring the proxy log files.

13.4.1. Internet usage costs

PaperCut NG allows administrators to charge Internet usage for both data and time used. These charging models are described in detail in Section 13.1, “How Internet Control works”. The setting screen allows these costs to be defined.

Figure 13.10. Internet usage cost settings

The Internet usage costs are also affected by the other charging options available. These are described below.

Option name	Description
Charge for cached data	If this option is selected, the users will be charged for Internet usage when the user accesses data that is stored in the proxy cache. Some organization choose not to charge for cached data because this data does not cost them anything, because no data was downloaded from the Internet.
Charge sent data (upstream data)	<p>If this option is selected, the users will be charged for Internet data sent from the user to the Internet (this is known as upstream data). This will include data like attachments uploaded to web-mail clients.</p> <p>NOTE: That not all proxy server support reporting of upstream data (e.g. Squid). If running one of these proxies, PaperCut NG will never charge or log upstream data usage.</p>

Table 13.1. Internet Control Cost Options

13.4.2. Ignored Domains and users

PaperCut NG allows administrators to define a list of domains and user that are not charged. It is common for schools to encourage students to access educational resources on the Internet. An effective way of doing this is by defining a list of domains that are PaperCut NG does not charge them for.

The domains listed in the ignored domain list will automatically match all subdomains of the given domain. For example, entering `mydomain.edu` will also ignore `www.mydomain.edu` and `mail.mydomain.edu`. To ignore all educational domains the following line can be used: `edu`. This will not charge for accessing `www.myschool.edu` or `www.otherschool.edu`.



Tip

It is recommended that the entered domains do not include the `www.` (e.g. `www.domain.com`), because the `www` component is usually optional. Instead, it is recommended to just enter `domain.com`.

Rules and Filters	
<p>The system can be configured to ignore internet use at either a user or domain level. Any access to any sites on the ignored domains list are considered and hence not charged.</p>	<p>Ignored users: (one entry per line)</p> <div style="border: 1px solid #ccc; padding: 5px;"> <pre>admin administrator jason matt</pre> </div> <p>Ignored domains: (one entry per line - myschool.com will match all domains ending in myschool.com)</p> <div style="border: 1px solid #ccc; padding: 5px;"> <pre>.edu .gov google.com wikipedia.com</pre> </div>

Figure 13.11. Internet usage cost settings

Sometimes administrators like to define a list of users that are not charged for Internet usage. These accounts are often administrator accounts, or other admin staff who do not require Internet usage quotas or monitoring. If a user is in the ignored list then no Internet activity will be logged for that user.

Chapter 14. Advanced Customization

PaperCut NG is an important part of network infrastructure at many thousands of organizations. Having the ability to seamlessly integrate PaperCut into an existing network is important. There are a number of ways to ensure end-users see the system as part of the network rather than an add-on. These include:

- Changing the URL or link on the User Client window
- Customizing the look and feel of the use web pages
- Using the PaperCut NG back-end data in other procedures such as custom reports

This section covers some of the customization options available within PaperCut NG. For general information about the user client, see Section 4.2, “User Client”.

14.1. Customizing the User Client Tool window

The `pc-client.exe` program displays a small window highlighting the current logged in user's current account balance. This window contains two links. One called **Details** that takes the user to the **User Pages** login. The other defaults to the PaperCut Software website. The link to the PaperCut Software website can be replaced. Some suggestions include linking to your organization's website or intranet site, or linking to a page containing your organization's network usage policy. The logo used on the window can also be customized.

To change the link on the User Client window:

1. Login to the system as an administrator (e.g. the built-in `admin` account).
2. Navigate to the **Options** section.
3. Click on the **Config editor** link in the list of actions.
4. In the **quick find** are enter `client.config` and press **GO**.
5. Locate the key titled `config.client.link-url` and enter a new value pointing to your new destination. The link should be a complete URL including the `http://` component. e.g. `http://www.myorganization.com/printpolicy.htm`.
6. Press the **Update** button to the right to apply the change.
7. Locate the key titled `config.client.link-text` and enter the text that should be displayed. e.g. `Print Policy`.
8. Press the **Update** button to the right to apply the change.
9. The next time the client tool is started on one of the workstations, the new link will be displayed.




Figure 14.1. Customized user client link

There are other configuration keys that allow an administrator to customize the user client for their organization. The table below outlines all of the client customization keys available. These values are updated by following a similar process as described above.

Config name	Description
client.config.link-text	The text to appear on the link at the top of the user client.
client.config.link-url	The destination URL of the link displayed at the top of the user client. For example, this can be point to the internal intranet page describing printing policies.
client.config.show-link	Indicates whether the link at the top of the user client should be displayed. To display set the value to <code>Y</code> , to hide set the value to <code>N</code> .
client.config.show-details-link	Indicates whether the "Details" link that points to the user web interface is displayed. To display the link set the value to <code>Y</code> , to hide set the value to <code>N</code> .
client.config.show-document-cost	Determines whether to show the document cost to the user in print popup notifications. To show the cost set the value to <code>Y</code> , to hide set the value to <code>N</code> .

Table 14.1. User Client Customization Config Keys

The logo used on the User Client balance window and the account selection dialog can also be customized by placing a file called `client-logo.png` in the directory `[app-path]/client` - the same directory as the executable. The image must satisfy the following requirements:

- Comply to the PNG (Portable network graphic) format.
- A size of 64px by 64px.
- Display correctly on different background colors (make use of transparencies or alpha channels).

On the Apple Mac platform the process is a little more involved. The image needs to be placed inside the App package at: `PCClient.app/Content/Resources`. To access this directory, Option-click on the PCClient icon and select **Show package contents....**

The user client can also be configured by passing command-line parameters to the program. This is described in Section A.5, "User Client Options".

14.2. Customizing the User web pages

The user pages display information about the user's account and provide access to features such as TopUp/Pre-Paid Cards. The visual design of these pages can be tailored to

make them fit into the *look and feel* of an existing internet or intranet site. This gives the pages an official look ensuring your users see the system as an important part of your organization's network.




Figure 14.2. A customized end-user web designed for Flora Hill Secondary College




Figure 14.3. A customized end-user web designed for Ross University

PaperCut Software International Pty Ltd offers a service where their developers will undertake design work based on an existing website. If you would like assistance with the customization, please email the PaperCut Software International Pty Ltd support team.

Organizations whose staff have good to advanced HTML experience may choose to customize the pages in-house.

The design of the user pages is controlled via HTML "include" files for the header and footer areas of the page, with page styling controlled via Cascading Style Sheets (CSS). Placing the following files in the PaperCut NG directory structure at `[appdir]/server/custom/web` overrides page layout and style.

Filename	Description
<code>user.css</code>	If this file exists, the contents of <code>user.css</code> is included as an overriding stylesheet. Styles in this file can be used to define fonts, colors and sizes.
<code>header.inc</code>	If the header include file exists, the HTML in the header area of the pages is replaced with the contents of the file.
<code>footer.inc</code>	If the footer include file exists, the HTML in the footer area of the page is replaced with the contents of the file.
<code>login-logo.png</code>	If this file exists, the logo on the web-based login page is replaced with the supplied image. The file should be an image of size 250px by 64px in PNG format.

Table 14.2. Files used to customize the user web pages



Tip

Any custom content placed in `[appdir]/server/custom/web`, such as additional images, can be accessed via a URL beginning with `/custom`. For example, if a file named `header.jpeg` is placed in `[appdir]/server/custom/web`, it can be accessed via the URL `/custom/header.jpeg`.

14.3. Customizing Report Headers

The standard PaperCut NG report header logo can be replaced with an alternate image. This can be used to include an organization logo and address for example, which may be useful when attaching reports to customer invoices, or just to make reports look more professional.



Joe's Widgets
PO Box 123
Sometown

Group list

Group	Initial Balance	Initially Restricted	Schedule Amount	Schedule Period
[All Users]	\$40.00	Yes	\$0.00	None
Building 201	\$10.00	Yes	\$0.00	None
Office Staff	\$100.00	No	\$0.00	None

Figure 14.4. Example custom report header usage

To use a custom report header logo, place an image at `[app-dir]/server/custom/web/report-header.png`. The image should be 250px by 80px in PNG format.

14.4. Data Access and Custom Reports

The default PaperCut NG installation stores data in an internal database. For the interested person, the database is Apache Derby - an open source database written by IBM and based on their DB2 Cloudscape Database. The internal database is optimized for embedded use, is very robust, ACID compliant and scales well. The internal database however is not designed for multi-application access. To access the data from an external source such as a reporting program, you'll need to consider running PaperCut NG on an external database (RDBMS) designed for multi-user and multi-application user access. Common database solutions include Microsoft SQL Server, Oracle, and PostgreSQL. For more information see Chapter 16, *Deployment on an External RDBMS*.

The PaperCut NG data structure is relatively simple and people with Crystal Report or SQL experience should have no problems extracting data or written custom reports. Report developers should keep in mind:

- Only access the data in a read-only mode. Modifying data directly underneath the application may cause unpredictable behavior.
- Always test any custom reports after an upgrade as the underlying data format may have changed. PaperCut Software developers try to minimize data structure changes but they are expected to occur in major upgrades.

A database schema diagram can be found in the PaperCut NG knowledge base located at Database Schema Diagrams [<http://www.papercut.com/kb/Main/DatabaseSchema>].

14.4.1. Plain Text Print Log

In addition to storing print log information in the database, a real-time, plain text log is also written into the directory:

```
[appdir]/server/logs/print-logs
```

The log file is in a tab delimited format and a new log is created for each day. Files are named with the format `printlog_yyyy_mm_dd.log` and files are archived for 30-days. The tab delimited file can easily be imported into programs such as Microsoft Excel, Microsoft Access or other database.

Field	Description
Field 1	Date in format <code>yyyy-MM-dd\th:mm:ss a/p</code>
Field 2	Server Name
Field 3	Printer Name
Field 4	User who printed the document
Field 5	Account charged (usually the user's personal account but could be a shared account)
Field 6	Client/Workstation Name
Field 7	Document name
Field 8	Total number of pages
Field 9	Total number of color pages
Field 10	Number of copies (this has already been used to calculate the total pages).
Field 11	Cost
Field 12	Duplex status
Field 13	Grayscale status (Color mode)
Field 14	Paper Size (e.g. Letter, A4)
Field 15	Paper Height in Millimetres (divide by 24.5 for inches)
Field 16	Paper Width in Millimetres (divide by 24.5 for inches)
Field 17	Print job size in KB
Field 18	Printer Language

Table 14.3. Text print log file format

14.5. Automation and Scripting

PaperCut NG provides a detailed set of server commands and Web Services API's. These

services may be used to automate common operations and management tasks. Some examples of where an administrator may choose to use scripting/automation include:

- Automate tasks such as backups and domain user/group synchronization.
- Integrate account creation and management into existing scripts or processes.
- Manage account balances and transactions outside the application.

The automation and scripting tools are written for software and script developers. It is expected that readers intending on using these tools are comfortable with developing system management and server monitoring programs.

The `server-command` and Web Services API's are included as standard with PaperCut NG. More information on using these tools is detailed in Appendix A, *Tools (Advanced)* in Section A.1, "Server Commands (`server-command`)" and Section A.3, "The XML Web Services API".

14.6. Custom User Directory Information Providers

PaperCut NG is a modern application designed with a modern architecture. It supports plug-ins and extensions at a number of different levels. One such layer is the User Directory source. Organizations with very complex domains, such as those seen in large universities, can be accommodated either with the standard options, or if the standard options are not sufficient, via a custom plug-in.

For example, a University may have multiple domains, one running Active Directory and the other LDAP/NIS. A custom plug-in could support this by first querying Domain A, and if the user is not found, the query Domain B via LDAP. The PaperCut NG development team is happy to provide API documentation and sample source code to assist organizations with custom requirements.

For some working examples available in your current installation, look in:
[app-dir]/server/bin/linux-i686/sambauserdir,
[app-dir]/server/bin/linux-i686/authsamba and
[app-dir]/server/bin/linux-i686/src/.

Chapter 15. Licensing and Support

This section describes how to install the PaperCut NG license you receive after purchase, and also provides information about gaining support and assistance.

15.1. Installing a License

PaperCut NG licenses are issued as a digitally signed file. Installing the license file into the application enables the software for use within your organization.

To install the license file supplied by your vendor:

1. Save the license file to your hard disk. Files are typically named `PaperCut NG-[orgname].license`.



Tip

There is no need to unzip the file. The file can be loaded into the system as supplied.

2. Log into the administration interface.
3. Navigate to the **About** section.
4. Scroll down to the **Register** section and click the **Browse...** button.
5. Locate the license file saved in step 1 and click **Open**.
6. Click the **Install license** button.
7. Verify license information is correctly listed in the **About** page.

Note

The file supplied is simply a digitally signed and zipped text file containing your license information. It's converted to ZIP format to minimize size. If you're interested in viewing the contents of the file, rename the file to .zip and simply open it in any ZIP extraction utility.

If you have a question about your license or need assistance please email the PaperCut Software International Pty Ltd technical support team and they will be more than happy to assist you.

15.2. Technical Support & Further Information

The PaperCut Software development team is always happy to assist customers with further technical questions. Please feel free to contact us via email or phone. The development team may also be contacted via the live web chat feature available on the PaperCut Software International Pty Ltd website at <http://www.papercut.com/>.

You may also find lots of other useful information in the Knowledge Base located at: <http://www.papercut.com/kb/>

The Knowledge Base is updated regularly and is a good place to start if your question is not addressed in this user manual.

Chapter 16. Deployment on an External RDBMS

16.1. Overview

This section describes the process of running PaperCut NG on an external relational database, and describes why an organization would choose to do this. By default PaperCut NG uses an internal database product known as Apache Derby. This database engine was donated to Apache by IBM and was previously known as IBM Cloudscape.

16.1.1. Why use an external RDBMS?

The internal PaperCut NG database is stable, scalable, self-maintaining and provides very good performance. For this reason most organizations do not need to run PaperCut NG on an external database system. However there are some good reasons to run PaperCut NG on an external RDBMS, including:

- Your organization has existing database infrastructure and would like to consolidate all applications on the same database platform.
- Your organization has an existing database maintenance and backup procedure and would like PaperCut NG to take advantage of this.
- People would like to use 3rd party reporting and analysis tools (like Crystal Reports) to view and analyze the PaperCut NG database.
- Your organization is very large and requires the performance benefits of a dedicated RDBMS. This also allows the database to reside on a separate server to PaperCut NG, which improves the system scalability.

16.1.2. Supported Databases

PaperCut Software International Pty Ltd supports the following two external databases out-of-the-box:

- Microsoft SQL Server 2000 (or later)
- Microsoft SQL Express 2005 (free from Microsoft)
- PostgreSQL 7.1+ (the free open source database).
- Oracle 9.2+ (requires an optional support module. Please contact PaperCut Software International Pty Ltd for details).

These databases were chosen to cater for the majority of our customers. Most customers have existing SQL Server licenses so can take advantage of this support. PostgreSQL was chosen as the second alternative RDBMS because it is free, open-source and supported on all common platforms.

16.2. Upsizing to an External RDBMS

Upsizing to an external RDBMS is a simple process that should take approximately 15-30 minutes. The high-level steps to upsize are:

- Backup the existing data.
- Create and initialize the new database.
- Load the backed-up data into the new database.
- Restart the application.

These steps are discussed in detail below.

This chapter also includes some sections that describe database specific configuration. See Section 16.3, “Database specific configuration” for more details.

16.2.1. Step 1 - Stop the PaperCut NG application

To upsize to an external database the application server should be stopped. This allows the data to be backed up, guaranteeing that all data is saved and ready to load into the new database.

The instructions to stop the application server can be found in Section A.6, “Stopping and Starting the Application Server”.

16.2.2. Step 2 - Perform a backup of the existing data

Perform a backup of the database. This data will be loaded into the application in a future step. A detailed discussion about backups can be found in Section 10.3, “System Backups”. To backup the database:

1. On the server, open a command prompt.
2. If running on Linux or Mac, use `su` or equivalent to become the identity of `papercut`. e.g.

```
Mac:      sudo su - papercut
Linux:    su - papercut
```

3. Change (`cd`) to the server binaries directory. e.g.

```
Windows:  cd "C:\Program Files\PaperCut NG\server\bin\win"
Mac:      cd "/Applications/PaperCut NG/server/bin/mac"
Linux:    cd ~papercut/server/bin/linux-i686
```

4. Run the following command: `db-tools export-db`
5. The output of the above command shows the name of the backup file created. Take note of this because it will be required in a future step.

16.2.3. Step 3 - Create a new database in the external RDBMS

This step depends on the external database you are using, and it is assumed that the administrator knows how to create a new database. No matter what database is used the following steps must be performed:

1. Create a new empty database for dedicated use by PaperCut NG. When creating the

database make sure to select the correct character encoding for your language. For SQL Server, the character encoding is set in the **Collation** field on the new database screen. For other databases like PostgreSQL it is recommended to select a unicode character set (like UNICODE or UTF8) that allows all possible characters to be stored.

2. Create a new database user (and password) for the PaperCut NG to use to connect to the database.
3. Assign the appropriate permissions to the new user to give them full access to the new database (e.g. permission to create/drop tables, and select/insert/update/delete in all tables).



Important

The database user created for PaperCut NG should only have minimal set of permissions required for the application. The user should have full permissions to create/drop tables and have full access to any created tables. However, the user should not have permissions to access other databases you have installed on the database server.

16.2.4. Step 4 - Change the PaperCut NG connection details

The next step is to configure PaperCut NG to connect to the new external database. To do this:

1. On the server, open the server config file:

```
[appdir]/server/server.properties
```

2. On the server, open the server config file:

```
[appdir]/server/server.properties
```

in a text editor (e.g. Notepad).

3. Comment out the line:

```
database.type=Internal
```

by adding a # (hash) character to the beginning of the line.

4. Find the database connection details for the database type you require (e.g. SQL Server or PostgreSQL), and uncomment the lines by removing the # (hash) characters.
5. Set the username and password used to connect to the database

```
database.username=[your-db-user]  
database.password=[your-db-password]
```

6. Set the database URL, which describes the location and connection details of the external database. See below for details of the format of the database URLs for different

database types.



Important

If using Microsoft SQL Server, the username specified in the configuration settings is a SQL Server database user, not a Windows user. This user needs to be created in the SQL Server and granted full rights to the application database.

16.2.4.1. SQL Server Database Connection URL Format

The SQL Server URL format is:

```
jdbc:jtds:sqlserver://[server]/[database]
```

The `[server]` parameter is the name of the server running the SQL Server database, and must be resolvable from the PaperCut NG server. If the SQL Server instance is running on the same machine then `localhost` can be used.

The `[database]` parameter is the name of the SQL Server database you created in Step 3 above.

When using SQL Server instances, the instance name is specified in the connection URL as follows:

```
jdbc:jtds:sqlserver://[server]/[database];instance=[instancename]
```

16.2.4.2. SQL Server 2005 Express Database Connection URL Format

The SQL Server 2005 Express format is:

```
jdbc:jtds:sqlserver://[server]:[port]/[database]
```

The `[server]` parameter is the name of the server running the SQL Server database, and must be resolvable from the PaperCut NG server. If the SQL Server instance is running on the same machine then `localhost` can be used.

The `[port]` parameter is the port the SQL Server Express edition is configured to listen on. For more information on configuring SQL Express, please see Section 16.3.1, "Configuring Microsoft SQL Express 2005".

The `[database]` parameter is the name of the SQL Server database you created in Step 3 above.

16.2.4.3. PostgreSQL Database Connection URL Format

The Postgres URL format is:

```
jdbc:postgresql://[server]/[database]
```

The `[server]` parameter is the name of the server running the PostgreSQL database, and must be resolvable from the PaperCut NG server. If the PostgreSQL instance is running on the same machine then `localhost` can be used.

The `[database]` parameter is the name of the PostgreSQL database you created in Step 3 above.

16.2.4.4. Oracle Database Connection URL Format

```
jdbc:oracle:thin:@[server]:[port]/[SID]
```

The `[server]` parameter is the name of the server running the Oracle database, and must be resolvable from the PaperCut NG server. If the Oracle instance is running on the same machine then `localhost` can be used.

The `[port]` specifies the port number that the Oracle services are listening on. By default this is 1521.

The `[SID]` specifies the Oracle service identifier used to identify the database. The SID for Oracle Express edition is `XE`.

16.2.5. Step 5 - Initialize the new database

The next step is to initialize the new database, creating the required database tables and initial data. To initialize the database:

1. On the server, open a command prompt.
2. If running on Linux or Mac, use `su` or equivalent to become the identity of `papercut`. e.g.

```
Mac:      sudo su - papercut
Linux:    su - papercut
```

3. Change (`cd`) to the server binaries directory. e.g.

```
Windows:  cd "C:\Program Files\PaperCut NG\server\bin\win"
Mac:      cd "/Applications/PaperCut NG/server/bin/mac"
Linux:    cd ~papercut/server/bin/linux-i686
```

4. Run the following command: `db-tools init-db`

A message will be displayed to indicate that the connection details are correct the database was initialized correctly.

16.2.6. Step 6 - Load the data into the new database

This step loads the data (that was exported in Step 2) into the database. To import the data:

1. On the server, open a command prompt.
2. If running on Linux or Mac, use `su` or equivalent to become the identity of `papercut`. e.g.

```
Mac:      sudo su - papercut
Linux:    su - papercut
```

3. Change (`cd`) to the server binaries directory. e.g.

```
Windows:  cd "C:\Program Files\PaperCut NG\server\bin\win"
Mac:      cd "/Applications/PaperCut NG/server/bin/mac"
Linux:    cd ~papercut/server/bin/linux-i686
```

4. Run the following command: `db-tools import-db "backup file name"`
5. This command will show progress importing the data.

If no errors occurred then the application is ready to restart.

16.2.7. Step 7 - Restart the PaperCut NG application server

The data has now been moved to the new database and the server can be restarted.

The instructions on how to start the server can be found in Section A.6, "Stopping and Starting the Application Server".

Wait 30 seconds for the server to start, then log in to the admin console. If you can log in successfully, then the upsizing process worked successfully.

16.3. Database specific configuration

This section includes database specific configuration for use with PaperCut NG.

16.3.1. Configuring Microsoft SQL Express 2005

Microsoft SQL Express 2005 provides enterprise class database performance for free. However it does have some limitations when compared to the full version of SQL Server. But these limitations are not likely to adversely affect most PaperCut NG users. These limitations include:

- 4GB limit on database sizes
- Limited to only use 1 CPU
- Limited to only use 1GB of RAM

This section described how to configure Microsoft SQL Express edition for use with PaperCut NG. It is assumed that SQL Server Express is already installed with the default configuration.

Once this configuration is complete, the database can be used with PaperCut NG by following the instructions in Section 16.2, "Upsizing to an External RDBMS".

16.3.1.1. Enable TCP/IP connections

PaperCut NG uses TCP/IP to connect to the SQL Server database, but SQL Server Express does not enable TCP support by default. To enable TCP/IP:

1. On the machine with SQL Express installed, open the **SQL Server Configuration Manager**.
2. Expand the **SQL Server 2005 Network Configuration** node on the left.
3. Select the **Protocols for SQLEXPRESS** node on the left.
4. Right-click the TCP/IP item on the right and select **Properties**.
5. On the **General** tab, change **Enabled** to Yes.
6. On the **IP Addresses** tab, under the **IPAll** node clear the **TCP Dynamic Ports** field. Also enter the port to listen on in the **TCP Port** field. For example, 1450. Remember this port, because it needs to be used in the PaperCut NG connection string.
7. On the **OK** button to save the changes.
8. Restart the Microsoft SQL Server Express service using either the standard service control panel or the SQL Express tools.

16.3.1.2. Enable SQL Server authentication

PaperCut NG requires SQL Server authentication to be enabled on the instance of SQL Express. To do this:

1. On the machine with SQL Express installed, open the **SQL Server Management Studio Express** tool.
2. Right-click the instance of SQL Express to configure, and select **Properties**.
3. Select the **Security** section on the left.
4. Change the **Server Authentication** to **SQL Server and Windows Authentication mode**.
5. Restart the Microsoft SQL Server Express service using either the standard service control panel or the SQL Express tools.

16.3.1.3. Create Database User

PaperCut NG requires a user to connect to the database. To create this user:

1. On the machine with SQL Express installed, open the **SQL Server Management Studio Express** tool.
2. Right-click the **Security->Logins** node, and select **New Login**
3. Enter the username (e.g. papercut).
4. Change the **Server Authentication** to **SQL Server and Windows Authentication mode**.
5. Enter the user's password.
6. Disable password expiration.

7. On the **OK** button to create the user.
8. After creating the PaperCut NG database assign this user `db_owner` permissions on the database, so that it can create the required database tables.
9. To initialize the database, follow the instruction in Section 16.2, “Upsizing to an External RDBMS”.

16.3.2. Configuring Oracle (and Oracle Express Edition)

Oracle is a high-end database solution that provides a very robust and scalable data storage solution. And with the release of Oracle Express Edition, it is available at no cost, but it does have some limitations that should not impact PaperCut NG installations.

PaperCut NG supports Oracle versions 9.2 and higher. Drivers for earlier versions were buggy and are not supported.



Important

Oracle is a commercial database that requires a custom PaperCut NG module to connect to the database. Please contact PaperCut Software International Pty Ltd for licensing details and access to the external database support policy.

16.3.2.1. Database Driver

PaperCut NG does not ship with a driver for Oracle because Oracle does not allow us to redistribute the driver and the recommended driver depends on the version of Oracle used. These drivers can be obtained from the Oracle website as described below.

To download the required version of the driver:

1. Visit the Oracle web site here: http://www.oracle.com/technology/software/tech/java/sqlj_jdbc/index.html
2. Select the appropriate Oracle version.
3. Download the driver file for JDK 1.4 or later. The filename is usually called: `ojdbc14.jar`
4. Copy the downloaded file into the `[appdir]\server\lib-ext` directory. This will allow PaperCut NG to make use of the driver.

Once the driver is installed into PaperCut NG the standard upsizing procedure can be followed. See Section 16.2, “Upsizing to an External RDBMS”.

Chapter 17. Microsoft Cluster Environments

17.1. About Clustering

PaperCut NG is designed to scale to 20,000+ users. To ensure reliability on networks of this size, network architects may adopt strategies including:

- Load balancing - spreading tasks across multiple servers.
- Clustering - building in redundancy by implementing a failover strategy.

PaperCut NG is a cluster compatible application. It supports clustering at all levels of the application, including

- Clustering at the print spooler service layer by integrating with Microsoft's clustering services.
- Failover based clustering at the Application Server layer using Microsoft's clustering services. (PaperCut NG's Application Server is web and web services based, and hence can support other failover methods such as heartbeat driven DNS.)
- At the database layer by utilizing cluster aware databases such as Microsoft SQL Server or Oracle.

Setting up PaperCut NG in a cluster environment is an advanced operation. This chapter assumes the reader has a high level of expertise in system and cluster configuration. The cluster environment should be operational *before* undertaking the PaperCut NG installation. Readers should also have a good understanding of PaperCut NG's Service Oriented Architecture - specifically its two main components, the *Application Server* and the *Print Provider* and how they work together (Section 12.4, "Print Monitoring Architecture").

17.2. Cluster Configuration Modes

In a Microsoft Cluster environment, PaperCut NG can be set up in one of two possible configurations. *Mode 1* is the simplest configuration and is suitable for most organizations. It implements clustering in the "front line" - that is the printer and print monitoring layer. *Mode 2* implements clustering on all levels of the application for maximum fault tolerance. *Mode 2* is somewhat more demanding to configure and should only be attempted by organizations with staff experienced with advanced cluster and database management.

17.2.1. Mode 1 - Clustering at the Print Provider layer

The *PaperCut NG Print Provider* is the component that integrates with the print spooler service and provides information about the print events to the *PaperCut NG Application Server*. At a minimum, in a cluster environment, the *Print Provider* component needs to be included and managed within the cluster group. The *Application Server* component (The **Standard Install** option in the installer) is set up on an external server outside the cluster. Each node in the cluster is configured to report back to the single application server using XML Web Services over TCP/IP.

17.2.1.1. Step 1 - Application Server Setup

Install the *Application Server* component (**Standard Install** option) on your nominated system. This system will be responsible for providing PaperCut NG's web based interface and storing data. In most cases this system will not host any printers and is dedicated to the roll of hosting the PaperCut Application Server. It may be one of the nodes in the cluster; however a separate system outside the cluster is generally recommended. An existing domain controller, member server or file server will suffice.

17.2.1.2. Step 2 - Installing the Print Provider components on each node

The *Print Provider* component needs to be separately installed on each node involved in the print spooler cluster. This is done by selecting the **Secondary Print Server** option in the installer. Follow the secondary server set up notes as detailed in Chapter 12, *Configuring Secondary Print Servers and Locally Attached Printers*. Take care to define the correct name or IP address of the nominated application server set up in step 1.

17.2.1.3. Step 3 - Decouple service management from nodes

By default the *Print Provider* component is installed under the management of the node. To hand over management to the cluster, the service start-up type needs to be set to manual. On each node navigate to **Control Panel** → **Administrative Tools** → **Services**, locate the PaperCut NG Print Provider Service. *Stop* the service and set the start-up type to **Manual**. Repeat for each node in the cluster.




Figure 17.1. Stopping the service and setting to Manual startup

17.2.1.4. Step 4 - Adding the Print Provider service as a resource under the print spooler's cluster group

1. Open the **Cluster Administrator**.
2. Right-click on the cluster group hosting the spooler service and select **New** → **Resource**.




Figure 17.2. Creating a new cluster resource

3. In the new resource wizard, enter a name of PaperCut Print Provider and select a resource type of **Generic Service**. Click **Next**.
4. Click **Next** at **Possible Owners**.
5. Ensure that the Print Spooler Service resource is set as a required dependency, then click **Next**.
6. On the **Generic Service Parameters** page, enter a service name of PCPrintProvider and ensure the **Use Network Name for computer name** option is *checked*. Click **Next**.




Figure 17.3. Cluster service parameters configuration

7. Click **Finish** at the **Registry Replication** page.

17.2.1.5. Step 5 - Bring up all cluster resources and test

Perform operations to verify that:

1. Print jobs log as expected.

2. No error message appear in the Print Providers text log located at: C:\Program Files\PaperCut NG\providers\print\win\print-provider.log on each node.

17.2.1.6. Active/Active Clustering - Special notes regarding multiple virtual servers

On large networks it is common to distribute load by hosting print spooler services under two or more virtual servers. For example, two virtual servers may each host half of the organization's printers and hence sharing the load. This is sometimes referred to as Active/Active clustering - all be it not an entirely correct term, as the print spooler is still running in Active/Passive.

Virtual servers cannot share the same service on any given node. For this reason if the virtual servers share nodes, you'll need to manually install the PaperCut Print Provider service a second time under a different name. This can be done via the command line as follows:

```
cd C:\Program Files\PaperCut NG\providers\print\win
pc-print.exe PCPrintProvider2 /install
```

The argument proceeding `/install` is the unique name to assign to the service. The recommended procedure is to suffix the standard service name with a sequential number.

17.2.2. Mode 2 - Clustering at all application layers

Mode 2 implements failover clustering at all of PaperCut NG's Service Oriented Architecture software layers, including:

- Clustering at the Print monitoring layer
- Clustering at the Application Server layer
- Optional clustering at the database layer

Mode 2 builds upon *Mode 1* by introducing failover (Active/Passive) clustering in the *Application Server* layer. This involves having an instance of the application server on each of the cluster nodes. When one node fails, the other automatically takes over the operation. Both instances use a share data source in the form of an external database (see Chapter 16, *Deployment on an External RDBMS*). Large sites should consider using a clustered database such as Microsoft SQL Server.

17.2.2.1. Step 1 - Application Server Installation

On one of the cluster's nodes, install the PaperCut NG Application Server component by selecting the **Standard Install** option in the installer. Follow the setup wizard and complete the process of importing all users into the system.

17.2.2.2. Step 2 - Convert the system over to an external database

The system needs to be configured to use an external database as this database will be shared between both instances of the application server. Convert the system over to the required external database by following the procedure detailed in Chapter 16, *Deployment on an External RDBMS*. The database may be hosted on another system, or inside a cluster. As per the external database setup notes, reference the database server by IP address by entering the appropriate connection string in the `server.properties` file.

17.2.2.3. Step 3 - Setup of 2nd Node

Repeat steps 1 and 2 on the second cluster node.

17.2.2.4. Step 4 - Decouple service management from the nodes

By default the *PaperCut NG Application Server* component is installed under the management of the node. It needs to be managed inside the cluster, so the service's start-up type should be set to manual. On each node navigate to **Control Panel** → **Administrative Tools** → **Services** locate the **PaperCut Application Server**. Stop the service and set its start-up type to **Manual**. Repeat this on both nodes.

17.2.2.5. Step 5 - Create a new cluster group

The *PaperCut NG Application Server* should be designated to run inside its own cluster group. Create a new cluster group containing the two nodes. Add an **IP Resource** and a **Network Name** resource. Give the network name resource an appropriate title such as PCAppSrv.

The need for a new cluster group is not hard and fast. It is however recommended as it gives the most flexibility in terms of load balancing and minimizes the potential for conflicts.

17.2.2.6. Step 6 - Adding the PaperCut Application Service as a resource managed under the new cluster group.

1. Open the **Cluster Administrator**.
2. Right-click on the cluster group hosting the spooler service and select **New** → **Resource**.
3. In the new resource wizard, enter a name of *PaperCut NG Application Service* and select a resource type of **Generic Service**. Click **Next**.
4. Click **Next** at **Possible Owners** page.
5. Click **Next** at **Dependency** page.
6. On the **Generic Service Parameters** page, enter a service name of PCAppServer and ensure the **Use Network Name for computer name** option is *checked*. Click **Next**.
7. Click **Finish** at the **Registry Replication** page.

17.2.2.7. Step 7 - Bring the cluster group online

Right-click on the cluster group and select **Bring online**. Wait until the application server has started, then verify that you can access the system by pointing a web browser to :

`http://[Virtual Server Name]:9191/admin`

Login, and perform some tasks such as basic user management and User/Group Synchronization to verify the system works as expected.

17.2.2.8. Step 8 - Set up the Print Provider layer

Interface the *PaperCut NG Print Provider* layer with the clustered spooler service by follow-

ing the same setup notes as described for *Mode 1*. The exception being that the IP address of the application server will be the IP address assigned to the Virtual Server assigned in step 5.

17.2.2.9. Step 9 - Client Configuration

The client and release station programs are located in the directories:

```
[app-path]/client/  
[app-path]/release/
```

These directories contain configuration files that instruct the client to the whereabouts of the server. The IP address and the server name in the following set of files will need to be updated to the Virtual Server's details (Name and IP address):

```
[app-path]/client/win/config.properties  
[app-path]/client/linux/config.properties  
[app-path]/client/mac/PCClient.app/Contents/Resources/config.properties  
[app-path]/release/connection.properties
```

Edit the files using Notepad or equivalent and repeat this for each node. Also see Section 17.3, "Client/Workstation Configuration".

17.2.2.10. Step 10 - Test

Mode 2 setup is about as complex as it gets! Take some time to verify all is working and that PaperCut NG is tracking printing on all printers and all virtual servers.

17.2.3. Clustering Tips



Tip

Take some time to simulate node failure. Monitoring may stop for a few seconds while the passive server takes over the role. Simulating node failure is the best way to ensure both sides of the Active/Passive setup is configured correctly.

It is important that the version of PaperCut NG running on each node is identical. Ensure that any version updates are applied to all nodes so versions are kept in sync.

The PaperCut NG installation sets up a read-only share exposing client software to network users. If your organization is using the zero-install deployment method, the files in this share will be accessed each time a user logs onto the network. Your network may benefit from exposing the contents of this share via a clustered file share resource.

17.3. Client/Workstation Configuration

In a clustered environment the behaviour of PaperCut NG on the workstations is identical to that of a non-clustered environment. The one exception however is in terms of configur-

ation - The clients need to be configured to connect to the *Virtual Server* rather than directly connecting to a node. (i.e. network connections need to be made via virtual server's designated IP address). The changes necessary are:

1. Update User Client's configuration file `config.properties` with the Virtual Server's details as per Section 17.2.2.9, "Step 9 - Client Configuration".
2. Ensure that any URL's pointing to PaperCut NG's web administration and user interfaces; `http://[server]:9192/admin` and `http://[server]:9192/user` use the virtual server's name. For example, any links on the organization's intranet site or links supplied to other system administrators.

Chapter 18. PaperCut NG on Linux

This section is designed to supplement the Quick Start guide (see Section 1.4, “Quick Start Guide - Phase I - Installation”). It provides an in-depth explanation of the Linux installation process, the directory layout and tools.

Information in this chapter is technical in nature. It is expected that readers have prior experience with:

- The Unix command line environment
- Unix file permissions
- Configuring CUPS and/or Linux print queues
- Or basic Samba configuration

18.1. The Installation Process

The Linux version of PaperCut NG is supplied as a pre-compiled self-installing application. The installation process is designed to work with all major Linux distributions. Due to the varied nature of some installations and administrator preferences, often some manual configuration is required. This section describes the installation process in detail as well as some additional options available to system administrators.

18.1.1. Manual extraction

The Linux version of PaperCut NG is supplied in a self-extracting, self-installing archive. The archive is simply a `tar` archive compressed with `gzip`, and headed with a shell script to facilitate self-extracting. After extraction is complete, the installation script named `install` is executed to begin the install process. Some system administrators may like to inspect the contents of the archive, and possibly the installation process itself prior to the actual install. The self-extracting installer takes a number of command line arguments. The `-e` argument will extract the archive into the current working directory ready for inspection. Further options and documentation is available via the `--help` option.

```
Usage: pcng-setup.sh [-e|-i|-l] [-v] [-n] [list ...]
-e      Extract the files and then exit without installing.
-i      Install after extracting the files (default).
-l      List the contents of the archive and exit without extracting.
-v      Verbose. Print the names of the files as they are extracted.
list    The list of files to extract."
```

18.1.2. The install process

Even though the majority of the installation process is completed under the identity of the non-privileged user account called `papercut`, most administrators would like to know what the install process does. The main steps are outlined below:

18.1.2.1. Extraction

The first stage in the install process extracts the archive to `/tmp` or a location as defined by an environment variable `TEMPDIR`. The command-line programs `tar` and `gunzip` are

used during this phase.

18.1.2.2. Installation

After extraction is complete the installation script is called. The install script, called `install`, will present the EULA and request acceptance. The script then determines the install location. This is the `papercut` user's home directory. The home directory is determined by the `HOME` environment variable, or if not set, the result of a call to `getpwnam()`.

Files are then copied into the `papercut` user's home directory. Care is taken not to overwrite any existing data or configuration files if this is an install-over-the-top upgrade.

18.1.2.3. Permissions

To ensure the default installation is secure by default, permissions are applied to key files. The following area of the application are restricted to the `papercut` user only:

Area	Comments
<code>~/server/server.properties</code>	Contains server configuration including the default admin password.
<code>~/server/data</code>	This directory contains application data including database files. Some of this data may contain sensitive information.
<code>~/server/bin/linux-i686</code>	This directory contains a <code>setuid-root</code> binary. Even though the binary is no use to an end-user or hacker, good security practice stipulates that we should only allow the <code>papercut</code> user access to this directory.

Table 18.1. Secured Application Areas

Permissions can be checked and re-applied at any time post-install by running the scripts:

```
~/server/bin/linux-i686/setperms
~/providers/print/linux-i686/setperms
```

18.1.2.4. Firewall

The PaperCut NG *Application Server* (`pc-app` process) listens on port 9191. This port is used for browser based administration access, for client access, and other services. Ensure that any firewall or local IP filtering software such as `iptables` is set to allow local network traffic access to this port.

18.1.2.5. Root Level Tasks

A small part of the install process needs to run as the `root` account. The tasks conducted as root include:

- Setting the `authpam` binary as `setuid-root`. This binary is used for password verification.
- Installing a CUPS backend. This is done by placing a symlink in the CUPS `lib/backend`

directory.

- Setting up SYSV style start scripts if the system uses this boot process. This is done by placing symlinks in the:

```
/etc/init.d/  
/etc/rc3.d/  
/etc/rc5.d/  
and so on...
```

If the administrator decides not to run the root-level tasks during the install process, the tasks can be run again post-install by executing the shell scripts:

```
~/server/bin/linux-i686/roottasks  
~/providers/print/linux-i686/roottasks
```

Alternatively the administrator can view the scripts and make the required changes by hand.

18.1.3. Linux Print Queue Integration

PaperCut NG is able to integrate with and monitor both CUPS and Samba based print queues. The configuration and an explanation of the integration methods follows:

18.1.3.1. CUPS Configuration Overview

If the print queues are managed and controlled via CUPS, the Device URI on each printer should be modified so the `papercut` backend is incorporated into the print process. This can be done either via the CUPS web admin interface or by manually editing the CUPS `printers.conf` file.

1. Open `printers.conf` (e.g. `/etc/cups/printers.conf`)
2. Prefix the DeviceURL for each printers with "`papercut:`". For example:

```
DeviceURI socket://192.168.1.200:9100
```

Would become:

```
DeviceURI papercut:socket://192.168.1.200:9100
```

3. Restart `cupsd` so the new configuration is detected (e.g. `/etc/init.d/cupsd reload`)

18.1.3.2. CUPS Integration Explained

CUPS, the Common UNIX Printing System, is a popular system for managing printers on Linux servers. CUPS uses a chain-of-commands concept where `filters` and `backends` combine together to form a process steam - a workflow. PaperCut NG hooks into this work-

flow at the backend level, intercepting the job before it's passed on to physical printer hardware.

The interception is done by wrapping or proxying the real CUPS backend. CUPS calls the PaperCut NG backend which processes the job. If the job is approved, it passes the document onto the real backend. If the job is denied, it is deleted and proceeds no further. The PaperCut NG backend is usually set up and installed by default during the standard installation.

Setting up the PaperCut NG CUPS backend proxy is a relatively simple task. All the administrator needs to do is prefix the existing DeviceURI with `papercut:`. For example the entry:

```
DeviceURI socket://192.168.1.200:9100
```

would become:

```
DeviceURI papercut:socket://192.168.1.200:9100
```

The printer will register itself with PaperCut NG on the first print event.

18.1.3.2.1. PaperCut NG CUPS Architecture

The PaperCut NG CUPS backend is a native compiled binary. In PaperCut NG documentation it is referred to it as a *Print Provider* - a component that provides print event information to the *Application Server*. It's responsible for analyzing the print job and then communicating this information to the *Application Server* component. Communication is via an XML-RPC based Web Services call. This means that the backend does not even need to be on the same server as the system hosting the Application Server component.

18.1.3.3. Samba Configuration Overview

If the print queues are exposed to network workstations using Samba (*Samba Website*) [<http://www.samba.org/>], and a print system other than CUPS is used (e.g. BSD, LPRNG, SYSV, etc.) the `smb.conf` needs some additional configuration. The "print command" needs to be replaced with a PaperCut NG command.

1. Open the `smb.conf` (e.g. `/etc/samba/smb.conf`)
2. Under the `[globals]` section insert the line:

```
print command=/home/papercut/providers/print/linux-i686/samba-print-provider  
-u "%u" -J "%J" -h "%h" -m "%m" -p "%p" -s "%s"  
-a "[standard print command]" &
```

(IMPORTANT: The above information should appear all on a single line. Note the use of the `&` (ampersand) on the end of the line.)

where `[standard print command]` is the command that would normally be called for printing. Typical examples of commands usually used for printer are listed below:

Type	Command
BSD, AIX, QNX, LPRNG or PLP	<code>lpr -r -P%p %s</code>
SYSV or HPUX	<code>lp -c -d%p %s; rm %s</code>

Table 18.2. Standard print commands

More information on standard print commands is available under the Samba documentation installed on your system (see `man smb.conf`).

18.1.3.4. Samba Integration Explained

Samba is used to provide file and print sharing to Windows systems and is a popular solution. One of the main reasons for its popularity is that it avoids the need for expensive Microsoft Windows server licenses!

Samba exposes the locally set up Linux/Unix printers as network shared Windows printers. It does this by wrapping the underlying print system - usually CUPS or LPR/LPD. In the case of LPR, Samba calls the standard `lp` command line programs to perform printing. PaperCut NG works by wrapping or proxying the "print command". More information on how Samba interacts with the underlying print system is available in the Samba documentation.

A typical entry in the Samba configuration file `smb.conf` defining the PaperCut NG print command wrapper would be:

```
print command=/home/papercut/providers/print/linux-i686/samba-print-provider
-u "%u" -J "%J" -h "%h" -m "%m" -p "%p" -s "%s"
-a "[standard print command]" &
```

(IMPORTANT: The above information should appear all on the one line. Note the use of the & (ampersand) on the end of the line.)

where `[standard print command]` is the command that would normally be called for printing.

The `%u`, `%p`, etc., are Samba substitution variables. These are replaced with content such as the username, printer name, etc. and are used by PaperCut NG in the reporting and logging.

The printer will register itself with the PaperCut NG web interface after the first print is received.

18.1.3.4.1. PaperCut NG Samba Architecture

The PaperCut NG Samba print command wrapper is a native compiled executable. The PaperCut NG documentation refers to it as a *Print Provider*. It's responsible for analyzing the print job and then communicating this information to the *Application Server* component. Communication is via an XML-RPC based Web Services call. This means that the command does not even need to be on the same server as the system hosting the Application Server component.

18.2. Advanced Configuration & Logs

The majority of PaperCut NG configuration is conducted in the *Application Server's* web interface. Some additional configuration options are available in the following configuration files:

Config File	Comments
<code>~/server/server.properties</code>	Contains server configuration including the default admin password, the server's TCP port and external database connection parameters.
<code>~/providers/print/linux-i686/print-provider.conf</code>	The <i>Print Provider's</i> configuration file used by both the Samba and CUPS Print Providers. This file defines items such as the <i>Application Server's</i> IP address and port, process timeouts and other.

Table 18.3. Advanced Configuration

Most important application logging is available via the **Application Log** section of the *Application Server's* web interface. Some additional advanced level logging is maintained in standard text files located at:

```
~/server/logs/*
~/providers/print/linux-i686/print-provider.log
```

Administrators may wish to consult these logs when attempting to diagnose or troubleshoot problems.

18.3. Backups & System Management

Suggested backup procedures are detailed in Section 10.3, "System Backups". Common system management functions are covered in Chapter 10, *System Management*.

Administrators managing Linux servers should also consider adopting the following management policies:

- Regularly check for PaperCut NG updates. Updates can be applied with a simple, *install-over-the-top* procedure.
- Remember to add the PaperCut NG backend or command when configuring new printers.
- Always check PaperCut NG's functionality after a system updates (i.e. new versions of CUPS or Samba, or configuration changes).

18.4. User Directory and Authentication

PaperCut NG synchronizes its user directory with the underlying operating system or network. The Linux version of PaperCut NG ships with two user directory implementations. Due to the nature of Linux, some organizations may have customized user directory implementations. PaperCut NG can support customization in this area. This section details the

user/group/authentication options available as standard, as well as how one would go about developing a customized implementation.

18.4.1. Standard Unix

The **Standard Unix** user directory provider uses standard Unix API's to enumerate user and group information. This allows group information to be defined on either the local system or via another source as configured via `nsswitch.conf`. For example, the system may be configured via `nsswitch.conf` to obtain user directory information from a centralized LDAP server or Novell's eDirectory.

User password authentication is performed via PAM. (Note: For administrators wishing to customize the PAM authentication method at the application level, PaperCut NG reports itself as "papercut".)

18.4.2. Samba/Windows Domain

If the user and group information is provided by a Windows Domain such as an NT Style Domain or Active Directory, the **Samba** option is most appropriate. This option would normally be used on networks where the printers are hosted on a Linux server and exposed to Windows users via Samba.

At the technical level, the Samba support is implemented as a set of Perl script wrappers around standard Samba commands such as `net` and `smbclient`. Administrators should ensure these Samba commands are on the `papercut` user's path.

18.4.3. Custom

Some large networks, particularly those found at established universities, may have custom user directory and authentication services not directly supported by PaperCut NG. To support these networks, administrators can use scripting and other technologies to build a new custom *User Directory Information Provider*.

PaperCut NG works by handing off user, group and user authentication tasks to a separate program/process. The external process must accept a set of commands as command-line arguments and return the answer in a tab delimited prescribed format on standard out. More information on the format can be found in Section 14.6, "Custom User Directory Information Providers". The source code for the standard PaperCut NG supplied *User Directory Information Provider* are also supplied as part of the installation, and these may prove to be a good example. The source code is provided in:

```
~/server/bin/linux-i686/src/  
~/server/bin/linux-i686/sambauserdir  
~/server/bin/linux-i686/authsamba
```

Organizations wishing to build a custom *User Directory Information Provider* are encouraged to contact the PaperCut NG development team. They will be more than happy to assist.

18.5. Unix Command-Line Release Station Client

In a modern Linux environment, the most commonly used print system is usually CUPS. PaperCut NG can be configured to integrate with CUPS to conveniently track printing. On Legacy Unix systems CUPS is often not an option and printing is performed via the Line

Printer tools such as `lp` or `lpr`. LPR/LPD is a non-authenticated printing protocol so the identity of the user associated with a print job can't be trusted. Instead, the authentication must be performed at the PaperCut NG application layer. The PaperCut NG client tool with popup authentication as discussed at Section 20.2, "Scenario Two: The Multi-User Mac with Popup Authentication" is a good option but not appropriate for a terminal-only environment. Terminal-only environments can be supported via a release station queue (see Chapter 9, *Print Release Stations* for more detail). Jobs held in a release station queue are normally accessed and released via a dedicated terminal or a web browser based interface, however for the benefit of terminal-only users, a command-line job release client is also provided.

This process is best explained using an example:

1. John uses the `lp` command to print a Postscript document from his Unix terminal session. The job arrives in the queue under the username identity "john". (Although the name can't be trusted.)
2. The administrator has enabled the PaperCut NG release station on this print queue. The job is placed into a holding state.
3. John must now authenticate, proving his identity and release the job. He chooses to do this via the command-line release station client.
4. John enters the command `release-print-job`. This command was set up by the system administrator.
5. John enters his username and password, confirms the job's name, cost and page count and releases the job for print. The following is an example of the output seen:

```
Please enter your username: john
Please enter your password:
Current balance: $8.00
18:04:13 - Name: "Configuring Linux", Pages: 2, Cost: $0.40
Print this job? [yes]
Released 1 job(s).
```

6. The job prints and John's account is charged.

Enabling the release station on a printer is a global option - it affects all jobs from all users. In some environments it may not be appropriate to have all jobs controlled via a release station - for example, jobs originating from Windows systems are already authenticated and should print directly. An alternate strategy is to have two queues for the same printer. The first queue does not use the release station option and only allows printing from authenticated workstations/users, while the other queue has the release station option enabled.

PaperCut NG managed print queues can be exposed for access via LRP/LPD using various methods. The optional Windows system component, "Print Services for Unix" can be used if the queues are hosted on a Windows system. An LPD interface is available for CUPS if the queues are hosted on Linux.



Tip

Windows system administrators can control which queues are exposed via LPR/LPD by setting printer permissions. Queues set up to explicitly *deny* per-

| mission to access from the SYSTEM account will *not* be accessible via LPR.

18.5.1. Installing the Command-Line Release Station Client

The following installation instructions assume the reader has prior Unix system administration experience.

1. Ensure that Java 1.5 or newer is installed on your system. To check, type `java -version` at the terminal. If you do not have Java 5 (1.5) or higher, please install it before continuing. Java is available for all major Unix operating systems.
2. Copy the release station files from your primary server to the system for which you wish to set up the command line release station client. These can be found in `[app-dir]/release`. If your primary server is running Windows, this folder will be shared by default (accessible via `//[server]/release`). You may be able to use tools such as Samba (`smbclient`) to help copy these files. Ensure all files in the folder are copied taking care to preserve the existing heirarchy.

The recommended location to install the release station command line client is `/usr/local/papercut/release/`.

3. Ensure that the command line release station client has execute permissions for all users. This can be achieved with the following command when in the release directory:

```
chmod 755 ./pc-release-cmd-line.sh
```

4. For convenience, an alias can be created for the command line release station client. This is typically done by entering the following line in a global profiles file, or each user's `.profile` file:

```
alias "release-print-job" = \  
"/usr/local/papercut/release/pc-release-cmd-line.sh
```

5. Users will now be able to release their print jobs by typing `release-print-job`.

It may also be useful to create a 'wrapper' for `lp` to run the command line release station client after a user has sent a print job. The following script `print-doc` provides an example:

```
#!/bin/sh  
echo "Printing document using lpr..."  
/usr/bin/lpr "$@"  
echo "Printing done, calling program to release job..."  
sleep 1  
cd /usr/local/papercut/release  
./pc-release-cmd-line.sh  
echo "Done."
```

For the convenience of users, the command line release station client should be installed

on all systems where printing from the terminal may be performed.

18.6. Removing PaperCut NG from a Linux server

PaperCut NG can be completely removed from a system with the following procedure:

- Remove all files from the `papercut` user's home directory.
- Remove the `papercut` user account and home directory.
- Remove any server start scripts matching:

```
/etc/init.d/papercut  
/etc/rc*.d/*papercut
```

18.7. Linux FAQ

18.7.1. Troubleshooting & Installation Questions

Q: How can I run the root installation tasks manually?

A: If you opt not to run the root level tasks during installation, or if they fail, they can be manually run later by running the following shell scripts as root:

```
~/server/bin/linux-i686/roottasks  
~/providers/print/linux-i686/roottasks
```

Q: I am unable to open a browser to `http://[server_name]:9191/admin`. What is wrong?

A: The first step is to check to see if the PaperCut NG is listening on the port. The command:

```
netstat -anp | grep 9191
```

should list the `pc-app` as the owner of the process on port 9191. If nothing is listed, check that the application server has started (e.g. `ps -ef | grep pc-app`).

If the server is already running, the next step is to ensure no IP filtering is applied to the port. Some Linux distributions have strict `iptables` filters enabled by default. Ensure that port 9191 is accessible from all local network systems.

Q: I would like to use a custom script to start the server. Is this possible?

A: The SYSV style start script included should work with all systems using an `/etc/rc*.d` style boot process. Some administrators may wish to replace the `app-server` with a custom script that better fits in with their Linux distributions style

guide. Administrators should consider storing this script outside the PaperCut NG install structure so it's not overwritten in any further upgrade.

Q: Can I run/install PaperCut NG under an account other than "papercut"?

A: No. At the moment the installation, and other scripts, assume the existence of a user called `papercut`. This may however change in the future. E-mail your thoughts to the development team!

Q: Is an RPM or .deb package available?

A: No. At the moment we're supplying it as a self-extracting and self-installing archive. This gives us the flexibility to support install-over-the-top for upgrades and maintain full control over the installation process. The process will also allow PaperCut NG to run and install on systems not using RPM or apt. We also plan on supporting other Unix based operating systems in the future such as FreeBSD and Solaris. The current installation method should work with all standard Linux distributions.

18.7.2. General Questions

Q: Is PaperCut NG open source?

A: PaperCut NG is not "open source" in reference to it being available under the GPL or another popular open source license. Source code is however provided to customers. As a company we are transparent in our development approach, work closely with our users, and support a number of open source projects both financially and with code submission. PaperCut NG however remains a commercial application with commercial support at the current time.

Chapter 19. Print Authentication & Cross-Platform Networks

Modern large multiuser networks, like those typically seen in Higher Education, are made up of mix of operating systems, authentication methods, print protocols and disparate networks. This heterogeneous mix poses problems for system administrators working towards a unified and centralized print management system. PaperCut NG sports an array of tools to help administrators meet their unification goals. PaperCut NG's flexibility is however a double-edged sword and the multitude of options also bring complexity. This section discusses cross-platform support in detail, and hopes to arm the reader with the knowledge needed to make the correct architecture decisions. Solutions are presented as "recipes" with the aim of directing the reader to appropriate procedures and other chapters.

The objectivity of a centralized and unified PaperCut NG system in its simplest form is to offer all users, irrespective of their operating system or access method, access to the full array of features in a secured and authenticated way. PaperCut NG offers cross-platform client software providing end-user features on all major operating systems, however the need for secured and authenticated access adds an extra, somewhat complex dimension.

19.1. About Authentication and Printing

19.1.1. What is authentication?

Authentication in a printing environment is the act of confirming the digital identity of the person who issued a print job. Knowledge of the user's identity allows PaperCut NG to offer the user access to functions such as allocating the cost of a job to their account, or offering them access to shared accounts. In a Window domain environment, authentication is handled at the point of login using a username and password. A web-of-trust is then established between servers and services.

19.1.2. Why does authentication pose a problem?

There are three common scenarios that cause authentication issues:

1. Generic, common, or shared user accounts.
2. Systems that auto-login as a set user.
3. Unauthenticated print queues or print protocols.

Generic or shared login accounts are seen in some computer lab and network environments. In these environments administrators ask users to log into selected systems using standard user names such as "student" or "user". This practice is particularly common on the Apple Mac operating system as a single login helps streamline system and application management. The use of the Window auto-login feature also poses a similar problem - authentication is not enforced at the time of system startup. An extra layer of authentication is required on these systems to correctly identify the person that performs printing.

Unauthenticated print queues also pose problems in cross platform environments. In an ideal world all computers would talk the same protocols and happily work together in a single centrally authenticated environment. We can come close to this goal in a 100% Microsoft Windows environment, however if we mix in Unix, Linux and Mac, it's a different story. Although initiatives such as CUPS (Common Unix Printing System) and the Internet

Printing Protocol (IPP) offer some hope, unification in the area of authenticated printing is still some way off. Unfortunately technical reasons often prevent networks from using CUPS authentication or exclusively using the authenticated Microsoft printing protocol.

19.1.3. How does PaperCut NG address authentication?

If technical reasons prevent authentication at the print queue level, PaperCut NG provides a number of alternate authentication mechanisms.

19.1.3.1. Popup Authentication (IP session based authentication)

This method involves associating the workstation's IP address with a user for a specified period of time - a session. Any print jobs arriving from this IP address are deemed to be associated with this user. Authentication is provided by the PaperCut NG client software in the form of a popup dialog requesting a username and password. Data is transmitted to the server via an SSL encrypted connection. Popup authentication is not appropriate for server based operating systems that may support multiple users at the same time - for example, Unix SSH, Telnet or X terminal servers.




Figure 19.1. PaperCut NG client requesting authentication

More information on popup authentication can be found in Section 6.8, "Popup Authentication".

19.1.3.2. Release Station Authentication

Release stations work by placing print jobs in a holding queue. Users must authenticate at a release station before being given access to release their job. A release station normally takes the form of a dedicated terminal located next to the printer(s), however the holding queue may also be accessed via a web browser or even a Unix based command-line client. The act of a user releasing a job causes it to be charged to their account. Release stations do not use session based authentication and hence can be used in a multi-user Unix terminal environment.

More information on setting up and using release stations is discussed in Chapter 9, *Print Release Stations*.

19.2. The Authentication Cookbook - Recipes by example

This section discusses various solutions to the "authentication problem" in recipe style. The aim is not to provide detailed step by step instructions, but rather guide the user to the rel-

evant procedures and chapters in other parts of the manual.

19.2.1. Windows systems with generic logins

This scenario arises either when users log into systems using a common username such as `user` or `student`, or if the workstations auto-login as a generic user. See introduction for details.

19.2.1.1. Preferred Method:

- Ensure all users have an account (username and password) on the server (or domain) hosting the PaperCut NG software.
- Install client software on all systems. See Section 4.2, “User Client” for more detail.
- Enable popup authentication by selecting the **Unauthenticated** option on the corresponding generic user account.
- See Section 6.8, “Popup Authentication” for more detail.

19.2.1.2. Other Methods:

1. Use release station in “Release Any” mode. See Chapter 9, *Print Release Stations*.
2. Consider implementing domain level logins.

19.2.2. Windows laptops that do not authenticate against a domain

Portable systems may spend most of their time outside the organization's network and hence setting up domain authentication may not be desirable. The laptops/notebooks are often owned by a single individual and are not under the control of a central administrator.

19.2.2.1. Preferred Method:

- Teach the user how add their domain username and password to their **Stored user-names and passwords**:
 1. **Start** → **Control Panel** → **User Accounts**
 2. Select the user's laptop login account
 3. Click Manage my network passwords
 4. Click **Add**
 5. Enter the name of the server and the user's network domain username and password
- Teach the user how to add a network printer in the form `\\server\printer`.
- *Optional*: Locally install client software using the `client-local-install.exe` install program. This is located on the `\\Server\PCClient\win` share. At the end of the install process the client will open asking the user to confirm their network identity. See Section 4.2, “User Client” for more detail.

19.2.2.2. Alternate Method:

- Add a generic "LaptopUser", or "guest" user account to the domain. Make the password known to all users (e.g. password).
- Set the unauthenticated option on this user (enable popup authentication).
- Locally install client software using the `client-local-install.exe` install program. This is located on the `\\Server\PCClient\win` share. At the end of the install process the client will open asking the user to confirm their network identity. See Section A.5, "User Client Options" for details.
- Teach the user how to add a network printer pointing to `\\server\printer`.
- See the preceding scenario for more detail.

19.2.2.3. Other Methods:

1. Use release station (enabled globally at the print queue level). See Chapter 9, *Print Release Stations*.
2. Consider configuring laptops to use domain authentication.

19.2.3. Windows print server using LDAP or eDirectory authentication

The Microsoft Windows operating system does not play well in non Active Directory domain environments such as LDAP or eDirectory. Although it is possible to configure a Windows print server on any network, Windows does not normally provide the ability to use LDAP as an authentication source. Jobs will either list under a local Windows user identity or a guest account. PaperCut NG's popup authentication, bound to LDAP, can be used to work around this limitation.

19.2.3.1. Preferred Method:

- Set up the Windows server and install and share printers.
- Set printer permission to allow printing from a general "guest" type account. This will usually take the form of the built-in guest account, or a local account with a known username and password (e.g. `printuser`).
- Configure printers on each workstation. Ensure all workstation users can print and jobs list in the print queue under the guest account configured in the previous step.
- Install the PaperCut NG software. Select the LDAP server as your user/group source. PaperCut NG will then use this source for the user list and authentication. See Section 10.2.4, "Using LDAP for user synchronization" for more information about LDAP.
- Set the **Unauthenticated** option on each printer (print queue). This will enable popup authentication. See Section 6.8, "Popup Authentication" for more information.
- Install client software. See Section 4.2, "User Client" for more detail.

19.2.3.2. Other Methods:

1. Use release station. See Chapter 9, *Print Release Stations*.

19.2.4. Mac OS X systems with generic user accounts

Mac OS X workstations in a lab environment are often set up so users log in using a common, generic, or standard account. For example, "macuser" or "student".

19.2.4.1. Preferred Method:

- Install client software. See Section 4.2, "User Client" for more detail.
- Add a domain/network user account that matches the generic login account (i.e. "macuser"). This ensures that account will list in PaperCut NG.
- Set the **Unauthenticated** option on the "macuser" account.
- Add the printer(s) so jobs list under the "macuser" account. If the print queues are hosted on Windows, add the printer using Samba. (e.g. A DeviceURI like `smb://macuser:password@servername/printer`). See Chapter 20, *Mac Printing in Detail* for an explanation on how to add a printer using this method.

19.2.4.2. Other Methods:

1. Use release station (enabled globally at the print queue level). See Chapter 9, *Print Release Stations*.
2. Consider setting up domain-level authentication.

19.2.5. Mac OS X systems using domain authentication via Open Directory

Mac systems can be configured to authenticate users via a central Mac OS X server running Open Directory. Each user has their own login account.

19.2.5.1. Preferred Method:

- Set up print queues on the Mac OS X Server.
- Set up PaperCut NG on the server either as a primary server, or as a secondary server reporting to another primary server (either Mac, Linux or a Windows system). See Section 1.4, "Quick Start Guide - Phase I - Installation".
- Add printers to each Mac workstation. Ensure the local printers point to the shared print queue set up on the server.
- *Optional:* Install client software as discussed in Section 4.2, "User Client".

19.2.5.2. Other Methods:

1. Use release station (enabled globally at the print queue level). See Chapter 9, *Print Release Stations*.
2. Set up print queues on a Windows system and use popup authentication - see next recipe.

19.2.6. Mac OS X systems using domain authentication via Windows Active Directory

Mac systems can be configured so users log in using their Windows Active Directory domain username and password. The Mac Windows printer support using Samba/SMB

however requires printers to be added using a single username and password and this is shared by all users. For this reason an extra layer of authentication is required.

19.2.6.1. Preferred Method:

- Host printers and the PaperCut NG system on the Windows server.
- Ensure the print server is running in **Mixed mode** or **Pre-Windows 2000 Compatibility Mode**. Macs currently have problems with `Native Mode` networks.
- Add a domain/network user account that matches the generic login account (i.e. "macuser"). This ensures that the `macuser` account will appear in PaperCut NG's user list.
- In PaperCut NG, turn on the **Unauthenticated** option on the "macuser" account to enable popup authentication. Also ensure that the account has zero balance and is restricted.
- Add the printer(s) so jobs list under the "macuser" account. If the print queues are hosted on Windows, add the printer using Samba. (e.g. A `DeviceURI` like `smb://macuser:password@servername/printer`). See Chapter 20, *Mac Printing in Detail* for an explanation on how to add a printer using this method.
- Install client software as discussed in Section 4.2, "User Client".

19.2.6.2. Other Methods:

1. Use LPR as a connection method. See Section 20.3, "Scenario Three: Multi-user Macs using LDAP or Active Directory authentication" in detail.
2. Use release station (enabled globally at the print queue level). See Chapter 9, *Print Release Stations*.
3. Host printers on a Mac Server (see the previous recipe).

19.2.7. Mac OS X laptops (or single user systems) printing to Windows print queues

Mac systems that are owned/used by a single user can benefit from having the printers added in such a way in that they automatically authenticate under their identity.

19.2.7.1. Preferred Method:

- Teach users how to add printers using the method described in Section 20.1, "Scenario One: My Own Mac (Single User)".
- Locally install client software and use `config.properties` file option,

```
user=[username]
```

to force the client to display their domain user identity. See Section A.5, "User Client Options" for an explanation of client configuration options.

19.2.7.2. Other Methods:

1. Use release station (enabled globally at the print queue level). See Chapter 9, *Print Release Stations*.

19.2.8. Linux Workstations in a lab environment with printers hosted on a Windows server

Linux workstations typically use the CUPS print system. CUPS, through the use of Samba, can print directly to Windows print queues.

19.2.8.1. Preferred Method:

- Ensure the system is configured to deny remote shell access to standard users - that is, only allow direct screen/console access. This ensures the system's IP address can be associated with a single user providing a suitable environment for popup authentication.
- Ensure the print server is running in **Mixed mode** or **Pre-Windows 2000 Compatibility Mode**. Some Linux distributions currently have problems with `Native Mode` networks.
- Add a domain/network user account that matches the generic login account (i.e. "linuxuser"). This ensures the "linuxuser" account will appear PaperCut NG's user list.
- In PaperCut NG, turn on the **Unauthenticated** option on the "linuxuser" account to enable popup authentication. Also ensure that the account has zero balance and is restricted.
- Add the printer(s) so jobs list under the "linuxuser" account. If the print queues are hosted on Windows, add the printer using Samba. (e.g. A `DeviceURI` like `smb://linuxuser:password@servername/printer`). Please refer to the CUPS or distribution documentation to read more how to add a CUPS printer using an `smb` backend.
- Install client software as discussed in Chapter Section 4.2.1.3, "Deployment on Linux and Unix". If users login to the workstations using a username that matches their Active Directory password, no additional client configuration is required. If users log in using a generic or non-matching account, use command-line options or the `config.properties` file to force the client to display under the user's domain identity. See Section A.5, "User Client Options" for more information.

19.2.8.2. Other Methods:

1. Use release station (enabled globally at the print queue level). See Chapter 9, *Print Release Stations*.
2. Host printers on a CUPS server running on Linux.
3. Install "Print Services for Unix on the Windows server" and use a LPR rather than CUPS (or CUPS with an LPR backend).

19.2.9. Linux Workstations in a lab environment with printers hosted on Linux CUPS server

Many network administrators running Linux labs may be most comfortable hosting the printers on a Linux server running CUPS. For convenience, CUPS is set up without authentication.

19.2.9.1. Preferred Method:

- Set up CUPS print queues on a Linux server.
- Ensure each user has an account on this system (or the domain depending on PaperCut NG's selected user list source)
- Set up PaperCut NG on the server either as a primary server, or as a secondary server reporting to another primary server (either Mac, Linux or a Windows system). See Section 1.4, "Quick Start Guide - Phase I - Installation".
- Set the **Unauthenticated** option on each printer (print queue). This will enable popup authentication. See Section 6.8, "Popup Authentication".
- Ensure the system is configured to deny remote shell access to standard users - that is, only allow direct screen/console access. This ensures the system's IP address can be associated with a single user providing a suitable environment for popup authentication.
- Install client software as discussed in Section 4.2, "User Client".

19.2.9.2. Other Methods:

1. Use release station (enabled globally at the print queue level). See Chapter 9, *Print Release Stations*.
2. Use CUPS Authentication.

19.2.10. Linux laptops (or single user systems)

Modern Linux laptops will make use of the CUPS print system. This environment is equivalent to the Mac laptop recipes described above.

19.2.11. Multiuser Unix terminal servers

Unix or Linux systems allowing remote SSH, Telnet, VNC, or X connections differ from the other scenarios discussed above. These systems can not use the popup authentication as it is not possible to uniquely identify a user from the system's IP address. The only secure option is to use the release station.

19.2.11.1. Preferred Method:

- Setup PaperCut NG on your preferred server - this does not need to be the multiuser terminal system itself. It could be another Windows or Linux server.
- Ensure PaperCut NG sources its user list from the same source as that used by the multiuser terminal server - most likely an LDAP server.
- Enable the release station option on all printers that will be accessed via users of the multiuser terminal system. Important: Enabling the release station option may be incompatible with objectives of other operating systems so it may be appropriate to set up a separate set of print queues. See Further Recommendations below for more detail.
- Set up a release station. This commonly takes the form of a dedicated terminal located near the printers, however other options worth considering using the PaperCut NG end-user web interface to release jobs, or the release station command-line client. See Chapter 9, *Print Release Stations* for details.

- Instruct users on how to use the release station.

19.2.11.2. Other Methods:

1. No alternate methods.

19.2.12. Further Recommendations

1. Decide on an authentication method and use it consistently throughout the organization and network. For example, using popup authentication on some systems and release stations on others may pose confusing. Try to offer a consistent user experience.
2. Where possible, configure workstations to communicate with the server using the server's native print protocol. For example, use SMB or standard Windows printing when printing to a Windows server, and Internet Printing Protocol (IPP) when printing to a CUPS server. Servers are most reliable when talking their own language!
3. Consider the scope of any configuration change. For example, enabling popup authentication or release station on a print queue will affect ALL users of that printer. For example it may be desirable to ask Linux users to use the release station, however this may be regarded as an inconvenience for Windows users. In these cases, it may be advantageous to set up two print queues for each physical printer - the first queue without release station enabled for Windows users and the other with the release station option enabled for Linux users.

Chapter 20. Mac Printing in Detail

PaperCut NG is a multi-user application designed to integrate with an authenticated network. The Macintosh system has a long history. It's grown up from a single-user desktop heritage and is now based on a full multi-user Unix kernel. However, some "single-user-isms" remain, and these can pose challenges for Administrators. One area in particular is remote printer configuration and credential management.



Figure 20.1. PaperCut Client on Mac OS X

When a network printer, for example a shared Windows printer, is added to a Macintosh system, the **Printer Setup Utility** requests printer access credentials in the form of username and password. Any user that prints to this printer uses these supplied credentials. This means that on the print server, all jobs originating from this Mac system list with supplied username irrespective of who's actually using the Mac.

This chapter discussed some of the multi-user challenges and their solutions.

Macs can be set up to work with PaperCut NG in a number of configurations or scenarios. There is no "one best" set up. The ideal solutions will vary from network to network and will depend on factors like:

- Your existing network configuration.
- The mix and makeup of operating systems used on the network.
- The underlying directory technologies (Active Directory, LDAP, etc.) if used.
- Whether Macs are used by a single owner or multiple users.

The following sections outline common set up scenarios and their pros and cons. Your solution may fit one of these scenarios or may be composed of a combination.

20.1. Scenario One: My Own Mac (Single User)

Many networks, particularly those in a business environment, have a dedicated desktop system for each user. This allows the desktop system's global settings to be customized for the user. Common examples include:

- Dedicated computers used in a business
- Staff laptops or desktops used in education

20.1.1. Requirements

- Printers hosted and shared from a Windows or Linux server.

- Mac systems used by a single user (or small group of known users).
- Each user has a domain account and password.
- The username associated with the account on the Mac matches the domain username (either the account used to login, or the account set up as the automatic log in account).
- Running Mac OS X 10.3 or higher.

20.1.2. Installation

Check the user account information:

1. Start up the Mac and ensure the system is connected to the network.
2. From the **Apple Menu** select **System Preferences...**
3. Select **Accounts**
4. Click **MyAccount**.
5. Ensure that the **Short name** associated with the account matches the user's domain account username. If not, create a new working account as appropriate.

Set up the printers that the user requires access to:

1. Open the **Printer Setup Utility** from **Applications -> Utilities**.
2. Click the **Add** button to add a new printer.




Figure 20.2. Add a printer

3. Option-Click **More Printers....** (Important: Hold the Option key down)
4. Select **Advanced** from the top drop-down list.




Figure 20.3. Option-click for advanced printer addition types

5. Select a **Device of Windows Printing via Samba**.
6. In **Device name**, enter a friendly and informative printer name.
7. Enter a **Device URL** in the form:

`smb://username:password@server_name/printer_name`

Where `username` and `password` are the user's domain account login details. `server_name` is the name of the server hosting the printer, and `printer_name` is the printer's share name.



Figure 20.4. Windows printer via SAMBA

8. Select the **Print Model** to install and configure drivers.

9. Click the **Add** button.
10. Test print and ensure jobs are logged in PaperCut NG under the user's network identity.

To install the PaperCut NG client software:

1. Open the **Finder** and select **Go -> Connect to Server...**




Figure 20.5. Connecting to a Windows server

2. Enter `smb://servername/pcclient` where `servername` is the name of the server hosting PaperCut NG.




Figure 20.6. The PCClient share's connection string

3. Drag the `PCClient` application across to the local **Applications** directory.
4. Open **System Preferences...** from the **Apple** menu.
5. Select **Accounts**.
6. Click the **Login items** tab.
7. Click the **+** button and select the newly installed `PCClient` application.




Figure 20.7. Add PCClient as a Login Item

8. Restart the system and ensure the client starts upon login.

20.2. Scenario Two: The Multi-User Mac with Popup Authentication

Schools and universities often have Macs available for student use in dedicated computer labs. In these environments the Macs are shared by many users and Scenario One is not appropriate. Larger Mac networks already using LDAP or Active Directory authentication, or planning on doing so, may wish to consider Scenario Three explained in the next section.




Figure 20.8. Mac popup authentication dialog requesting username and password

Scenario Two uses a popup authentication model. This is discussed in detail in Section 6.8, “Popup Authentication” and discussed further below:

The end-user's perspective:

1. The user sees the client tool (PCClient) running.
2. When the user prints a job, the client pops up a window requesting the user to enter a username and password. See Section 6.8, “Popup Authentication”.
3. The user enters a domain username and password.
4. If the credentials are valid, the job is charged to the user account.

The explanation:

1. The print event is performed as a generic user - for example "macuser", "student", etc.
2. In PaperCut NG, the "macuser" account is set up to use popup authentication by enabling the option **Unauthenticated user**. See Section 6.8, "Popup Authentication" for further details.
3. The popup requests the user to enter a username and password.
4. The password is authenticated and printing is charged against the supplied account.

20.2.1. Requirements

- Printers hosted and shared off a Windows, Mac or Linux server.
- Mac systems set up to login under a generic account name. (e.g. macuser, student, etc.)
- The domain contains a user account matching the generic account.

20.2.2. Installation

Domain account set up:

1. Log onto the print server or the domain controller.
2. Open **Active Directory Users and Computers** (or equivalent user management tool) from **Start -> Administrative Tools**.
3. Add a new domain user called `macuser`.
4. Define a password for `macuser` and set the password to never expire.

Mac account set up:

1. Start up the Mac and ensure the system is connected to the network.
2. From the **Apple** menu select **System Preferences...**
3. Select **Accounts**.
4. Create an account called `macuser`. Ensure the account's short name is `macuser`.
5. Set this account as the automatic login account, or alternatively make the password known to all users.

Set up the printers that the user requires access to:

1. Open the **Printer Setup Utility** from **Applications -> Utilities**.
2. Click the **Add** button to add a new printer.




Figure 20.9. Add a printer

3. Option-Click **More Printers...** (Important: Hold the Option key down).
4. Select **Advanced** from the top drop-down list.




Figure 20.10. Option-click for advanced printer addition types

5. Select a **Device of Windows Printing via Samba**.
6. In **Device name**, enter a friendly and informative printer name.
7. Enter a **Device URL** in the form:

```
smb://macuser:password@server_name/printer_name
```

Where `password` is the password for the `macuser` domain account, `server_name` is the name of the server hosting the printer, and `printer_name` is the printer's share name.




Figure 20.11. Windows printer via SAMBA

8. Select the **Print Model** to install and configure drivers.
9. Click the **Add** button.
10. Test print and ensure jobs are listing in the print queue under the `macuser` identity.

To install the PaperCut NG client software:

1. Start and Log into the Mac computer. Ensure it's connected to the network.
2. Open the **Finder**.
3. From the **Go** menu, select **Connect to Server...**




Figure 20.12. Connecting to a Windows server

4. Enter the pcclient share's connection details like:

```
smb://server_name/pcclient
```

Where `server_name` is the name of the server hosting the PaperCut NG server software.




Figure 20.13. The PCClient share's connection string

5. Enter password information if requested.
6. Drag the PCClient package over to the local hard disk's global **Applications** folder. The copy process will commence.




Figure 20.14. Command-click and open the package

7. Command-click on the newly copied PCClient application in the **Applications** directory. Select **Open Package Contents**.
8. Browser to Contents/Resources/.
9. Double-click on the `install-login-hook.command` script.




Figure 20.15. Double-click to install the login hook

10. Restart the system and verify the client starts on login.

Configure the popup settings:

1. Log on to PaperCut NG's administration interface as built-in `admin` user.
2. Select the `macuser` account from **Users**.
3. On the `macuser`'s details screen, set the account balance to zero.
4. Ensure the user is set to **Restricted**.
5. Check the **Unauthenticated** option and save the changes.




Figure 20.16. Turning on popup authentication at the user level

6. Click the **Apply** button to save the changes.

Testing:

1. Log on to a Mac. Verify that the `PCClient` program starts automatically.
2. Print to the newly set up printer. On the server's print queue the job appears under the user identity of `macuser`.
3. The popup should display on the Mac. Enter a valid domain username and password.




Figure 20.17. PaperCut NG client requesting for authentication (Sorry: Windows screen-shot!)

4. The corresponding user should be charged for the job.

20.3. Scenario Three: Multi-user Macs using LDAP or Active Directory authentication

Larger networks often run the Macs in a domain environment either authenticating with an Active Directory or an LDAP network. In an authenticated domain environment, the identity of the user (the user's username) is known and verified at the time of login. With the help of the TCP/IP Printing Services for Microsoft Windows, and the LPR/LPD support on the Mac, print jobs can be identified on the server and associated with the user's login name. This avoids the need for the popup authentication used in Scenario Two.

20.3.1. Requirements

- Macs set up in multi-user mode authenticating off a domain. Either Active Directory or LDAP.
- Printers hosted on a Windows print server.
- The server needs the TCP Printing Services installed (also known as Print Services for Unix).

20.3.2. Installation

On the server hosting the printers, setup TCP/IP Printing:

1. Log into the server as a system administrator.
2. Select **Control Panel** → **Add Remove Programs**.
3. Click on **Add/Remove Windows Components**.
4. Select **Other Network File and Print Services**




Figure 20.18. Windows Component: Other Network File and Print Service

5. Click **Details...** and ensure **Print Services for Unix** is selected.
6. Click **Next** to complete the installation.



Tip

Some systems running firewall software may block LPD printing. On systems running firewall software, ensure that incoming connections from the local network are allowed on port 515.

On each Mac, add the required printers:

1. Open the **Printer Setup Utility** from **Applications -> Utilities**.
2. Click the **Add** button to add a new printer.




Figure 20.19. Add a printer

3. Click the **IP Printing** button at the top toolbar.
4. From the **Protocol** dropdown, select **Line Printer Daemon - LPD**.
5. Enter the IP address of the server hosting the printers in the **Address** field.
6. Enter the printer's share name in the **Queue** field.




Figure 20.20. Adding an LPR/LPD printer

7. Define a user friendly name in the **Name** field and select the printer type.
8. Click the **Add** button.
9. Repeat for other printers as necessary.

To install the PaperCut NG client software:

1. Open the **Finder**.
2. From the **Go** menu, select **Connect to Server...**




Figure 20.21. Connecting to a Windows server

3. Enter the pclient share's connection details like:

```
smb://server_name/pcclient
```

Where `server_name` is the name of the server hosting the PaperCut NG server software.




Figure 20.22. The PCClient share's connection string

4. Enter password information if requested.
5. Drag the `PCClient` package over to the local hard disk's global **Applications** folder. The copy process will commence.
6. Control-click on the newly copied `PCClient` application in the **Applications** directory. Select **Show Package Contents**.
7. Browse to `Contents/Resources/`.
8. Double-click on the `install-login-hook.command` script.




Figure 20.23. Double-click to install the login hook

9. Restart the system and verify the client starts on login.

Testing:

1. Restart the system and ensure the client starts on login and lists the user's account balance.
2. Ensure print jobs correctly account under the user's PaperCut NG account.

20.4. Scenario Four: Mac OS X Server

If the printers used by Mac clients are hosted/shared from a Mac server system (or Mac workstation system acting as a server), then the preferred solution is to install PaperCut NG's Mac server software. The Mac server may either be set up as the primary server or as a secondary server reporting back to an existing primary server.

The Macintosh server support and initial setup is documented in Section 1.4, "Quick Start Guide - Phase I - Installation".

20.5. Additional information and tips

The client install process is also covered in Section 4.2, "User Client". After the first Mac is set up and the printing process is tested, the simplified client install notes covered in Section 4.2.1.2, "Deployment on Mac OS X" may be appropriate to provide to end-users or other system administrators.

The Mac client makes use of Java. Users running Mac OS X 10.4 are advised to install Java 5.0. Java 5.0 is installed by default on Mac OS X 10.4.5 and higher. Java 5.0 for earlier Mac OS versions is available as a `dmg` from the Apple website. Java 5.0 contains new features that allow the client to display popups in an always-on-top mode above all other application windows.

Mac client can accept command line options as explained at Table A.2, "User Client command-line options". If the client is started via the login hook, the command-line options can be defined in the file:

```
/Applications/PCClient.app/Contents/Resources/login-hook-start
```

Look for the line starting with `client_args` and the associated comments above.

Chapter 21. Running in a Workgroup Environment

A workgroup environment differs from a network domain model. In the domain model, users authenticate using a common username/password as defined in a central server. Users can typically access and use any PC on the network by using their username and password. In a workgroup, the PC's are loosely coupled and user identity is validated locally rather than centrally. The PC's are either set up to automatically log in as a general "user", or user accounts are set up on the PC's as required.

For systems running Windows XP Home, 'simple file sharing' cannot be disabled, forcing client machines to try to authenticate as the Guest user. For this reason, we do not recommend the use of Windows XP Home in multi-user environments.

Users may still authenticate with PaperCut NG on Windows XP Home by entering their details into the User Client utility. This is similar to how user authentication is performed with Mac clients. For more information see Section 21.2, "Option 2: Authenticating via popup".

PaperCut NG offers a number of options for running and authenticating users in a workgroup. The two common options are:

21.1. Option 1: Common username and passwords on all systems

This option is suitable for networks running Windows 2000 or Windows XP Pro.

1. Nominate a system to host the printers and the PaperCut NG server software.
2. Set up the printers and share with appropriate names.
3. Windows XP only: Turn off simple file sharing by opening Windows Explorer, select **Tools** → **Folder Options...**, and un-ticking the appropriate option on the **View** tab.




Figure 21.1. Turn off simple file sharing

4. On the nominated host system, ensure that the `Guest` account is disabled. To do this on a system running Windows XP:
 - a. Open the `Local Users` screen: **Start** → **Control Panel** → **Administrative Tools** → **Computer Management** → **Local Users and Groups** → **Users**
 - b. Right-click on the `Guest` user and select **Properties**.
 - c. On the **General** tab, check **Account is disabled**.
 - d. Press the **OK** button.This should also be performed for any system running a release station.
5. On the nominated host system, set up user accounts for all users. This can be done via under **User Accounts** in the **Windows Control Panel**.
6. Set permission on the printer so only these users can access the printer shares (i.e. don't allow guest).
7. Install the PaperCut NG server software and complete the configuration wizard.
8. Instruct each user to log onto their workstation using an account with the same username and password as set up for them on the nominated host system. This will ensure that their jobs list in the queue under their username.

21.2. Option 2: Authenticating via popup

Option 1 may not be appropriate for some environments. For example, Windows XP Home edition has a limitation that ensures that all users list as "guest" when printing to a remote printer. This limitation can be worked around with popup authentication.

1. Nominate a system to host the printers and the PaperCut NG server software.
2. Windows XP only: Turn off simple file sharing by opening Windows Explorer, select **Tools** → **Folder Options...**, and un-ticking the appropriate option on the **View** tab.




Figure 21.2. Turn off simple file sharing

3. On the nominated host system, ensure that the `Guest` account is disabled. To do this on a system running Windows XP:
 - a. Open the `Local Users` screen: **Start** → **Control Panel** → **Administrative Tools** → **Computer Management** → **Local Users and Groups** → **Users**
 - b. Right-click on the `Guest` user and select **Properties**.
 - c. On the **General** tab, check **Account is disabled**.
 - d. Press the **OK** button.This should also be performed for any system running a release station.
4. On the nominated system, set up user accounts for all users.
5. Install the PaperCut NG server software and complete the configuration wizard.
6. Print from another workstation. The job should list in PaperCut NG under the user "guest".
7. In the PaperCut NG admin interface, enable the **account selection popup** and turn off the **Allow user to charge to their personal account** option and enable the **Allow user to perform printing as another user**.




Figure 21.3. Enable perform printing as other user

8. Install the client software on each workstation. See Section 4.2, "User Client".
9. When the user prints to the shared printer, a popup will now ask users to enter their username and password.

Appendix A. Tools (Advanced)

This appendix outlines the command line tools and advanced programming tools that come with PaperCut NG. Using these tools has been discussed throughout this manual, however this provides a reference guide to these tools and their use.



Caution

The advanced tools provided with PaperCut NG are very powerful and offer opportunities for all manner of customizations and enhancements. However, if used incorrectly, these tools could lead to unexpected results. Many of the advanced tools are written for software and script developers. It is expected that readers intending to use advanced tools are comfortable with using the command-prompt, and developing system management and server monitoring programs.

A.1. Server Commands (server-command)

The `server-command` tool provides access to dozens of server operations ranging from user management, system maintenance, account manipulation and printer control. The `server-command` tool is ideal for controlling the PaperCut NG *Application Server* via the command-line or automating via scripts.

Some examples of how an Administrator may choose to use the `server-command` tool:

- Scheduling of online backups and data snapshots.
- Scheduling user and/or group synchronization tasks.
- Automating the addition of new users after the accounts are added to the network.
- Performing account transactions such as adding funds/quota to user accounts.
- Automating user account creation using custom scripts.
- Disabling/Enabling printers.
- Disabling/Enabling printing for users.
- Controlling user restriction levels.
- Managing shared accounts.

The `server-command` program is a command-line tool. It accepts the commands as arguments and outputs the results of the command on the console (standard-out). For security reasons only users with read access to the `server.properties` (normally only the Administrators group) have rights to execute the commands.

Typical use on a Windows system:

Add \$10.00 to a user named 'testuser':

```
C:\> cd [app-dir]\server\bin\win
C:\> server-command adjust-user-account-balance "testuser" 10.00 \
    "Added $10.00 to your account"
```

Note: backslash indicates text should be on the same line.

A.1.1. Available Commands

A full list of commands is available via `server-command --help`.

Usage: `server-command COMMAND [ARGS...]`

COMMAND : The server command name.
ARGS : A list of arguments to supply to the command.

COMMANDS:

```
user-exists <username>
  Test to see if a user exists.
  <username> - the username to test.

get-user-account-balance <username>
  Get a user's current account balance.
  <username> - the user's username.

get-user-property <username> <property>
  Gets a user property.
  <username> - the name of the user.
  <property> - the name of the property to get. Valid properties include:
    balance - the user's current account balance
    card-number - the user's card number
    department - the user's department
    disabled-net - whether or not the user's internet access is
                  currently disabled
    disabled-print - whether or not the user's printing is currently
                   disabled
    email - the user's email
    full-name - the user's full name
    notes - notes for the user
    office - the user's office
    print-stats.job-count - the total print job count for the user
    print-stats.page-count - the total printed page count for the user
    restricted - whether or not the user is currently restricted

set-user-property <username> <property> <value>
  Sets a user property.
  <username> - the name of the user.
  <property> - the name of the property to set. Valid properties and
              values include:
    balance - the user's current account balance (a decimal number)
    card-number - the user's card number (any text)
    department - the user's department (any text)
    disabled-net - whether or not the user's internet access is
                  currently disabled (TRUE or FALSE)
    disabled-print - whether or not the user's printing is currently
                   disabled (TRUE or FALSE)
    email - the user's email (an email address, or any text)
    full-name - the user's full name (any text)
    notes - notes for the user (any text)
    office - the user's office (any text)
    restricted - whether or not the user is currently restricted
                (TRUE or FALSE)
  <value> - the value to set (see <property> for valid values).

adjust-user-account-balance <username> <adjustment> <comment>
  Adjust a user's account balance.
  <username> - the user's username.
  <adjustment> - the adjustment amount as a number. +ve or -ve.
```


<username> - the user's system username.

rename-user <current_username> <new_username>
Rename the given existing user. Use this method with care. Renaming a user should be performed in conjunction with renaming the user in the OS/Network/Domain.
<current_username> - the name of the user to rename.
<new_username> - the user's new name.

delete-existing-user <username>
Delete a user account from the system. Use this method with care. Calling this will permanently delete the user account from the user list (print history records remain).
<username> - the user's system username.

list-user-accounts
List the names of all the user accounts in the system, sorted by username, one per line.

shared-account-exists <account_name>
Test to see if a shared account exists.
<account_name> - the shared account name to test.

get-shared-account-account-balance <account_name>
Get shared account's current account balance.
<account_name> - the shared account's full name.

get-shared-account-property <account_name> <property>
Gets a shared account property.
<account_name> - the name of the user.
<property> - the name of the property to get. Valid properties include:
 access-groups - the shared account's access groups
 (a comma separated list)
 access-users - the shared account's access users
 (a comma separated list)
 balance - the shared account's current balance
 comment-option - the shared account's commenting option
 disabled - whether or not the shared account is currently disabled
 invoice-option - the shared account's invoicing option
 notes - notes for the shared account
 pin - the shared account's PIN
 restricted - whether or not the shared account is currently restricted

set-shared-account-property <account_name> <property> <value>
Sets a shared account property.
<account_name> - the name of the shared account.
<property> - the name of the property to set. Valid properties and values include:
 access-groups - the shared account's access groups
 (a comma separated list)
 access-users - the shared account's access users
 (a comma separated list)
 balance - the shared account's current balance (a decimal number)
 comment-option - the shared account's commenting option. One of:
 NO_COMMENT - no comment may be entered
 COMMENT_REQUIRED - a comment must be entered
 COMMENT_OPTIONAL - the user may enter a comment or not
 disabled - whether or not the shared account is currently disabled
 (TRUE or FALSE)
 invoice-option - the shared account's invoicing option. One of:
 ALWAYS_INVOICE - print jobs will always be invoiced

Tools (Advanced)

NEVER_INVOICE - print jobs will never be invoiced
USER_CHOICE_ON - the user can choose (default on/yes)
USER_CHOICE_OFF - the user can choose (default off/no)
notes - notes for the shared account (any text)
pin - the shared account's PIN (any text, must be unique)
restricted - whether or not the shared account is currently
restricted (TRUE or FALSE)
<value> - the value to set (see <property> for valid values).

adjust-shared-account-account-balance <account_name> <adjustment> <comment>
Adjust a shared account's account balance.
<account_name> - the shared account's full name.
<adjustment> - the adjustment amount as a number. +ve or -ve.
<comment> - a comment to be associated with the transaction.

set-shared-account-account-balance <account_name> <balance> <comment>
Set a shared account's balance to a set value.
<account_name> - the shared account's full name.
<balance> - set the account to this value. +ve or -ve.
<comment> - a comment to be associated with the transaction.

add-new-shared-account <shared_account_name>
Add a new shared account.
<shared_account_name> - the name of the shared account.

delete-existing-shared-account <shared_account_name>
Delete a shared account from the system. Use this method with care.
Calling this will permanently delete it from the shared account list
(print history records will remain).
<shared_account_name> - the name of the shared account to delete.

add-shared-account-access-user <shared_account_name> <username>
Allow the given user access to the given shared account without using
a pin.
<shared_account_name> - the name of the shared account to allow access
to.
<username> - the name of the user to give access to.

add-shared-account-access-group <shared_account_name> <group_name>
Allow the given group access to the given shared account without using
a pin.
<shared_account_name> - the name of the shared account to allow access
to.
<group_name> - the name of the group to give access to.

remove-shared-account-access-user <shared_account_name> <username>
Revoke the given user's access to the given shared account.
<shared_account_name> - the name of the shared account to revoke access
to.
<username> - the name of the user to revoke access for.

remove-shared-account-access-group <shared_account_name> <group_name>
Revoke the given group's access to the given shared account.
<shared_account_name> - the name of the shared account to revoke access
to.
<group_name> - the name of the group to revoke access for.

get-printer-property <server_name> <printer_name> <property>
Gets a printer property.
<server_name> - the name of the server the printer is hosted on.
<printer_name> - the name of the printer.
<property> - the name of the property to get. Valid properties include:

disabled - whether or not the printer is currently disabled

set-printer-property <server_name> <printer_name> <property> <value>
Sets a printer property.
<server_name> - the name of the server the printer is hosted on.
<printer_name> - the name of the printer.
<property> - the name of the property to set. Valid properties and values include:
 disabled - whether or not the user is currently disabled (TRUE or FALSE)
<value> - the value to set (see <property> for valid values).

reset-printer-counts <server_name> <printer_name> <reset_by>
Reset the page and job counts associated with a printer.
<server_name> - the name of the server hosting the printer.
<printer_name> - the printer's name.
<reset_by> - name of the user/script/process resetting the counts.

disable-printer <server_name> <printer_name> <minutes_disabled>
Disable a printer for a set period of time.
<server_name> - the name of the server hosting the printer.
<printer_name> - the printer's name.
<minutes_disabled> - the time in minutes to disable. -1 indicates forever.

use-card <user_name> <card_number>
Redeem a card and place the credit on the user's account.
<user_name> - the name of the user with the account to credit.
<card_number> - the number of the card to use.

perform-online-backup
Start an online backup. The back file is written to
~/server/data/backups. as a dated, zipped XML file. This process happens in the background.

perform-group-sync
Start the process of synchronizing the system's group membership with the OS/Network/Domain's group membership. This process happens in the background.

perform-user-and-group-sync
Start a full user and group synchronization. This is equivalent to pressing on the "Synchronize Now" button in the admin user interface. The of the sync process, such as deleting old users, is determined by the current system settings as defined in the admin interface. This process happens in background.

perform-user-and-group-sync-advanced <delete_old_users> <update_details>
An advanced version of the user and group synchronization process providing control over the sync. This process will happen in the background.
<delete_old_users> - set to TRUE remove old users, else FALSE.
<update_details> - set to TRUE if exist users details (e.g. email, full-name, etc.) are to be updated.

add-new-users
Calling this method will start a specialized user and group synchronization process optimized for tracking down adding any new users that exist in the OS/Network/Domain user directory and not in the system. Any existing user accounts will not be modified. A group synchronization will only be performed if new users are actually added to the system.

```
batch-import-shared-accounts <import_file> <test>
                                <delete_non_existent_accounts>
Import the shared accounts contained in the given tab-delimited import
file.
<import_file> - the import file location relative to the application
server.
<test> - If true, perform a test only. The printed statistics will show
what would have occurred if testing wasn't enabled. No accounts
will be modified.
<delete_non_existent_accounts> - (true or false) If true, accounts that
do not exist in the import file but exist in the
system will be deleted. If false, they will be
ignored.

get-config <config-name>
Gets the value of the given config value printing the result.
If the config value does not exist, a blank string is displayed.
<config-name> - the name of the config value to get.

set-config <config-name> <config-value>
Sets the value of the give config item.
NOTE: Take care updating config values. You may cause serious
problems which can only be fixed by reinstallation of
the application. Use the set-config command at your own risk.
<config-name> - the name of the config value to set.
<config-value> - the value to set.
```



Tip

`server-command` is ideal for scripting via batch files or shell scripts. Administrators wishing to control PaperCut NG using a programming language such as C#, Java, Visual Basic, Perl, Ruby or Python should consider the XML Web Services API's. All commands available via the `server-command` tool are also accessible via calls to the Web Services layer.

More information on the XML Web Services API is available in Section A.3, "The XML Web Services API".

A.2. Database Tool (db-tools)

The `db-tools` command-line tool provides a variety of functionality manipulating the PaperCut NG database and data. The syntax of the command is:

```
db-tools command [options]
```

The valid commands are:

- `export-db` - export/backup the database data
- `import-db` - import/restore the database data
- `init-db` - create tables and initial data in a new database

- `delete-old-logs` - delete old log data (transaction, print, app log, etc)

`db-tools` is a command-line application accessed via the Command Prompt on Windows, or a Command Shell (e.g. `bash` or a terminal) on Linux and Mac. Example use on the Apple Mac:

```
cd /Applications/PaperCut NG/server/bin/mac/  
./db-tools import-db -f /Users/bob/papercut-backup.zip
```

`db-tools` needs exclusive access to the database. It is important that any PaperCut NG services and processes are stopped before executing any commands. Failure to do so will result in a "database in use" error message. The `db-tools` command is a powerful low-level utility and its use on a production system should be carefully considered. The available commands are discussed in detail below.

A.2.1. export-db Command

The `export-db` command exports the data from the database. The application server must be stopped before performing the export. The syntax and options for the `export-db` command are:

```
usage: db-tools export-db [options]  
-d,--dir <dir>      Exports the database to the given directory.  
-f,--file <file>    Exports the database to the given file.  
-h,--help           Displays this help.
```

If no options are specified then the database export file is created in the `[appdir]\server\data\backups` directory and the file is named `export-[date-time].zip`.

The `--dir` option is used to override the default backup directory. The filename will still be named `export-[date-time].zip`.

The `--file` option is used to specify the full path and filename where the backup is saved.



Caution

If the directory or filename parameters contains space, then the argument needs to be quoted.

A.2.2. import-db Command

The `import-db` command imports the data (from a previous export) into the database. The application server must be stopped to perform the import. The syntax and options for the `import-db` command are:

```
usage: db-tools import-db [options] import-file  
-f,--force    Deletes any existing data before loading the data.  
-h,--help    Displays this help.
```

The `--force` option is required when the data is loaded into a database that already contains data. In this situation, the force option indicates that existing data will be deleted first.



Caution

If the import-file contains spaces this argument will need to be quoted.

A.2.3. init-db Command

The `init-db` command initializes a database, creating the required tables and initial data. The application server must be stopped before you initialize the database. The syntax and options for the `init-db` command are:

```
usage: db-tools init-db [options]
-f,--force    Re-initializes the database even if it already exists.
-h,--help    Displays this help.
```

The `--force` option is required to initialize a database that already contains the tables and data. In this case the force option will drop the existing tables before recreating the tables.

A.2.4. delete-old-logs Command

The `delete-old-logs` is used to delete old log data from the system. This command will permanently delete the following data.

- Printer usage logs - Record all print history and statistics
- Internet usage logs - Record all user internet usage
- Account transactions - Record all adjustments to user and shared accounts
- Application logs - Record application status and error messages

```
usage: db-tools delete-old-logs [options] delete-older-than-days
-n,--non-interactive    Perform deletion without confirmation.
-h,--help                Displays this help.
```

The `--non-interactive` option will perform the deletion without confirmation from the user. This can be useful when automating this deletion through a scheduled task or cron job.

The `delete-older-than-days` option determines what data will be deleted. If `delete-older-than-days` is 90, then all log data more than 90 days old will be deleted. A value of zero (0) will remove *all* historical log data from the system.

A.3. The XML Web Services API

Over the past few years, *Web Services* has been one of the IT industry's "buzz words" - and rightly so! Web Services provide a standardized way to transfer data and call functions across different operating system, programming languages, and networks. Web Services data is transmitted over standard HTTP and uses standardized XML mark-up.

There are two main Web Services implementations used for Remote Procedure Call (RPC):

- SOAP/WSDL
- XML-RPC

PaperCut NG uses XML-RPC. XML-RPC is a lightweight web services implementation and has good support for all major programming and scripting languages such as C#, Java, Visual Basic, Perl, Ruby and Python. The list of XML-RPC methods exposed by PaperCut NG at the URL `http://[server_name]:9191/rpc/api/xmlrpc` are summarized below:

Method	Description
<code>api.isUserExists</code>	Test to see if a user exists in the system/database.
<code>api.getUserAccountBalance</code>	Get the user's current account balance.
<code>api.getUserProperty</code>	Gets a user property. Properties include, the user's full name, department, email, notes, office and restriction status among others.
<code>api.setUserProperty</code>	Sets a user property. Properties include, the user's full name, department, email, notes, office and restriction status among others.
<code>api.adjustUserAccountBalance</code>	Adjust a user's account balance by an adjustment amount. An adjustment may be positive (add to the user's account) or negative (subtract from the account).
<code>api.adjustUserAccountBalanceByGroup</code>	Adjust the account balance for all users in a group by an adjustment amount. An adjustment may be positive (add to the user's account) or negative (subtract from the account).
<code>api.adjustUserAccountBalanceByGroupUpTo</code>	Adjust the account balance for all users in a group by an adjustment amount, but not above the given limit. An adjustment may be positive (add to the user's account) or negative (subtract from the account).
<code>api.setUserAccountBalance</code>	Set the balance on a user's account to a

Method	Description
	set value. This is conducted as a transaction.
<code>api.setUserAccountBalanceByGroup</code>	Set the balance for each member of a group to the given value.
<code>api.resetUserCounts</code>	Reset the counts (pages and job counts) associated with a user account.
<code>api.disablePrintingForUser</code>	Disable printing for a user for selected period of time.
<code>api.addNewUser</code>	Triggers the process of adding a new user account defined by a given <code>username</code> . Assuming the user exists in the OS/Network/Domain user directory, the account will be created with the correct initial settings as defined by the rules set up in the admin interface under the Group's section. Calling this method is equivalent to triggering the "new user" event when a new user performs printing for the first time.
<code>api.renameUserAccount</code>	Rename a user account. Useful when the user has been renamed in the domain / directory, so that usage history can be maintained for the new username. This should be performed in conjunction with a rename of the user in the domain / user directory, as all future usage and authentication will need to use the new username.
<code>api.deleteExistingUser</code>	Delete/remove an existing user from the user list. Use this method with care. Calling this will permanently delete the user account from the user list (print and transaction history records remain).
<code>api.listUserAccounts</code>	<p>List all user accounts (sorted by username) starting at <code>offset</code> and ending at <code>limit</code>. This can be used to enumerate all user accounts in 'pages'. When retrieving a list of all user accounts, the recommended page size / limit is 1000. Batching in groups of 1000 ensures efficient transfer and processing.</p> <p>E.g.:</p> <pre>listUserAccounts(0, 1000) - returns users listUserAccounts(1000, 1000) - returns us</pre>

Method	Description
	<code>listUserAccounts(2000, 1000)</code> - returns us
<code>api.isSharedAccountExists</code>	Test to see if a shared account exists in the system/database.
<code>api.getSharedAccountProperty</code>	Gets a shared account property. Properties include access groups, balance, comment options, disabled status, notes, pin and restriction status among others.
<code>api.setSharedAccountProperty</code>	Sets a shared account property. Properties include access groups, balance, comment options, disabled status, notes, pin and restriction status among others.
<code>api.setSharedAccountAccountBalance</code>	Sets a shared account's current account balance.
<code>api.adjustSharedAccountAccountBalance</code>	Adjust a shared account's account balance by an adjustment amount. An adjustment may be positive (add to the account) or negative (subtract from the account).
<code>api.setSharedAccountAccountBalance</code>	Set the balance on a shared account to a set value. This is conducted as a transaction.
<code>api.addNewSharedAccount</code>	Create a new shared account with the given name.
<code>api.deleteExistingSharedAccount</code>	Delete a shared account from the system. Use this method with care. Deleting a shared account will permanently delete it from the shared account list (print history records will remain).
<code>api.addSharedAccountAccessUser</code>	Allow the given user access to the given shared account without using a pin.
<code>api.addSharedAccountAccessGroup</code>	Allow the given group access to the given shared account without using a pin.
<code>api.removeSharedAccountAccessUser</code>	Revoke the given user's access to the given shared account.
<code>api.removeSharedAccountAccessGroup</code>	Revoke the given group's access to the given shared account.

Method	Description
<code>api.getPrinterProperty</code>	Gets a printer property.
<code>api.setPrinterProperty</code>	Sets a printer property.
<code>api.resetPrinterCounts</code>	Reset the counts (pages and job counts) associated with a printer.
<code>api.disablePrinter</code>	Disable a printer for select period of time.
<code>api.performOnlineBackup</code>	Instigate an online backup. This process is equivalent to pressing the manual backup button in the web based admin interface. The data is exported into the server/data/backups directory as a timestamped, zipped XML file.
<code>api.performGroupSync</code>	Start the process of synchronizing the system's group membership with the OS/Network/Domain's group membership. The call to this method will start the synchronization process. The operation will commence and complete in the background.
<code>api.performUserAndGroupSync</code>	Start a full user and group synchronization. This is equivalent to pressing on the "Synchronize Now" button in the admin user interface. The behavior of the sync process, such as deleting old users, is determined by the current system settings as defined in the admin interface. A call to this method will commence the sync process and the operation will complete in the background.
<code>api.performUserAndGroupSyncAdvanced</code>	An advanced version of the user and group synchronization process providing control over the sync behavior. A call to this method will commence the sync process and the operation will complete in the background.
<code>api.addNewUsers</code>	Calling this method will start a specialized user and group synchronization process optimized for tracking down and adding any new users that exist in the OS/Network/Domain user directory and not in the system. Any existing user accounts will not be modified. A group synchronization will only be performed if new users are actually added to the system.
<code>api.batchImportSharedAccounts</code>	Import the shared accounts contained in the given tab separated import file (located

Method	Description
	on the server).
<code>api.getConfigValue</code>	Gets the value of a configuration settings.
<code>api.setConfigValue</code>	Sets the value of a configuration setting. NOTE: Take care updating config values. You may cause serious problems which can only be fixed by reinstallation of the application. Use the <code>setConfigValue</code> API at your own risk.

Table A.1. XML Web Services Methods

A.3.1. Web Services Example Code

The best way to demonstrate how to use the Web Services interface is using example code. PaperCut NG ships with example code located in:

```
[app_path]/server/examples/webservices/
```

The C#, Ruby and Java examples also include a full documented Proxy class - a proxy is a common program design pattern. The Proxy wraps and exposes the Web Services methods as standard methods. The setup and use of the underlying XML-RPC library is all handled in the proxy class meaning you can just focus on calling the methods.

Please see the `README.txt` files in the examples directories for more information. The Java example includes full JavaDoc style documentation under `examples/webservices/java/docs/api`.

Developers using other languages such as Perl or Python will need to use an XML-RPC library to call the methods directly. All methods are exposed via the URL `http://[server_name]:9191/rpc/api/xmlrpc`.



Tip

All the XML Web Services commands are also accessible via the `server-command` program. An alternative to using a full programming environment to automate PaperCut NG via Web Services is to use the `server-command` program to call the commands via a script such as a batch file or shell script. This may be a simpler solution for common automation tasks such as scheduling a User/Group synchronization each night.

More information on the `server-command` program can be found in Section A.1, "Server Commands (`server-command`)".

A.3.2. Security

The Web Services API's provide full access to the system's internals and hence need to be

secured. PaperCut NG secures access using two security layers:

1. IP address level security
2. Authentication tokens - required for each method call

The IP address level security is used to control which systems, denoted by IP address, are allowed to connect to the server and call the API's. By default this is restricted to `localhost` (127.0.0.1) only. If the program/script making use of the API's resides on another system, then this system's IP address will need to be added to the list of approved addresses under **Options** → **General** → **Allowed XML Web Services callers**.

The first argument to all method calls is an authentication token (`authToken`). In the default setup the authentication token is the built-in `admin` user's password (This is password defined for the `admin` during the initial configuration wizard). Optionally an alternative web service authentication token may be defined via configuration - see below. This token *must* be supplied with all method calls.

To specify an alternative web service authentication token, to avoid the need to use/share the built-in `admin` user's password:

1. Login to the system.
2. Navigate to the **Options** section.
3. Click on the **Config editor** link in the list of actions.
4. Find the `auth.webservices.auth-token` config setting.
5. Enter a new value that will be the new web services authentication token.
6. Press the **Update** button to the right to apply the change.
7. This authentication token can now be used in addition to the built-in `admin` user's password.

A.4. SSL/HTTPS Key Generation

Configuring SSL can be a confusing experience of encryption keys, certificates, protocols and formats. During the install process, PaperCut NG generates an unsigned key/certificate issued for the host's name. This is used by default when the system is accessed via HTTPS on port 9192. On some networks it may be desirable access the server via a fully qualified domain name rather than just the server's local name. Most browsers will allow access to an HTTPS server under a different name however the user will be notified of a domain mismatch error. The tool `create-ssl-keystore` can be used to re-issue the key/certificate (stored in a keystore file) under a different hostname eliminating the mismatch error. An example of the command's use:

```
cd [app_path]/server/bin/win
create-ssl-keystore -f "myserver.fullname.com"
```

More information is available via the `--help` command line option.

```
Usage: create-ssl-keystore [-f] [-k FILE] [SYSTEM_NAME]
-f          Force. Overwrite any existing keystore file.
```

`-k FILE:` Define a keystore file location. If not set the keystore is created in the default location (server/data/default-ssl-keystore).

`SYSTEM_NAME:` The name of the computer/server used to generate keystore. If not defined, the current computer name is used.

A.4.1. Using a custom SSL Key

Large organizations may wish to use their own SSL key signed and trusted certificate authority (CA). Such trusted CAs include: AddTrust, Entrust, GeoTrust, RSA Data Security, Thawte, VISA, ValiCert, Verisign, beTRUSTed, among others.



Caution

Configuring SSL and generating signed keystores is complex! The following documentation assumes that the reader has a good understanding of the SSL/HTTPS process and has configured SSL on other web based application servers such as Apache, IIS, or secured mail servers.

A good summary of the process of generating a PaperCut NG compatible certificate keystore is explained in detail on the Jetty HTTP Server website at: http://jetty.mortbay.org/jetty5/faq/faq_s_400-Security_t_ssl.html

To configure the PaperCut NG Application Server to use the new key/certificate:

1. Copy your signed keystore onto the server running the PaperCut NG Application Server. The suggested location is in the directory `[app_path]/server/custom/`.
2. Open the file `[app_path]/server/server.properties` with a text editor (e.g. Notepad).
3. Locate the section titled `SSL/HTTP Configuration`
4. Remove the `#` (hash) comment maker from all `server.ssl` lines.
5. Define the location of your keystore and the keystore and key password. The file should look something like this:

```
server.ssl.keystore=custom/server/my-ssl-keystore
server.ssl.keystore-password=mypassword
server.ssl.key-password=mypassword
```

6. Restart the PaperCut NG Application Server and verify all is working. If the server fails to start, error messages will be recorded in logs located in the server's `logs` directory.

A.5. User Client Options

The user client is used to display user balances, system notifications and request information from the users. This is discussed in more detail in Section 4.2, "User Client". The user client implements a number of command-line options that change it's behavior.

Option	Description
<code>--silent</code>	<p>The silent option tells the client not to report errors if it has problems connecting to the server. If the server is unavailable at time of startup (e.g. the client is not connected to the network), or if the user does not currently exist in the database, the client will simply sleep waiting for the condition to change.</p> <p>This option can also be set by adding a <code>silent=Y</code> line to the client <code>config.properties</code>.</p>
<code>--minimized</code>	<p>The minimized option tells the client to start minimized. On windows the client will be minimized to the task tray.</p> <p>This option is recommended if the user's balance is not important to the user. For example, if a user is only allowed to assign print jobs to a shared account, then their personal balance is of little importance, so the user client should be minimized.</p> <p>This option can also be set by adding a <code>minimized=Y</code> line to the client <code>config.properties</code>.</p>
<code>--user <username></code>	<p>The user option allows the client to be run using a different username.</p> <p>This can be useful if the user is logged into a machine with a different username than he or she is authenticated to the server/printers as. For example, if a user is using a laptop that is not a part of the domain.</p> <p>This option can also be set by adding a <code>user=<username></code> line to the client <code>config.properties</code>.</p>
<code>--cache <cache directory></code>	<p>This argument is actioned by <code>pc-client-local-cache.exe</code>. It defines the location of the globally writable cache directory on the system's locale hard drive. The cache is used to minimize network traffic on future launches. The default location is <code>C:\Cache</code>. Standard users will require <i>WRITE</i> and <i>READ</i> access to this directory.</p>
<code>--neverrequestidentity</code>	<p>The client will use the username of the logged in user to identify itself with the</p>

Option	Description
	<p>server. In a domain environment, users always login using their network identity and the names will always match. However on non-domain systems where local accounts are used (e.g. Laptops), these names may not match. The client will display a popup requesting the user to confirm their identity. This option will suppress this dialog.</p> <p>This option can also be set by adding a <code>neverrequestidentity=Y</code> line to the client <code>config.properties</code>.</p>
<pre>--windowposition <position></pre>	<p>Specify where the client window should appear. The valid options include <code>top-left</code>, <code>top-right</code>, <code>bottom-left</code> or <code>bottom-right</code>.</p> <p>In addition to the above set of fixed positions, co-ordinates of the window can also be specified by setting the <code><position></code> parameter to <code>XY<x>,<y></code>. The <code><x></code> value sets the x co-ordinate of the window (if negative the value indicates the distance from the right of screen). The <code><y></code> value sets the y co-ordinate of the window (if negative the value indicates the distance from the bottom of screen). Some examples include:</p> <ul style="list-style-type: none"> • <code>XY100,100</code> - position the window 100 pixels from the left and 100 pixels from the top of the screen. • <code>XY-50,100</code> - position the window 50 pixels from the right and 100 pixels from the top of the screen. • <code>XY50,-100</code> - position the window 50 pixels from the left and 100 pixels from the bottom of the screen. <p>The window position can also be set by adding a <code>windowposition=<position></code> line to the client <code>config.properties</code>.</p>
<pre>--windowtitle <title></pre>	<p>Allows the window title to be customized. If the <code><title></code> includes <code>{0}</code> then this will be replaced by the user's username.</p> <p>The window title can also be set by adding a <code>windowtitle=<title></code> line to the client <code>config.properties</code>.</p>

Option	Description
<code>--background-color <color></code>	<p>Changes the background color of the client's balance window. The colors are coded in standard hexadecimal RGB ("web colors", see http://en.wikipedia.org/wiki/Web_colors for an explanation). E.g. to set the background color to red, use:</p> <pre>--background-color=FF0000</pre> <p>The balance window background color can also be set by adding a <code>background-color=<color></code> line to the client <code>config.properties</code>.</p>
<code>--text-color <color></code>	<p>Changes the text color of the client's balance window. The colors are coded in standard hexadecimal RGB ("web colors", see http://en.wikipedia.org/wiki/Web_colors for an explanation). E.g. to set the text color to blue, use:</p> <pre>--text-color=0000FF</pre> <p>The balance window text color can also be set by adding a <code>text-color=<color></code> line to the client <code>config.properties</code>.</p>
<code>--link-color <color></code>	<p>Changes the color of the link on the client's balance window. The colors are coded in standard hexadecimal RGB ("web colors", see http://en.wikipedia.org/wiki/Web_colors for an explanation). E.g. to set the link color to a dark gray, use:</p> <pre>--link-color=333333</pre> <p>The balance window link color can also be set by adding a <code>link-color=<color></code> line to the client <code>config.properties</code>.</p>
<code>--default-selection <option></code>	<p>Specifies the default selected option on the account selection popup. This option is useful when one particular charging option is the most common, but other options are</p>

Option	Description
	<p>required on occasion.</p> <p>For example, applying a default selection of <code>charge-account-list</code> ensures that the option Charge to shared account is selected, and the Account list is highlighted. In this case, the keyboard can be used to quickly navigate the account list, saving a few clicks of the mouse for every print.</p> <p>Valid options include: <code>charge-personal</code>, <code>charge-account-list</code>, <code>charge-account-pin</code> and <code>print-as-user</code>.</p> <p>This option can also be set by adding a <code>default-selection=<option></code> line to the client <code>config.properties</code>.</p>

Table A.2. User Client command-line options

The command-line arguments listed above are usually used in the area/method used to start the client - a login script, shortcut, or the relevant registry key in `HKEY_LOCAL_MACHINE\Software\Microsoft\Windows\CurrentVersion\Run\`.

The command-line arguments may also be set in the `config.properties` file. This is particularly helpful on Apple Mac systems where command-line arguments are difficult to implement. The `config.properties` file is located in the same directory as the client executable on Linux and Windows. On the Mac it can be found at:

```
[app-dir]/PCClient.app/Contents/Resources/config.properties
```

Additionally settings may be changed at the user-level by placing a file in the user's Library Preferences folder located at:

```
~/Library/Preferences/PCClient/config.properties
```

The file should contain the options in a properties file form like:

```
user=mary
minimized=Y
windowposition=top-left
windowtitle=Print Balance: {0}
```

- *Changing the time after which jobs are deleted when awaiting popup response*

If a user does not respond to the account selection popup after a defined time, their print job will be automatically deleted. This is to prevent a buildup of old jobs in the print queue. The default timeout is 10 minutes, and can be changed as follows:

1. Navigate to the **Options** tab
2. In the section **Client Software**, find the option **Delete jobs awaiting popup response after...**
3. Enter the number of minutes to wait for users to respond to the popup before their job is deleted
4. Press **Apply**

A.6. Stopping and Starting the Application Server

Most of the time it will not be necessary to stop or start the server; however there are some circumstances where this is required:

- Performing an offline backup
- Upsizing the database to an external database
- Upgrading the application

The procedure for stopping the server depends on the platform the server is run on.

A.6.1. Stopping/Starting the server on Windows

The PaperCut NG application server runs as a Windows service when installed on Windows, and it can be stopped and started using the Services control panel applet. To stop/start/restart the application server:

1. Open the services control panel. (**Start** → **Control Panel** → **Administrative Tools** → **Services**)
2. Find the service name **PaperCut Application Server**.
3. Right-click on the service.
4. Select the option you want to perform (e.g. Stop/Start/Restart).



Important

When you start the application server, wait approximately 15-20 seconds for the service to start before accessing the admin interface. This gives the system time to initialize.

An alternative to using the services applet is to run the batch files located in the directory [appdir]\server\bin\win. Using the batch files might be more convenient when the process needs to be automated (like scripting a database backup). The batch files to stop/start the server are called:

- `start-server.bat` - starts the service
- `stop-server.bat` - stops the service

A.7. Automating / Streamlining Installation on Windows

In some cases organizations may wish to streamline the installation of PaperCut NG or a particular PaperCut NG component for automating deployment. For example when installing on many secondary print servers, or installing the user client tool locally on many desktops (although the recommended installation procedure is the "zero install" strategy - see Section 4.2.1, "User Client Deployment").

The installer command-line options provide the ability to pre-select the installer options, such that there is no need to click through them when installing. The options in table Table A.3, "Windows installer command-line options" are valid for the Windows installers for PaperCut NG (the main installer), the user client tool and the card wizard.

Option	Description
<code>/SILENT</code> or <code>/VERYSILENT</code>	<p>Instructs the installer to be 'silent' or 'very silent'. When silent the installation begins immediately, and only the progress window is displayed. When very silent, installation begins immediately with nothing displayed.</p> <p>If any errors are encountered, the error messages are still displayed with either option.</p>
<code>/DIR="x:\dirname"</code>	<p>Overrides the default installation directory. This can be used to install PaperCut NG to a different directory than the default.</p>
<code>/COMPONENTS="comma separated list of component names"</code>	<p>Selects the components for installation. The available components depend on what is being installed:</p> <p>Server installer:</p> <ul style="list-style-type: none"> <code>server</code> - The PaperCut NG server. Selected by default). <code>prov_print</code> - The print provider component (to monitor printing). Selected by default. <code>sec_server_print</code> - Required when setting up a secondary print server. <code>prov_net</code> - The internet provider component (to monitor internet usage). <code>sec_server_net</code> - Required when setting up a secondary internet proxy server. <p>User client installer:</p> <ul style="list-style-type: none"> <code>reg_key_all_users</code> - Startup launch registry key for all users. <code>reg_key_current_user</code> - Startup launch registry key for current user.

Option	Description
/GROUP="folder name"	Overrides the default Start menu group / folder into which PaperCut NG is installed.
/NOICONS	Disables the creation of a Start menu group / folder.
/LANG=language	<p>Specifies the language to use during installation. By default this is automatically detected based on your language settings, but can be overridden by specifying a language. The available languages are:</p> <ul style="list-style-type: none"> • de - German • en - English • fi - Finnish • fr - French • it - Italian • nl - Dutch • pt - Portuguese • pt_BR - Brazilian Portuguese • zh_CN - Chinese (Simplified) • zh_HK - Chinese (Traditional) <p><i>Note:</i> This option only specifies the language during installation. More languages and regional options are available in PaperCut NG once installed, which are configured separately.</p>

Table A.3. Windows installer command-line options

Appendix B. Troubleshooting & Technical FAQ's

There are a number of problems you may run into in the course of installing and using PaperCut NG. Many will be resolved once you get a better idea of how PaperCut NG works, while others may require you to dig deeper into the application's workings.

The following list has been compiled over the course of years of PaperCut NG usage. If you can't find a reference to the problem you're having here, look at the most up-to-date version of the FAQ and Knowledge Base [<http://www.papercut.com/kb/>] at the PaperCut NG website [<http://www.papercut.com/>].

In addition to this section, some platform specific FAQ's are available at Section 18.7, "Linux FAQ".

B.1. Troubleshooting & Installation Questions

Q: I am running PaperCut NG in a workgroup environment (i.e. not as part of a domain). What considerations should be taken into account?

A: See Chapter 21, *Running in a Workgroup Environment*.

Q: PaperCut NG is not detecting jobs printed from a network clients. How can I fix this?

A: There are two main causes of this problem:

- Users are not correctly logging on to your network domain or computer. If the domain server does *NOT* authorize users, PaperCut NG has no way of knowing who submitted the print job. With system policies, login onto the domain can be made mandatory, eliminating this problem. Alternatively printer permissions can be set on the print server to ensure only valid users may print to the printers.
- Alternatively the client computer may be configured to print directly to the network interface printer. Ensure all network clients are configured as outlined in the PaperCut NG installation guide. All print jobs must pass through the print server running PaperCut NG.

Q: PaperCut NG is not counting/detecting pages correctly. What's causing this?

A: PaperCut NG currently supports about 90% of printers on the market. If a printer's language is not recognized, PaperCut NG will not detect any pages and record the print job as a zero page count. This is usually accompanied with an error message in the Application Event Log. We recommend you try the following problem resolution actions in this order:

1. Many printers come with a variety of driver options. Install the *Postscript* drivers if one is available for the printer. Do this on both the Print Server and all network clients.
2. Try the drivers included with the Windows CD. PaperCut NG supports the major-

ity of drivers distributed with recent Windows releases.

3. Try turning **Enable advanced printing features** as follows:
 - a. On the *print server*, Start->Settings->Printers.
 - b. *Right-click* on the printer and select **Properties...**
 - c. Select the **Advanced Tab**.
 - d. Turn *off* (disable) the **Enable advanced printing features**.
More information is available in our Knowledge Base [<http://www.papercut.com/kb//Main/EnableAdvancedPrintingFeatures>].
4. If you're still having problems, email PaperCut Software support. The development team may be able to recommend a suitable set up or even supply a recent update supporting your hardware.
5. Specific information on printer compatibility is discussed in the PaperCut Knowledge Base [<http://www.papercut.com/kb/>]. Information here might be of assistance.

Q: How do I ignore (not monitor or delete) a printer?

A: The *Print Provider* may be configured via its configuration to ignore a printer. For more information see Section 6.1, "Adding and Removing/Deleting/Ignoring Printers".

Q: The system is not displaying the correct currency sign.

A: PaperCut NG will format the currency based off the operating system's default regional settings. If the default regional settings are incorrect, the format can be changed by defining your location under **Options** → **General** → **Display Settings** → **Location**.

Q: I've setup a secondary print server. The printers on this server are not listed and not being monitored. What's wrong?

A: There are a number of possible explanations. The first step is to open the Print Provider's log file on the secondary server. This file will often contain error messages indicating the cause or type of error. On a Windows system the log file is located at: [app-dir]\providers\print\win\print-provider.log The file can be opened from any text editor such as Notepad.

Some common issues are:

1. Verify that the secondary server's name is correctly defined in the `print-provider.conf` file. Open a command prompt on the secondary server and use the `ping` command to verify that the server can be contacted under this name. A server restart (or a manual restart of the PaperCut Print Provider service) is required for any changes to the file to take effect.
2. Ensure that firewall software on the primary server is not preventing the secondary server from connecting on port 9191. Firewalls should be configured to allow all local network traffic on this particular port.

A quick way to see if the secondary server can connect to the primary server is to use the command-line `telnet` program. Simply type: `telnet servername`

9191 at a command prompt.

- If you receive an error like `Could not open connection to host`, then there is probably a network/firewall issue not letting the connection through.
 - If the screen goes blank then the connection was established successfully. Press `Ctrl+]` then type `quit` to close the telnet session.
3. Check that the *Print Provider* process/service is in fact installed and running. On a Windows system this is located under: **Start** → **Control Panel** → **Administrative Tools** → **Services**

Q:

The client software is not displaying the user's account balance and is displaying a network error. How do I fix this?

A:

The client software needs to contact the application server. For the technical readers, the client makes an XML web services request to the server on port 9191. Most problems relate to either firewalls blocking access or the application server's name is not correctly defined. Ensure that:

1. Any firewalling software on the server allows local network access to port 9191.
2. The `client.properties` file (a text file) lists the correct server name or IP address of the server. If you've used the zero-install deployment option, this file is located on the server in the directory:
`[app-dir]/client/client.properties`

B.1. General Questions

Q:

How do I change the built-in `admin` user's password?

A:

The `admin` user's password is set up on initial install during the configuration wizard. This password can be changed post-install by logging into the application as the `admin` user and navigating to the **Options** → **Advanced** tab, and selecting the **Change internal admin password** option.

If you have forgotten the internal admin password, it can be reset by editing the `admin.password` property in the text file located at `[app_dir]/server/server.properties`.

Q:

I run a small peer-to-peer network and my users don't log onto the workstations. Can I still use PaperCut NG?

A:

PaperCut NG is primarily designed for networks managed under a domain and/or authenticated environments. Peer-to-peer networks or Workgroups are however supported. The first option should be to consider requiring users to log onto the workstations using their username and password. If this is not possible, an alternate option is to set up the user accounts on system hosting the printers (system running the PaperCut NG server software) and configuring the account selection popup with the **Charge to other users option selected**. Users can then enter their username and password in the popup that displays each time they print.

Q:

I would like to start the user inquiry tool (client software) with the window minimized. Is this possible?

A: Yes. The client software can be started minimized by executing the program with a command-line switch `-minimized`. See Section A.5, "User Client Options".

Q: How do I stop users from closing/shutting down the client software?

A: If the user running the client software is configured to either:

- select shared accounts
- confirm the print job via a popup

the client software must be running at all times. If the user is configured in either of these modes, the client software's exit option is disabled. *Note:* The client software will need to be restarted to pick up this option after the user's options have been changed.

Q: Why does PaperCut NG cache the group membership?

A: PaperCut NG caches group membership by replicating the user/group relationship structure internally in the system. Typically network group membership is relatively static, and is usually set up when a user account is initially created. PaperCut NG tries to be a good network application by avoiding common no-no's such as flooding domain controllers with group lookup requests. This is achieved by caching. Operations such as **Bulk user operations**, quota allocations, group reports and group filtering all need to do group membership lookups. Caching speeds up these operations and prevents excessive callouts to the domain servers.

The downside to caching is that group membership changes are not immediately reflected inside PaperCut NG. To force PaperCut NG to detect the change perform a User/Group synchronization under the Options section. The system will also automatically refresh group membership overnight during low network activity.

Q: I have noticed a lot of extra options available under the Config Editor (Advanced) area. Can I change these?

A: The config area contains all of the PaperCut NG system wide settings. Some of these can be changed via the normal options interface while others are designed for internal developer use and tuning and are only accessible via the config editor. Any changes made in the config editor should be done with care as an invalid entry may require you to reinstall the system!

Q: I'd like to write some custom extensions. Do you support this?

A: One of the business objectives of PaperCut NG was openness. The development team actually encourages this and can assist with detailed API documentation and source code. If you would like feedback on your ideas, please email our support team. They would be more than happy offer advice.

Q: What external databases are supported?

A: Running PaperCut NG on top of an external database is an advanced option. This is discussed in details in system management section.

Q: What is the internal database format?

A: PaperCut NG's internal database is Apache Derby - an open source database written by IBM and based on IBM's DB2 Cloudscape database system. The internal database has proven to scale very well and is suitable for networks of all sizes.

Q: What language is PaperCut NG developed in?

A: PaperCut NG is developed under a number of languages and development environments. The printer monitoring component and other native operating system interfaces such as user authentication are written in C/C++. The application server and web services are written in server-side Java.

Q: I'd like to investigate server cluster support?

A: The PaperCut NG is designed as a cluster compatible application and supports clustering at all layers of the application. For more information on configuring PaperCut NG in a Microsoft Cluster environment, please see Chapter 17, *Microsoft Cluster Environments*. If you'd like to investigate clustering options on other platforms (Linux) please contact our support team.

Appendix C. Advanced LDAP Configuration

PaperCut NG supports the following LDAP server types out-of-the-box:

- Novell eDirectory
- Microsoft Active Directory
- Unix/NIS/Posix

and basic configuration options for these platforms/environments are discussed at Section 10.2.4, “Using LDAP for user synchronization”.

However, other server/schema types can be supported by defining the fields to query and the LDAP searches to perform. These options are configured by adjusting config entries in the **Config Editor**, which can be opened from the **Options** tab. The following config items are available:

Config name	Description
ldap.schema.user-name-field	The LDAP field that contains the user's username.
ldap.schema.user-full-name-field	The LDAP field that contains the user's full name.
ldap.schema.user-email-field	The LDAP field that contains the user's email address.
ldap.schema.user-name-search	The LDAP search to retrieve the user. The {0} in the search is replaced with * when listing all users, and [username] when searching for a specific user. If no search is defined, the default is ([userNameField]={0}).
ldap.schema.group-name-field	The LDAP field that contains the group's name.
ldap.schema.group-member-field	The LDAP field that contains the group members.
ldap.schema.group-search	The LDAP search to retrieve the group. The {0} in the search is replaced with * for all group searches. If no search is defined, the default is ([groupMemberField]={0}), which means get all entries with at least one member.
ldap.schema.posix-groups	If Y, then the group member field contains

Config name	Description
	the user's username. If <code>N</code> , then the group member field contains the user's DN.

Table C.1. LDAP Config entries

C.1. LDAP Server Default Configuration

When a particular LDAP server type is selected (e.g. Novell eDirectory), PaperCut NG uses the following defaults to query the LDAP server. These defaults can be used as a starting point for customizing the LDAP searches or for supporting other server types.

C.1.1. Unix / NIS Defaults

If the LDAP server is configured to support Unix based authentication then this schema type can be used. The following defaults are used.

Config name	Default value
ldap.schema.user-name-field	uid
ldap.schema.user-full-name-field	cn
ldap.schema.user-email-field	mail
ldap.schema.user-name-search	(uid={0})
ldap.schema.group-name-field	cn
ldap.schema.group-member-field	memberUid
ldap.schema.group-search	(memberUid={0})
ldap.schema.posix-groups	Y

Table C.2. Unix / NIS LDAP default settings

C.1.2. Novell eDirectory Defaults

If the LDAP server is a Novell eDirectory then the following defaults are used.

Config name	Default value
ldap.schema.user-name-field	cn
ldap.schema.user-full-name-field	fullName
ldap.schema.user-email-field	mail
ldap.schema.user-name-search	(&(cn={0})(objectClass=person))

Config name	Default value
ldap.schema.group-name-field	cn
ldap.schema.group-member-field	member
ldap.schema.group-search	(& (member = { 0 }) (objectClass = groupOfNames))
ldap.schema.posix-groups	N

Table C.3. Novell eDirectory LDAP default settings

C.1.3. Microsoft Active Directory Defaults

If the LDAP server is a Microsoft Active Directory then the following defaults are used.

Config name	Default value
ldap.schema.user-name-field	sAMAccountName
ldap.schema.user-full-name-field	displayName
ldap.schema.user-email-field	mail
ldap.schema.user-name-search	(& (sAMAccountName = { 0 }) (objectCategory = person) (objectClass = user) (sAMAccountType = 805306368))
ldap.schema.group-name-field	sAMAccountName
ldap.schema.group-member-field	member
ldap.schema.group-search	(& (member = { 0 }) (objectCategory = group))
ldap.schema.posix-groups	N

Table C.4. Active Directory LDAP default settings

Appendix D. Proxy server configuration

D.1. Configuring Microsoft ISA Server 2004/2006

This setup guide is not intended to be a full setup guide for ISA Server 2004/2006, but provides the minimum steps involved in getting ISA set up to work with PaperCut NG.

1. Install ISA Server 2004/2006 from the installation media as per ISA Server installation documentation.
2. When prompted for your internal address ranges, make sure you accurately specify all IP address ranges that your internal network uses.
3. Open the ISA Server management console (**Start** → **Program Files** → **ISA Server** → **ISA Server Management Console**).
4. On the left menu select the **Monitoring** node of your ISA Server, and select the **Logging** tab.



Figure D.1. ISA Server 2004/2006 - Logging tab

5. On the right hand side of the logging pane, select the **Configure Web Proxy Logging** option.




Figure D.2. ISA Server 2004/2006 - Configure Proxy Logging option

6. Select the **File** logging option and ensure the W3C extended log file format is selected.




Figure D.3. ISA Server 2004/2006 - Using the W3C log file format

7. Click the **Apply** button to enable the W3C log format.




Figure D.4. ISA Server 2004/2006 - Applying changed log settings

8. Check that the web proxy server is enabled for your internal network by selecting the **Firewall Policy** node on the left, opening the toolbox on the right, and opening the properties for the internal network under **Toolbox** → **Network Objects** → **Networks**.




Figure D.5. ISA Server 2004/2006 - Properties for the internal network

9. On the **Web Proxy** tab, ensure that the HTTP proxy is enabled.




Figure D.6. ISA Server 2004/2006 - Enabling the HTTP proxy

10. Define a new `User Set` that will control the list of users to restrict access for. To do this select **Toolbox** → **Users** → **New**.



Figure D.7. ISA Server 2004/2006 - Creating a new user set

11. Define the `User Set` name as something meaningful like `PaperCut NG Internet Users` or just `Internet Users`.
12. When prompted to select the users for this set, press **Add** and select **Windows users and groups....**




Figure D.8. ISA Server 2004/2006 - Adding Windows users to a user set

13. Select the Windows security group that you defined for PaperCut NG to use when allowing/disallowing internet access based on the user's credit.
14. By default ISA server disallows all traffic, so a rule needs to be defined to allow users to access the internet if they belong to the `Internet Users` Windows security group defined for use with PaperCut NG.
15. On the **Firewall Policy** screen, select the **Create New Access Rule** from the **Tasks** tab on the right.



Figure D.9. ISA Server 2004/2006 - Creating a new access rule

16. Give the access rule an appropriate name. For example PaperCut NG Internet Access.
17. Select **Allow** to indicate that matching this rule allows access.
18. When prompted for the protocols to allow, select **Selected protocols** from the list, and add the HTTP protocol to the list.




Figure D.10. ISA Server 2004/2006 - Allowing the HTTP protocol

19. Then when prompted about which sources this rule applies to, select your internal network.




Figure D.11. ISA Server 2004/2006 - Setting the internal network as the rule source

20. Select the **External** network for the **Access Rule Destination**.
21. When prompted for the **User Sets**, select the previously defined **User Set** that contained the PaperCut NG Internet Access Windows group.

22. Press **Finish** to complete the definition of the **Access Rule**.
23. Click the **Apply** button to enable the changes to the **User Sets** and **Access Rules**.




Figure D.12. ISA Server 2004/2006 - Applying changed access rule settings



Important

This configuration assumes that the default ISA access rule for users is a `Deny` rule. This means that if the user does not belong to the `PaperCut NG Internet Access Windows` group then they will be denied Internet access. If your ISA server is configured with a default `Allow` rule, then this rule should be modified to a `Deny` rule and other rules adjusted appropriately.

24. Ensure that PaperCut NG is correctly set up to find the ISA Server 2004/2006 log files. For more information see Section 13.3.1, “Configuring the Internet Control Service on Windows”.

D.2. Configuring Squid Proxy

Squid proxy is a very popular open-source Internet proxy, which is available for both Unix and Windows operating systems. It has a large configuration file that can be difficult to edit for people who are not familiar with it. This appendix outlines required to configure Squid for use with PaperCut NG. However it is not a complete guide to configuring Squid, and should be read in conjunction with the Squid Proxy documentation.

D.2.1. Squid authentication with LDAP / Active Directory

When Squid is running on Unix/Linux it is common to authenticate users with an LDAP directory or Microsoft Active Directory (which is also an LDAP v3 compliant directory).

The Squid LDAP authentication helpers are used to integrate Squid with an LDAP server. This guide assumes the proxy is Squid 2.5 or greater (with LDAP helpers). Information on the LDAP helpers can be found here: http://www.die.net/doc/linux/man/man8/squid_ldap_auth.8.html

If the LDAP helpers are included in your Squid installation, the `ldap_auth` (or sometimes names `squid_ldap_auth`) will be found in `/var/lib/squid` (or equivalent location where Squid is installed).

The first step is to configure Squid to authenticate usernames/passwords with the LDAP / Active Directory. You will need to open your Squid configuration file (`squid.conf`) and make the following changes:

Find the `auth_param` section of the config file (TAG: `auth_param`), and change the `auth_param basic program` line to look like this. (Indented text indicates one line)


```
auth_param basic program /usr/lib/squid/ldap_auth -R
-b "dc=vm-domain,dc=mydomain,dc=com"
-D "cn=Administrator,cn=Users,dc=your,dc=domain,dc=com"
-w "password" -f sAMAccountName=%s -h 192.168.1.75
auth_param basic children 5
auth_param basic realm Your Organisation Name
auth_param basic credentialsttl 5 minutes
```

These settings tell Squid authenticate names/passwords in the LDAP / Active Directory.

- The `-b` option indicates the base LDAP distinguished name of our domain. e.g. `your.domain.com` would be `dc=your,dc=domain,dc=com`.
- The `-D` option indicates the user that is used to perform the LDAP query (e.g. an Administrator). This example uses the built-in Administrator user, however you can use another user of your choice.
- The `-w` option is the password for the user in the `-D` option. For improved security you can store the password in a file and use the `-W /path/to/password_file` syntax instead.
- The `-h` option is used to indicate the LDAP server to connect to.
- The `-R` option is required for Squid to connect to Windows Active Directory.
- The `-f` option is the LDAP query used to lookup the user. In the above example, `sAMAccountName=%s`, will match if the user's Windows logon name matches the username entered when prompted by Squid. Any LDAP query can be used. An LDAP search query tool can be helpful to help get the syntax correct and to ensure the query works correctly.
- The `%s` is replaced with what the user enters as their username.

Remember to restart Squid to make these changes to come into effect. Then test accessing the Internet and ensure that the Squid prompts for a username and password, and the authentication works as expected. *Ensure that the username now appears in the Squid log file.*

D.2.2. Restricting Internet Access for users without credit

PaperCut NG includes a Squid ACL helper that can be used to define access rules so that only users with credit available can access the Internet. The ACL helpers is located in here: `[appdir]providers/net/bin/linux-i686/squid-acl-helper`.

To configure the ACL helper open the Squid config file (e.g. `/etc/squid.conf`) in a text editor, and make the changes as described below.

The first step is to define the ACL helper configuration. This is done by adding the following line to the config file in the external ACL type section (TAG: `external_acl_type`). (NOTE: This is a single line, and is only split over multiple lines for formatting).

```
external_acl_type papercut_credit ttl=60 %LOGIN
[appdir]/providers/net/bin/linux-i686/squid-acl-helper -s [server]
```

Where `[appdir]` is the location where PaperCut NG is installed. The `-s [server]` op-

tion sets is the machine or IP address of the application server. If the `-s` option is not specified `localhost` is assumed. The `t1` is the number of seconds Squid caches the credit check. Setting this too low will put slow down both the proxy and PaperCut NG. Setting this value too high means this it will take longer for users to be denied access once they run out of credit. It is recommended to set the `t1` value to between 60 and 300 seconds.

The next step is to define an ACL for the new external ACL type defined above. To do this add the following line in the ACL section (TAG: `acl`).

```
acl papercut_allow external papercut_credit
```

The final step is to configure Squid so that only users with credit have Internet. To do this add an ACL by adding the following line to the HTTP access (TAG: `http_access`). The rule should be added above the `http_access deny all` line.

```
http_access allow papercut_allow
```

It is important to add the ACL so that it works as expected with other defined ACLs. The above ACL will work correctly if only the default Squid ACLs are defined. If other custom Squid ACL rules are used then using the above line might not work as expected.

Squid works by finding the first matching ACL rule that it encounters (from top to bottom) and a uses the specified action (allow/deny) and then no other ACLs are tested. If the above rule is used, it will match all users with credit in PaperCut NG and allow Internet access and will not process other rules. For examples, see Section D.2.2.1, "Squid ACL examples".

Remember to restart Squid for the changes to take effect. After restarting test the access controls are working as expected:

- Access the Internet using the Squid proxy. When prompted, login as a user who has credit available in PaperCut NG. Ensure that access is allowed.
- In PaperCut NG edit the balance of the user logged into Squid so they have no available credit and set the user as "restricted". The user should no longer have access to the Internet. NOTE: That depending on the the `t1` value set on the external ACL help-er it may take some time for Squid to recheck if the user has available credit.

D.2.2.1. Squid ACL examples

Configuring Squid ACL rules can get complicated when you need to define multiple rules. It is important to understand how Squid processes ACL rules, otherwise it is difficult to achieve the correct result. Squid processes the ACL rules from top to bottom, and applies the allow/deny action to the first matching rule. The Squid documentation and some complex ACL examples can be found here: http://www.visolve.com/squid/squid24s1/access_controls.php#http_access [http://www.visolve.com/squid/squid24s1/access_controls.php#http_access]

D.2.2.1.1. Newly installed Squid with default ACL rules

If using the default squid configuration and no custom ACL rules have been defined then the PaperCut NG ACL should be added below most of the default ACLs but above the `ht -`

tp_access deny all line. For example:

```
http_access allow manager localhost
http_access deny manager
http_access deny !Safe_ports
http_access deny CONNECT !SSL_ports

http_access allow papercut_allow

http_access deny all
```

This configuration means that Squid will allow manager access to requests from localhost, deny all other manager access, deny access to unsafe ports, and only allow access if the user has credit in PaperCut NG.

D.2.2.1.2. Always allow access to the local intranet

To allow access to a local intranet, even if the user does not have credit in PaperCut NG, then the following rules could be used. The `intranet` ACL is assumed to be defined to include all internal web hosts using either the `dst` or `dstdomain` ACL types.

```
http_access allow manager localhost
http_access deny manager
http_access deny !Safe_ports
http_access deny CONNECT !SSL_ports

http_access allow intranet
http_access allow papercut_allow

http_access deny all
```

This configuration means that Squid will allow access to the Intranet no matter whether they have credit available in PaperCut NG. It does this because the `http_access allow intranet` rule will match, and access will be allowed and no further rules are processed.

D.2.2.1.3. Allow access not in "Denied Internet Users" group and they have available credit

Some schools have users that are denied Internet access for disciplinary or other reasons. These users are added to the "Denied Internet Users" group on the domain. These students should not have Internet access even if they have available credit in PaperCut NG. This can be achieved using the following rules. This assumes that the `denied_group` ACL is defined test for membership of the "Denied Internet Users" group.

```
http_access allow manager localhost
http_access deny manager
http_access deny !Safe_ports
http_access deny CONNECT !SSL_ports

http_access deny denied_group
http_access allow papercut_allow

http_access deny all
```

This configuration means that Squid will deny access to users in the "Denied Internet Users" group no matter what credit they have in PaperCut NG.

Appendix E. Capacity Planning

This section discusses capacity planning considerations to allow administrators to plan future infrastructure requirements and make decisions about how to deploy the application.

PaperCut NG is designed to be self-maintaining, however it is important that the administrator understands the disk-space requirements and how this changes overtime.

E.1. Database Sizing and Growth

The most important part of capacity planning for PaperCut NG is the size and growth of the underlying database. All other aspects of the system manages itself, but care must be taken to ensure there is enough disk space to hold the growing database.

The size and growth of the database depends on the database being used. Each database uses a different format to store their data, therefore the growth characteristics of databases will differ. This section outlines the database growth characteristics of:

- The internal database (Apache Derby)
- Microsoft SQL Server

For more information on running PaperCut NG on external databases, see Chapter 16, *Deployment on an External RDBMS*.

Database growth is very dependent on the usage patterns and therefore differs significantly from site to site. The best way to predict database growth is based on the rate of print jobs performed. Although, there is some overhead for other data (like users, groups, printers, etc.), this data is static and does not grow over-time. The majority of database growth is caused by print and transaction logs.

The growth calculations performed below provide an indication of growth per 1000 or 10000 print jobs. Then using these numbers and your estimate of the rate of printing in your organization a growth estimate can be made. See Section E.1.3, "Sample database growth calculation" for an example of this calculation.

E.1.1. Internal database growth

Most PaperCut NG installations use the internal database. This database is suitable for most organizations, however some prefer to run using an external database (as discussed in Chapter 16, *Deployment on an External RDBMS*).

The following graph shows the database size increase with the number of print jobs.




Figure E.1. Database growth using the internal database

These results show that the internal database grows by approximately 8.5MB per 10,000 print jobs.

E.1.2. SQL Server database growth




Figure E.2. Database growth using a Microsoft SQL Server database

These results show that a Microsoft SQL Server database grows by approximately 4.5MB per 10,000 print jobs.

E.1.3. Sample database growth calculation

This section provides a sample of how to estimate the database growth for your environment. To perform this calculation we need to make a number of assumptions. These assumptions should be adjusted to suit your organization. The assumptions are:

- 1 print job per user per day
- 20 working days in a month
- Therefore, 20 print jobs per user per month

Here is a sample database growth calculation based on a 500 user site using the internal database:

1. Calculate the total number of print jobs expected for the month. (i.e. the total number of users multiplied by the number of print jobs). $500 * 20 = 10,000$. So in this example, PaperCut NG is handling 10,000 print jobs a month.
2. Calculate the monthly growth rate by dividing the jobs per month by 10,000 and then multiplying by the database growth rate (i.e. for the internal DB this is 8.5MB for 10,000 jobs). So, $10,000 / 10,000 * 8.5 = 8.5\text{MB/Month}$. Therefore in this situation the internal database will grow by approximately 8.5MB per month.
3. To estimate the growth per year, multiply the above by 12. Therefore in this situation, the database will grow by $10.2 * 12 = 122.4\text{MB per year}$.

E.2. Network Bandwidth Planning

With modern switched Ethernet networks, bandwidth is rarely a factor when planning PaperCut NG deployments. The bandwidth consumed by PaperCut NG is usually dwarfed by the print document data - e.g. the Postscript spool data sent across the network. Bandwidth does however become a consideration when planning deployments crossing physical site boundaries such as networks linked via a WAN.

PaperCut NG uses an XML based web services protocol for communication between client-to-server and server-to-server. This protocol is very bandwidth efficient and designed to work well on low bandwidth and high latency networks.

E.2.1. Bandwidth Estimates

Bandwidth consumption can be summarized as follows:

E.2.1.1. Server-to-Server

Other than normal print server traffic (standard job spooling), PaperCut NG will generate XML-RPC based Web Services based traffic on port 9191. Connections are made from the print server to the main PaperCut NG server (Primary Server). Normal activity is less than 1.0kb of traffic is generated for each print job. Connections are instigated from the secondary server. Network packets are only sent during printing activity.

E.2.1.2. Client-to-Server

Connections are instigated by the client inbound to the server on port 9191 and 9192 (Encrypted SSL). While at idle, the client consumes a few bytes once every minute (a keep-alive heartbeat). During print activity, up to 0.5kb may be consumed depending on client popup settings.

Appendix F. Upgrading From a Previous Version

This appendix describes the PaperCut NG standard upgrade procedure. PaperCut NG supports upgrades using a simple *install-over-the-top* procedure. We recommend reviewing all steps prior to commencing the upgrade procedure.

F.1. The recommended upgrade procedure

1. Download the PaperCut NG installer for your platform. In accordance with best practice we recommend that you archive your install programs just in case you need to re-install in the future or roll back to a previous version.
2. Schedule approximately 10 minutes downtime. It is suggested to choose a time of day with minimal network activity. If there is a large volume of data in the system (for example if the system has been running for more than a year, or there are more than 5,000 users) the upgrade may take longer. With very large installations it may be appropriate to schedule an hour or more of downtime.
3. Take a point-in-time backup of the data by pressing the **Backup Now** button located under **Options** → **Backups**. This will ensure you have a copy of the important data.
4. As a precaution on very large systems, we recommend backing up the whole PaperCut NG directory. Existing overnight backups may have taken care of this task, however take a few moments to grab an up-to-date backup now. For example, create a zip archive of the directory:

```
C:\Program Files\PaperCut NG\
```

or the equivalent path on Linux or Mac.

5. Run the installer downloaded in step 1 and install into the *same* location as the existing install.
6. After the install is complete, log into the system and perform some tests to ensure all is working as expected and the system is monitoring user activity as expected.

Appendix G. Upgrading from PaperCut Quota

This appendix describes the process for moving from PaperCut Quota to PaperCut NG, and includes instruction of importing user balances and restriction settings from the old PaperCut Quota installation.

These instructions assume that PaperCut NG will be installed on the same machine as PaperCut Quota, however the instructions can also be applied when PaperCut NG is installed on a new machine.

G.1. Upgrade process

G.1.1. Step 1 - Stop and disable PaperCut Quota

Firstly the PaperCut Quota services should be stopped to ensure that they do not interfere with PaperCut NG. You should not uninstall PaperCut Quota at this stage because we need the user database to import user balances into PaperCut NG.

To stop and disable the PaperCut Quota services:

1. Open the Windows services manager (**Start** → **Control Panel** → **Administrative Tools** → **Services**).
2. Find the *PaperCut Print Charging* service.
3. Right-click on the service and select the **Properties** menu.
4. Change the **Startup Type** to **Disabled**
5. Press the **Stop** button to stop the service.
6. Press **OK** to save the settings changes.

G.1.2. Step 2 - Install PaperCut NG

Install PaperCut NG as discussed in Section 1.4, "Quick Start Guide - Phase I - Installation".

During the setup wizard, it is recommended that the user import settings be set up in the same way as was configured in PaperCut Quota. For example, if you import users from the full Active Directory domain in PaperCut Quota, also set this up in PaperCut NG.

Check that the users have been imported correctly. To adjust the user import settings and re-perform the user synchronization process, go to the **Options** → **User/Group Sync** screen. This is similar to the *Tune-up* function in PaperCut Quota.

Once installed it is recommended that the groups are set up in the same way as in PaperCut Quota. Groups are used to determine the default settings for new users and also how quotas are allocated. For more information on groups see Section 5.1, "Groups in PaperCut NG".

G.1.3. Step 3 - Configure and test printers

The next step is to set up the printers in PaperCut NG to reflect the required page costs and

print restrictions. To do this:

1. Navigate to the **Printers** section.
2. Select the printer to adjust by clicking on the printer name.
3. Enter the cost and filter settings.
4. Press the **OK** or **Apply** buttons to save the changes.

For a detailed explanation of setting printer costs and restrictions, see Chapter 6, *Advanced Printer Management*.



Tip

If all your printers are configured with similar costs and filters then the settings can be copied from one printer to the other printers. This is discussed in Section 6.3, "Copying Printer Settings".



Tip

It is recommended that the administrator set up the [template printer]. This printer is used as a template when new printers are added to the system. The template printer is discussed in detail in Section 6.2, "The Template Printer".

To ensure that the printers are setup correctly, perform a test print to one of the configured printers. Once printed, check the print log (**Printers** → **Print Log**) that the job was recorded and the correct cost calculated.

G.1.4. Step 4 - Import the existing User Balances

Moving the user balances and restricted status from PaperCut Quota to PaperCut NG is a simple process. If the server is running Windows then:

1. Navigate to the **Users** section.
2. Click the **Batch import ...** action (on the left).
3. Press the **Browse** and locate the PaperCut Quota user database (PCUserDB.mdb). This is typically located at: C:\Program Files\PaperCut\Database\PCUserDB.mdb
4. Press the **Import** button to start the import process.
5. Upon successful completion, the number of users updated and created will be displayed.
6. Perform some checks of the user balances and restricted statuses to ensure they are set to the values from PaperCut Quota.

If the PaperCut NG server is not running on Windows, the PaperCut Quota database converter can be run manually on a Windows system, and the resulting text file can then be imported in a process similar to the above. To convert the PaperCut Quota user database manually:

1. Copy the [appdir]/server/bin/win/PCQuotaExport.exe file from the server (running the non-windows OS), to the Windows machine running PaperCut Quota. Copy the exporter to the PaperCut Quota database directory (usually c:\Program Files\PaperCut\Database).
2. Open the command prompt, by running cmd.exe from **Start** → **Run**.
3. Change to the PaperCut Quota database directory. e.g.

```
cd "c:\Program Files\PaperCut\Database"
```

4. Run the converter, with the location of the PCUserDB.mdb as the argument. For example:

```
PCQuotaExport.exe "PCUserDB.mdb" > user-export.txt
```

If running the exporter from a different directory to the database, the full path to the database should be provided.

5. The above command creates a text file called user-export.txt that contains the user data from PaperCut Quota. The file can be opened in a text editor to review the contents.
6. The file can then be imported into PaperCut NG. First log in to PaperCut NG.
7. Navigate to the **Users** section.
8. Click the **Batch import ...** action (on the left).
9. Press the **Browse** and locate the user-export.txt file, created in the above step.
10. Press the **Import** button to start the import process.
11. Upon successful completion, the number of users updated and created will be displayed.
12. Perform some checks of the user balances and restricted statuses to ensure they are set to the values from PaperCut Quota.

G.1.5. Step 5 - Upgrade client software

The old PaperCut Quota client software is not compatible with PaperCut NG. The old client software must be uninstalled off all workstations and the new client software deployed. The zero-install deployment method can greatly assist with this process. More information on the client deployment is detailed in Section 4.2, "User Client".

Note: It is not 100% accurate to claim that the old client software must be removed. Once the old server-side software is disabled, the old client will sit in an inactive state and do no harm. Having said that however, it will consume some system resources on the workstations and hence it is generally recommended that it be uninstalled.

G.1.6. Step 6 - Optionally uninstall PaperCut Quota

Once the PaperCut NG installation is completed and tested you can optionally uninstall PaperCut Quota. If you would like to view historical print data then we recommend keeping the old application installed so you can view the historical data. If this is not important then the application can be uninstalled.

To uninstall:

1. On the Windows server running PaperCut Quota, go to: **Start → Control Panel → Add or Remove Programs**).
2. Find and select PaperCut Quota in the list of installed programs.
3. Click the **Remove** button to start the uninstall process.

Appendix H. Software License Agreement

THE PROGRAM IS COPYRIGHTED AND LICENSED (NOT SOLD). BY PURCHASING THE PROGRAM, YOU ARE ACCEPTING AND AGREEING TO THE TERMS OF THIS LICENSE AGREEMENT. THIS LICENSE AGREEMENT REPRESENTS THE ENTIRE AGREEMENT CONCERNING THE PROGRAM, BETWEEN YOU AND PaperCut Software International Pty Ltd, (REFERRED TO AS "LICENSOR"), AND IT SUPERSEDES ANY PRIOR PROPOSAL, REPRESENTATION, OR UNDERSTANDING BETWEEN THE PARTIES.

1. License Grant. Licensor hereby grants to you, and you accept, a nonexclusive license to use the program in machine-readable, object code form only, for use only as authorized in this License Agreement. The Programs may be used only on computers owned, leased or otherwise controlled by you. The program shall only manage the number of user accounts specified in the purchase agreement. You agree that you may not reverse assemble, reverse compile, or otherwise translate the Program.

2. Term (Evaluation Version Only). This License commences upon the installation of the software and is effective for 30 days following the date you install the software. This License terminates automatically without notice from PaperCut Software International Pty Ltd upon the expiration of the evaluation term or if you fail to comply with any provision of this License. Upon termination you shall remove the SOFTWARE from your computer(s).

3. Licensor's Rights. You acknowledge and agree that the Program is proprietary to Licensor and protected under copyright law. You further acknowledge and agree the all right, title, and interest in and to the Program, including associated intellectual property rights, are and shall remain with Licensor. The License Agreement does not convey to you an interest in or to the Program, but only a limited right of use revocable in accordance with the terms of this License Agreement.

4. No Warranty; Limitation of Liability. YOU ACKNOWLEDGE THAT THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS WITHOUT WARRANTY OF ANY KIND. LICENSOR MAKES NO REPRESENTATIONS OR WARRANTIES REGARDING THE USE OR PERFORMANCE OF THE PROGRAM. LICENSOR EXPRESSLY DISCLAIMS THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. LICENSOR SHALL HAVE NO LIABILITY TO CUSTOMER OR ANY THIRD PARTY FOR ANY LOSS OR DAMAGE CAUSED, DIRECTLY OR INDIRECTLY, BY THE PROGRAM, INCLUDING, BUT NOT LIMITED TO, ANY INTERRUPTION OF SERVICES, LOSS OF BUSINESS, LOSS OF DATA OR SPECIAL, CONSEQUENTIAL OR INCIDENTAL DAMAGES.

5. Severability. Should any term of this License Agreement be declared void or unenforceable by any court of competent jurisdiction, such declaration will have no effect on the remaining terms hereof.

6. No Waiver. The failure of either party to enforce any rights granted hereunder or to take action against the other party in the event of any breach hereunder shall not be deemed a waiver by that party as to subsequent enforcement of rights or subsequent actions in the event of future breaches.

7. Update Checks. You acknowledge and agree to allow version and license status details to be sent to PaperCut Software International Pty Ltd when you request to "Check for up-

dates". This allows PaperCut Software International Pty Ltd to determine whether software updates are available in real-time.